



LAWS OF KENYA



STANDARDS ACT

CHAPTER 496

Revised Edition 2012 [1981]

Published by the National Council for Law Reporting
with the Authority of the Attorney-General

www.kenyalaw.org

CHAPTER 496

STANDARDS ACT

ARRANGEMENT OF SECTIONS

PART I – PRELIMINARY

Section

1. Short title.
2. Interpretation.

PART II – THE KENYA BUREAU OF STANDARDS

3. Establishment of the Bureau.
4. Functions of the Bureau.
5. Director and staff of the Bureau.
6. The National Standards Council.
7. Powers of the Council.
8. Financial provisions.

PART III – ESTABLISHMENT OF STANDARDS

9. Declaration of Kenya Standard.
10. Standardisation marks.
- 10A. Cancellation and suspension of permit.
- 10B. Standards levy order.
- 10C. Disbursement powers of Director.
11. Appeals.

PART IV – ENFORCEMENT

12. Samples and information.
13. Appointment of inspectors.
14. Power of inspectors.
- 14A. Order that goods be destroyed.
- 14B. Conditional release.
15. General provisions with regard to penalties.
16. Evidence by certificate.

PART IVA – STANDARDS TRIBUNAL

- 16A. Establishment of Tribunal.
- 16B. Remuneration and allowances of members.
- 16C. Powers on appeal.
- 16D. Reference to Tribunal.
- 16F. Appointment of expert advisers.
- 16G. Appeal from Tribunal to Court.
- 16H. Procedure of Tribunal.

PART V – MISCELLANEOUS

Section

- 17. Protection of Government, Bureau, Council and members and employees.
- 18. Secrecy of information.
- 19. Victimization.
- 20. Regulations.
- 21. Conflicting standards.

SCHEDULE – THE NATIONAL STANDARDS COUNCIL

CHAPTER 496
STANDARDS ACT

[Date of assent: 16th January, 1974.]

[Date of commencement: 12th July, 1974.]

An Act of Parliament to promote the standardisation of the specification of commodities, and to provide for the standardisation of commodities and codes of practice; to establish a Kenya Bureau of Standards, to define its functions and provide for its management and control; and for matters incidental to, and connected with, the foregoing

[Act No. 17 of 1973, Corr. No. 5/1974, L.N. 188/1974, Act No. 5 of 1980, L.N. 22/1984, Act No. 13 of 1988, Act No. 1 of 1989, Act No. 6 of 2001, Act No. 2 of 2002, Act No. 7 of 2002, Act No. 7 of 2004.]

PART I – PRELIMINARY

1. Short title

This Act may be cited as the Standards Act.

2. Interpretation

In this Act, unless the context otherwise requires—

“**approved specification**” means a specification in respect of which a standardization mark has been specified under section 10(1)(b);

“**Bureau**” means the Kenya Bureau of Standards established by section 3;

“**code of practice**” means a set of rules relating to the methods to be applied or the procedure to be adopted in connexion with the construction, installation, testing, sampling, operation or use of any article, apparatus, instrument, device or process;

“**Council**” means the National Standards Council established by section 6;

“**Director**” means the Director of the Bureau appointed under section 5;

“**inspector**” means an inspector appointed under section 13;

“**Kenya Standard**” means a specification or code of practice declared under section 9(1);

“**manufacture**” includes produce, process, treat, install, test, operate and use;

“**mark**” includes any device, brand, heading, label, ticket, name, signature, word, letter or numeral, or any combination thereof;

“**permit**” means a permit issued under section 10 of this Act or the regulations;

“**sell**” includes barter and exchange, and exposure or offer for sale, and export for or in pursuance of sale, and have in possession for any purpose of sale, export, trade or manufacture;

“**specification**” means a description of any commodity by reference to its nature, quality, strength, purity, composition, quantity, dimensions, weight, grade, durability, origin, age or other characteristics, or to any substance or material of or with which, or the manner in which, any commodity may be manufactured, produced, processed, treated, tested or sampled;

“**standardization mark**” means a mark which has been specified by the Council under section 10;

“**Tribunal**” means the Standards Tribunal established under section 16A.

[Act No. 5 of 1980, s. 2, Act No. 7 of 2004, s. 2.]

PART II – THE KENYA BUREAU OF STANDARDS

3. Establishment of the Bureau

There is hereby established a Bureau which shall be a body corporate by the name of the Kenya Bureau of Standards, with perpetual succession and a common seal, and which shall, in its corporate name, be capable of—

- (a) suing and being sued;
- (b) taking, purchasing or otherwise acquiring, holding, charging and disposing of property, movable or immovable; and
- (c) entering into contracts and doing or performing all such other things or acts for the proper performance of its functions under this Act which may lawfully be done or performed by a body corporate.

4. Functions of the Bureau

(1) The functions of the Bureau shall be—

- (a) to promote standardization in industry and commerce;
- (b) to make arrangements or provide facilities for the testing and calibration of precision instruments, gauges and scientific apparatus, for the determination of their degree of accuracy by comparison with standards approved by the Minister on the recommendation of the Council, and for the issue of certificates in regard thereto;
- (c) to make arrangements or provide facilities for the examination and testing of commodities and any material or substance from or with which and the manner in which they may be manufactured, produced, processed or treated;
- (d) to control, in accordance with the provisions of this Act, the use of standardization marks and distinctive marks;
- (e) to prepare, frame, modify or amend specifications and codes of practice;
- (f) to encourage or undertake educational work in connexion with standardization;
- (g) to assist the Government or any local authority or other public body or any other person in the preparation and framing of any specifications or codes of practice;

- (h) to provide for co-operation with the Government or the representatives of any industry or with any local authority or other public body or any other person, with a view to securing the adoption and practical application of standards;
- (i) to provide for the testing at the request of the Minister, and on behalf of the Government, of locally manufactured and imported commodities with a view to determining whether such commodities comply with the provisions of this Act or any other law dealing with standards of quality or description.

(2) Deleted by Act No. 5 of 1980, s. 3.

5. Director and staff of the Bureau

(1) The Minister shall, on the advice of the Council, by notice in the *Gazette*, appoint a Director of the Bureau who shall be the chief executive officer of the Bureau.

(2) The Council shall, after consultation with the Director, appoint such members and staff of the Bureau as the Council may deem necessary for the proper performance of the functions of the Bureau under this Act.

[Act No. 5 of 1980, s. 4.]

6. The National Standards Council

(1) There is hereby established a Council of the Bureau by the name of the National Standards Council.

(2) The Council shall, subject to the provisions of subsection (3), consist of the following members—

- (a) a chairman appointed by the Minister;
- (b) a secretary who shall be the Director of the Bureau;
- (c) not more than seven persons appointed by the Minister who shall be public officers;
- (d) not more than eight persons appointed by the Minister who shall possess knowledge of industrial or commercial standards or other matters likely to be of assistance to the Bureau in the performance of its functions under this Act.

(3) The Minister may, after consultation with the Council, appoint not more than five persons to be additional members of the Council being persons whose assistance or advice it may from time to time require.

(4) The Schedule to this Act shall have effect with respect to the Council, but subject thereto the Council shall otherwise regulate its own procedure.

[Act No. 5 of 1980, s. 4.]

7. Powers of the Council

(1) The Council shall have power—

- (a) to supervise and control the administration and financial management of the Bureau;

- (b) to advise and obtain advice from the Minister in regard to any matter within his purview under this Act;
- (c) to formulate matters of policy for the purpose of providing general or specific guidance to the Institute for the better performance of its functions under this Act;
- (d) to do all things necessary for the better carrying out of the provisions and purposes of this Act except where otherwise provided.

(2) The Council may, whether or not for reward, at the request of any person, carry out or cause to be carried out—

- (a) any study, examination or test in respect of any particular commodity or class of commodity;
- (b) any comparative study, examination or test in respect of commodities of different makes or brands or of different specifications whether produced in Kenya or elsewhere.

(3) The Council, upon payment of such fees, if any, as may be prescribed, may issue reports on any study, examination or test carried out pursuant to subsection (2) of this section and may, if it thinks fit, impose conditions as to the use to be made of such reports and conditions prohibiting, restricting or requiring the publication of or other disclosure of any information contained therein.

8. Financial provisions

(1) The funds of the Bureau shall consist of all moneys received or recovered under the provisions of this Act or the regulations by or on behalf of the Bureau or the Council and any moneys provided by Parliament.

(2) The Minister may, out of the funds of the Bureau, and with the consent of the Treasury—

- (a) pay to the members of the Council and the Bureau (other than a number who is a public officer in receipt of salary) and to the staff of the Bureau remuneration and travelling and other allowances;
- (b) authorize the payment of all such sums of money as may be necessary to enable the Bureau to discharge its functions under this Act and to give effect thereto.

(3) The Council shall cause to be kept all proper books of account and other books and records in relation to the funds and to all the undertakings, activities and property of the Bureau and shall, within such period after the end of each financial year as the Minister shall specify, cause to be prepared—

- (a) a balance sheet showing in detail the assets and liabilities of the Bureau as at the end of that year;
- (b) such other statements of account as may be necessary to indicate the financial status of the Bureau as at the end of that year.

(4) The accounts of the Bureau shall be examined, audited and reported upon annually by the Auditor-General (Corporations).

(5) The Council shall submit to the Minister all such information as he may from time to time require in respect of the activities and financial position of the Bureau, and shall in addition submit to the Minister an annual report, including a

balance sheet and a statement of income and expenditure audited in accordance with subsection (4) of this section, and such other particulars as the Minister may request, and the report shall be laid by the Minister before Parliament, and published by the Council in such manner as it shall specify, as soon as practicable after the end of each financial year.

[Act No. 13 of 1988, Sch.]

PART III – ESTABLISHMENT OF STANDARDS

9. Declaration of Kenya Standard

(1) The Council may by notice in the *Gazette*—

- (a) declare any specification or code of practice framed or prepared by the Bureau to be a Kenya Standard;
- (b) notify from time to time any amendment to, replacement of, or abolition of, a Kenya Standard declared under paragraph (a).

(2) Where a Kenya Standard has been declared under subsection (1), the Minister, on the advice of the Council, shall, by order in the *Gazette*, prescribe a date after which no person shall manufacture or sell any commodity, method or procedure to which the relevant specification or code of practice relates unless it complies with that specification or code of practice.

(3) Notwithstanding the provisions of any order made under subsection (1), the Minister, on the advice of the Council after a resolution thereof to the effect that—

- (a) it is satisfied that it is temporarily impossible or impractical for a person, industry or trade to comply with the order; and
- (b) it is nevertheless desirable in the public interest that that person, industry or trade should be permitted to manufacture or sell any commodity, method or procedure referred to in the order,

may, by notice in the *Gazette*, exempt that person, industry or trade, either generally or for the purposes of a particular transaction or particular transactions, from compliance with the order for such period and subject to such conditions, to be specified in the notice as the Council shall advise.

(4) Any person who contravenes the provisions of an order under subsection (2) shall, unless there is in force in respect of him a notice of exemption under subsection (3), be guilty of an offence.

[Act No. 5 of 1980, s. 5.]

10. Standardization marks

(1) The Council shall, by notice in the *Gazette*, specify a separate mark, to be known as a standardization mark, for each of the following purposes—

- (a) application to any commodity which is the subject of an order under section 9(2); and
- (b) application to a commodity which is not the subject of an order under section 9(2) but concerning the manufacture or sale of which the Council has approved as specification.

(2) The standardization marks specified under subsection (1) shall not be identical with any trade mark registered under the Trade Marks Act (Cap. 506) or so nearly resemble it as to be likely to be mistaken for it, and no mark identical with those standardization marks or so nearly resembling them as to be likely to be mistaken for them shall be registered as a trade mark under the Trade Marks Act (Cap. 506).

(3) Where, after the publication of an order under section 9(2), any person intends to manufacture any commodity to which that order refers after the date specified therein he shall notify the Bureau in the prescribed form of his intention and the Bureau, if it is satisfied that he is capable of manufacturing the commodity in accordance with the relevant Kenya Standard, shall issue him with a permit to use the standardization mark referred to in paragraph (a) of subsection (1).

(4) Where any person manufactures, or intends to manufacture, any commodity in respect of which a standardization mark has been specified under paragraph (b) of subsection (1) he may notify the Bureau of his intention to comply with the approved specification and his wish to apply the relevant standardization mark, and the Bureau, if it is satisfied that he is capable of manufacturing the commodity in accordance with the relevant specification, shall issue him with a permit to use that standardization mark.

(5) A permit issued under this section may be issued subject to conditions to be specified therein, which conditions may be varied from time to time, and any person to whom it is issued shall comply with those conditions.

(6) No person shall apply a standardization mark specified under subsection (1) to any commodity except under a permit issued by the Bureau or a person acting under its authority and unless that commodity complies with the relevant Kenya Standard or approved specification.

(7) Any person who—

- (a) applies a standardization mark to any receptacle or covering of any commodity or to any label attached to any commodity or any receptacle or covering thereof; or
- (b) places or encloses any commodity in a receptacle or covering to which a standardization mark has been applied, or in a receptacle or covering to which is attached a label to which any such mark has been applied,

shall, for the purposes of subsection (6), be deemed to have applied that standardization mark to that commodity.

(8) Any person who contravenes any of the provisions of subsection (3) or (6) or fails to comply with any condition in a permit, shall be guilty of an offence.

[Act No. 5 of 1980, s. 5, Act No. 1 of 1989, s. 2.]

10A. Cancellation and suspension of permit

(1) The Bureau may where it is satisfied that the holder of a permit—

- (a) has not complied with any condition specified therein; or

- (b) has not manufactured any commodity to which the permit relates to the relevant Kenya Standard of approved specification, as the case may be; or
- (c) has ceased to manufacture the commodity to which the permit relates,

cancel, or suspend the operation of, a permit; and suspension under this subsection may be for such period, not exceeding one year, as the Bureau deems fit.

(2) The provisions of subsection (1) shall be in addition to, and not in derogation of, the power to prosecute for an offence under this Act.

[Act No. 5 of 1980, s. 5.]

10B. Standards levy order

(1) The Minister may make a standards levy order for the purpose of giving effect to proposals submitted by the Council and approved by him; and the order may provide for the amendment of a previous standard levy order and may make different provisions in relation to different classes or description of industry.

(2) A standards levy order may contain provisions as to the evidence by which a person's liability to the levy or his discharge of that liability may be established, and as to the time at which any amount payable by any person by way of the levy shall become due and the manner in which it shall be recoverable by the Director.

(3) If any person fails to pay an amount payable to him by way of the standards levy within the time prescribed by the standards levy order, a sum equal to five per cent of that amount shall be added to the amount for each month or part of a month thereof that the amount due remained unpaid.

(4) A person who fails to comply with any provisions of a standards levy order shall be guilty of an offence.

(5) Any person who is aggrieved by an act or decision under a standards levy order may appeal in writing to the Tribunal.

[Act No. 1 of 1989, s. 3, Act No. 7 of 2004, s. 3.]

10C. Disbursement powers of Director

(1) All moneys received in respect of the standards levy order shall be paid into a standards levy fund (in this section referred to as "the Fund") established in respect of the industry to which that order relates.

(2) The Director, acting on the direction of the Minister, may make payments out of the Fund for the purposes set out in section 8(2).

[Act No. 1 of 1989, s. 3.]

11. Appeals

Any person who is aggrieved by a decision of the Bureau or the Council may within fourteen days of the notification of the act complained of being received by him, appeal in writing to the Tribunal.

[Act No. 7 of 2004, s. 4.]

PART IV – ENFORCEMENT

12. Samples and information

(1) Every person to whom a permit has been issued under this Act shall, if so requested by the Council in writing, furnish within such period as may be specified such samples of any commodity to which the permit relates and all such information in regard to that commodity or its manufacture, production, processing or treatment as may be specified in the request.

(2) Any person who contravenes any of the provisions of this section shall be guilty of an offence and liable to a fine not exceeding fifty thousand shillings or to imprisonment for a term not exceeding six months, or to both such fine and imprisonment.

[Act No. 6 of 2001, s. 62.]

13. Appointment of inspectors

(1) The Minister may, at the request of the Council, by notice in the *Gazette* appoint as an inspector for the purposes of this Act any person who in his opinion is suitably qualified.

(2) Every person so appointed shall be either a public officer or a member of the staff of the Institute and shall be furnished with a certificate of appointment signed by the Director stating that he is authorized by the Minister to act as an inspector for the purposes of this Act.

14. Power of inspectors

(1) An inspector may for the purposes of this Act, at all reasonable times—

- (a) enter upon any premises at which there is, or is suspected to be a commodity in relation to which any standard specification or standardization mark exists;
- (b) inspect and take samples of any commodity or any material or substance used, or likely to be, or capable of being used in the manufacture, production, processing or treatment thereof, and cause any container within which there is or is suspected to be any quantity of any such commodity, material or substance, to be opened;
- (c) inspect any process or other operation which is or appears likely to be carried out in those premises in connexion with the manufacture, production, processing or treatment of any commodity in relation to which a standard specification or a standardization mark exists;
- (d) require from any person the production of any book, notice, record, list or other document which is in the possession or custody or under the control of that person or of any other person on his behalf;
- (e) examine and copy any or any part of such book, notice, record, list or other document which appears to him to have relevance to his inspection or inquiry, and require any person to give an explanation of any entry therein, and take possession of any such book, notice, record, list or other document as he believes may afford evidence of an offence under this Act;

- (f) require information relevant to his inquiry from any person whom he has reasonable grounds to believe is or has been employed at any such premises or to have in his possession or custody or under his control any article referred to in this subsection;
- (g) seize and detain, for the purpose of testing, any goods in respect of which he has reasonable cause to believe that an offence has been committed;
- (h) seize and detain any goods or documents which he has reasonable cause to believe may be required as evidence in any proceedings for any offence under this Act.

(2) An inspector entering any premises under this section shall, if so required, produce for inspection by the person apparently in charge of the premises the certificate issued to him under section 13(2) and may take with him thereon such persons and such equipment as may appear to him to be necessary.

(3) Where—

- (a) premises to which this section relates are unoccupied; or
- (b) the owner, occupier or person in charge thereof is temporarily absent; or
- (c) entry thereon is refused or obstructed,

the inspector may use such force as is reasonably necessary to effect entry:

Provided that in the case of an entry under paragraph (a) or (b)—

- (i) reasonable steps shall be taken prior to entry by the inspector to find the owner, occupier or person in charge of the premises to be entered; and
- (ii) the premises shall be left by the inspector as effectively secured against trespassers as he found them.

(4) Any person who resists, hinders or obstructs an inspector acting in the course of his duty under this section or who wilfully fails to comply with any requirements lawfully made thereunder shall be guilty of an offence.

(5) In this section—

“**premises**” includes an aircraft, vehicle or vessel, all within the meaning of section 2 of the Customs and Excise Act (Cap. 472).

[Act No. 5 of 1980, s. 6, Act No. 2 of 2002, Sch., Act No. 7 of 2004, s. 5.]

14A. Order that goods be destroyed

(1) An inspector may order the destruction of goods detained under section 14(1) if the following conditions are satisfied—

- (a) testing indicates that the goods do not meet the relevant Kenya Standard; and
- (b) it is reasonably necessary to destroy the goods because the goods are in a dangerous state or injurious to the health of human beings, animals or plants.

(2) In an order under subsection (1) the inspector may require the owner of the goods to pay the costs of the destruction of the goods including the costs of transporting and storing the goods before destruction.

(3) At least fourteen days notice shall be given of an order under subsection (1) either by giving the owner of the goods a written notice or by publishing a written notice in the *Gazette*.

(4) Any person who is aggrieved by an order under subsection (1) may, within fourteen days of the notice of the order under subsection (3), appeal in writing to the Tribunal.

(5) An order under subsection (1) shall not be carried out until the time for appealing to the Tribunal has expired and, if the order is appealed, the order shall not be carried out until the Tribunal has dealt with the appeal.

(6) If the goods in respect of which an order under subsection (1) is made have not been entered into Kenya within the meaning of the Customs and Excise Act (Cap. 472) the goods may be exported and, if the owner of the goods gives an undertaking to export the goods, the order shall not be carried out until at least thirty days after the notice of the order under subsection (3).

(7) No inspector shall be personally liable for making an order under subsection (1) in good faith.

(8) No person shall be personally liable for carrying out an order under subsection (1) in good faith.

(9) For greater certainty subsections (7) and (8) do not relieve the Bureau of any liability it may have with respect to an order that is made or carried out otherwise than in accordance with this section.

(10) For the purposes of carrying out his duties under the Act, every inspector shall have the powers, rights and privileges specified in section 14 and the protection of a police officer.

(11) An inspector who—

- (a) directly or indirectly solicits for, or receives in connection with any of his duties, a payment or other reward whatsoever, whether pecuniary or otherwise, or a promise or security for any such payment or reward which he is lawfully entitled to claim; or
- (b) enters into any agreement to do, abstain from doing, permit, conceal or connive at any act whereby the Bureau is or may be defrauded, or which is contrary to the provisions of this Act or the proper execution of the duty of that officer; or
- (c) discloses, except for the purposes of this Act or when required to do so as a witness in a court of law or with the approval of the Director, information acquired by him in the performance of his duties relating to a person, firm or business of any kind; or
- (d) uses his position to improperly enrich himself or others,

shall be guilty of an offence and liable to imprisonment for a term not exceeding five years or to a fine not exceeding one million shillings or both and any money, property or reward obtained fraudulently shall be forfeited to the Government.

(12) A person who, with the intention of defrauding the Bureau—

- (a) directly or indirectly offers to give an inspector a payment or reward, whether pecuniary or otherwise, or makes a promise or security for any such payment or reward; or
- (b) promises or enters into an agreement with an inspector in order to induce him to do, abstain from doing, permit, conceal or connive at, any act whereby the Bureau may be defrauded, or which is contrary to the provisions of this Act for the proper execution of the duty of that inspector,

shall be guilty of an offence and liable to imprisonment as prescribed under subsection (11).

[Act No. 7 of 2004, s. 6.]

14B. Conditional release

(1) An inspector may order a conditional release of goods to a manufacturer, importer, possessor, dealer or seller or his agent pending the testing of the samples of goods to determine whether they comply with the relevant Kenya Standards.

(2) Where the goods are in the custody and possession of the manufacturer, importer, dealer, seller or his agent, an inspector may require and order the manufacturer, importer, dealer, seller or agent to retain possession of the goods pending the testing of samples and release of the test results.

(3) Where the goods are released under subsection (1) or retained under subsection (2), the inspector shall ensure that the samples are tested and the results thereof released to the manufacturer, importer, possessor, dealer, seller or agent within fourteen days after the testing period of such samples.

(4) Where the goods are found to comply with the relevant Kenya Standard, they shall be released to the manufacturer, importer, possessor, dealer or seller forthwith.

(5) Where the goods fail to comply with the relevant Kenya Standard, they shall be destroyed in accordance with section 14A.

(6) Any person who removes, sells, uses, disposes of, re-exports, damages, wastes, destroys or in any manner deals with the goods specified in subsection (2) before the release of the results shall be guilty of an offence.

(7) Goods of a perishable nature shall not be subject to conditional release.

[Act No. 7 of 2004, s. 6.]

15. General provisions with regard to penalties

(1) Any person convicted of an offence under this Act for which no penalty is specifically provided shall, in the case of a first offence, be liable to imprisonment for a term not exceeding twelve months or to a fine not exceeding one million shillings or to both such imprisonment and fine and, in the case of a second or subsequent offence, to imprisonment for a term not exceeding three years or to a fine or to both imprisonment and fine, and, where an offence is of a continuing nature, he shall in addition be liable to a fine not exceeding one hundred thousand shillings for each day or part thereof during which the offence continues.

(2) On the conviction of any person for an offence under this Act the Court may, in addition to any other penalty which may be imposed, make an order—

- (a) confiscating all or any part of any goods in respect of which the offence was committed;
- (b) prohibiting the manufacture or sale of that commodity unless it complies with the relevant Kenya Standard,

and the Court may order that any goods which are the subject of an order under paragraph (a) shall be disposed of in such manner as it may direct.

(3) Where a complaint is or has been made in respect of an offence under section 9(2), the Court may, on application *ex parte* by an inspector, and on receiving evidence that the commodity, method or procedure complained of, or its manufacture or sale, fails to comply with the relevant Kenya Standard, make an interim order prohibiting, either absolutely or subject to conditions, the manufacture or sale of that commodity, method or procedure until the earliest opportunity for hearing and determining the complaint.

(4) Any person who contravenes an order of the Court under paragraph (b) of subsection (2), or subsection (3), shall be guilty of an offence.

[Act No. 5 of 1980, s. 7, Act No. 6 of 2001, s. 63, Act No. 7 of 2002, s. 57, Act No. 7 of 2004, s. 7.]

16. Evidence by certificate

(1) The Minister may by regulations provide that certificates issued by such persons as may be specified therein in relation to such matters as may be specified may, subject to this section, be received in evidence of those matters in any proceedings under the Act.

(2) A certificate under regulations made in pursuance of this section shall not be received in evidence—

- (a) unless the party against whom it is to be given in evidence has been served with a copy of the certificate not less than seven days before the hearing; and
- (b) if that party has, not less than three days before the hearing, served on the other party a notice requiring the attendance of the person issuing the certificate.

(3) For the purposes of this section a document purporting to be a certificate issued in pursuance of regulations made under subsection (1) shall be deemed to be such unless the contrary is shown.

[Act No. 5 of 1980, s. 7.]

PART IVA – STANDARDS TRIBUNAL

16A. Establishment of Tribunal

(1) The Standards Tribunal is hereby established.

(2) The Tribunal shall consist of a Chairman and four members, appointed by the Minister.

(3) To be appointed as the Chairman, a person must have one of the following qualifications—

- (a) the person must be an advocate of at least seven years' standing; or
- (b) the person must have been a judge of the High Court.

(4) Of the four members of the Tribunal appointed under subsection (2), one person shall be a person with knowledge and experience in matters relating to customs and excise, and the other three members shall be persons with knowledge and experience in matters relating to standardisation.

(5) No member of the Council or employee of the Bureau may be appointed as a member of the Tribunal.

(6) The Minister shall appoint a legal officer from the Attorney-General's Chambers to be the secretary of the Tribunal.

(7) The Chairman and members of the Tribunal shall serve for a term of five years and shall be eligible for re-appointment.

(8) The Minister may terminate the appointment of the Chairman or any member of the Tribunal if a tribunal appointed under this section finds that the Chairman or member of the Tribunal—

- (a) is unable to perform the functions of his office by reason of a mental or physical infirmity;
- (b) has been involved in corruption as defined in the Anti-Corruption and Economic Crimes Act (No. 4 of 2003); or
- (c) has been declared bankrupt.

(9) The Council may request the Minister to appoint a conduct tribunal if in the Council's opinion the Chairman or member of the Tribunal—

- (a) is unable to perform the functions of his office by reason of a mental or physical infirmity; or
- (b) is involved in corruption as defined in the Anti-Corruption and Economic Crimes Act (No. 4 of 2003).

(10) Upon receiving a request under subsection (9)—

- (a) the Minister may suspend the Chairman or member of the Tribunal pending the final resolution of the matter; and
- (b) shall appoint a conduct tribunal of three persons one of whom the Minister shall designate as chairman.

(11) Each member of the Conduct Tribunal shall be a person qualified to be appointed as a judge of the High Court.

(12) The Conduct Tribunal shall conduct an inquiry into the matters specified in subsection (9), in accordance with such procedures as the Conduct Tribunal may determine and in accordance with the rules of natural justice.

(13) Within thirty days after concluding its inquiry, the Conduct Tribunal shall publicly announce its finding and reasons thereof, and submit a report to the Minister.

[Act No. 7 of 2004, s. 8.]

16B. Remuneration and allowances of members

The Minister shall pay the members of the Tribunal such remuneration and allowances as the Minister determines.

[Act No. 7 of 2004, s. 8.]

16C. Powers on appeal

Upon an appeal under this Act, the Tribunal may confirm, set aside or vary the decision or act in question and may make such other order as the Tribunal considers appropriate, including an order with respect to the payment of costs.

[Act No. 7 of 2004, s. 8.]

16D. Reference to Tribunal

(1) If a matter appears to involve a point of law or to be of unusual importance or complexity the Director may refer the matter to the Tribunal for a general direction.

(2) The Director shall give notice of the reference to any party to the matter and that party shall be entitled to be heard by the Tribunal.

(3) The Bureau and the Director shall be bound by the directions of the Tribunal on the reference, subject to any appeal to the High Court.

[Act No. 7 of 2004, s. 8.]

16F. Appointment of expert advisors

(1) The Chairman of the Tribunal may appoint an advisor from a panel of persons with expert knowledge in matters relating to standards to assist in the determination of a matter before the Tribunal.

(2) No member of the Council or employee of the Bureau may be appointed as an advisor.

[Act No. 7 of 2004, s. 8.]

16G. Appeal from Tribunal to Court

A party to proceedings before the Tribunal may appeal the decision of the Tribunal to the High Court.

[Act No. 7 of 2004, s. 8.]

16H. Procedure of Tribunal

(1) The Minister may make rules for regulating the practice and procedure of the Tribunal.

(2) Subject to the rules made under subsection (1), the Tribunal may regulate its own procedure.

[Act No. 7 of 2004, s. 8.]

PART V – MISCELLANEOUS**17. Protection of Government, Bureau, Council and members and employees**

The fact that any commodity complies or is alleged to comply with a Kenya Standard or approved specification or has been or is alleged to have been

manufactured in accordance with any such specification, or that a standardisation mark is used in connection with any commodity, shall not give rise to any claim against the Government, the Council, or the Bureau, or any member or employee thereof.

[Act No. 5 of 1980, ss. 4 and 8.]

18. Secrecy of information

(1) Any person who is or has been engaged in the administration of this Act who discloses, except for the purpose of the exercise of his functions or when required to do so by a court or under any written law, any information acquired by him in the exercise or purported exercise of his functions under this Act to any other person shall be guilty of an offence.

(2) The disclosure of any information for purposes connected with the administration of this Act shall not prejudice any application made subsequently for registration of a patent under the Patents Registration Act (Cap. 508).

19. Victimization

(1) No employer shall dismiss any person employed by him or reduce the rate or remuneration of that person or otherwise alter the conditions of his employment to conditions less favourable to him or alter his position to his disadvantage relative to other persons employed by that employer by reason of the fact that he believes or suspects (whether or not the belief or suspicion is justified or correct) that that person has given any information which he could be required under this Act to give to an inspector or has complied with any lawful requirement of an inspector or has given evidence in any proceedings under this Act.

(2) An employer who contravenes any of the provisions of subsection (1) shall be guilty of an offence, and the Court convicting an employer of any such contravention may in addition to any sentence which it imposes, order the employer—

- (a) to restore a rate of remuneration, or conditions of employment, or the position of an employee, to that which existed immediately before, and with effect from, the date of the reduction or alteration which gives rise to the conviction;
- (b) to pay to any employee whose dismissal is the subject of the conviction a sum estimated by the Court to be equal to his total remuneration for any period not exceeding twelve months calculated according to the rate at which he was being remunerated at the time of his dismissal.

(3) An order made under paragraph (b) of this section may be enforced as if it were a judgment of a civil court in favour of the employee concerned.

20. Regulations

(1) The Minister, after consultation with the Council, may make regulations generally for the better carrying out of the provisions and purposes of this Act.

(2) Without prejudice to the generality of subsection (1) of this section, such regulations may—

- (a) make provision for all matters in respect of which fees shall be payable under this Act or the regulations;
- (b) prescribe the amount of any such fees and the persons who shall be liable for payment thereof;
- (c) prescribe forms to be used under this Act and the regulations;
- (d) provide for matters connected with appeals under this Act;
- (e) make provision for requiring persons to supply information relevant to the provisions of this Act and the regulations;
- (f) prescribe anything which under this Act is to be prescribed, and in particular the procedure to be followed by the Bureau in the performance of any of its functions under this Act.

[Act No. 5 of 1980, s. 4.]

21. Conflicting standards

Where there is a conflict between the provisions of a specification declared to be a Kenya Standard under section 9(1) and a specification made or declared under any other written law the Kenya Standard shall prevail.

[Act No. 5 of 1980, s. 9.]

SCHEDULE

[Section 6(4), Act No. 5 of 1980, s. 10.]

THE NATIONAL STANDARDS COUNCIL

1. Tenure of office

(1) Each member of the council appointed by the Minister under paragraph (a), (c) or (d) of section 6(2) shall hold office for such period as may be specified in his instrument of appointment, and shall be eligible for reappointment.

(2) Each additional member of the Council appointed by the Minister under section 6(3) shall hold office for such period as the Minister, on the advice of the Council, may at any time specify.

(3) A member or additional member may at any time resign his office by notice in writing addressed to the chairman of the Council.

(4) The Minister may cancel the appointment of a member or additional member on the ground of his infirmity, incapacity or misbehaviour, or if a member is absent from three consecutive meetings of the Council without the leave of the chairman.

2. Meetings

Meetings of the Council shall be convened by the chairman at least twice in each year and otherwise as occasion requires, and the chairman shall convene a special meeting of the Council at the request in writing of not less than four members.

3. Procedure

(1) At every meeting of the Council the person presiding shall have only a casting vote to be exercised in the event of an equality of the deliberative votes of the other members present and voting.

(2) The quorum for a meeting of the Council shall be five.

(3) Minutes of the proceedings of every meeting of the Council shall be regularly entered by the secretary in a minute book, and the book shall be kept so as to show proper tabulated details of all business conducted or transacted at each meeting.

(4) An additional member appointed pursuant to subsection (3) of section 6 of this Act shall not vote or be counted for the purpose of forming a quorum at any meeting of the Council.

CHAPTER 496

STANDARDS ACT

SUBSIDIARY LEGISLATION

List of Subsidiary Legislation

	<i>Page</i>
1. Standardization Marks (Permits and Fees) Regulations, 1977	25
2. Standards Order, 1981	33
3. Standards Order, 1982	35
4. Standards (No. 2) Order, 1982	39
5. Standards (No. 3) Order, 1982	41
6. Standards Order, 1983	43
7. Standards (No. 2) Order, 1983	45
8. Standards (Evidence by Certificate) Regulations	47
9. Standards Order, 1984	49
10. Standards Order, 1985	51
11. Standards Order, 1986	53
12. Standards (No. 2) Order, 1986	55
13. Standards (No. 3) Order, 1986	57
14. Approval of Standards	59
15. Standards Order, 1987	61
16. Standards (No. 2) Order, 1987	65
17. Standards Order, 1988	69
18. Standards Order, 1989	71
19. Calibration Notice	75
20. Standards Levy Order	77
21. Standards Order, 1991	83
22. Standards Order, 1992	87
23. Standards (No. 2) Order, 1992	91
24. Standards Order, 1995	93
25. Standards Order, 1997	95
26. Standards Order, 2000.....	103
27. Standards (No. 1) Order, 2001	109
28. Standards Order, 2002	111
29. Standards Order, 2002	133
30. Standards (Kenya Accreditation Service) Regulations, 2005	139
31. Verification of Conformity to Kenya Standards of Imports Order, 2005	145
32. Standards (Quality Inspection of Imports) Regulations, 2009	149

STANDARDIZATION MARKS (PERMITS AND FEES) REGULATIONS, 1977

ARRANGEMENT OF REGULATIONS

Regulation

1. Citation.
2. Interpretation.
3. Application for permits.
4. Permits.
5. Use of permits.
6. Tests and inspections.
7. Samples and information.
8. Fees.
9. Layout markings.
10. Register.
11. Suspension and revocation of permits.
12. Permits Committee.

SCHEDULE

Regulations under Section 20

STANDARDISATION MARKS (PERMITS AND FEES) REGULATIONS, 1977

[L.N. 154/1977.]

1. Citation

These Regulations may be cited as the Standardisation Marks (Permits and Fees) Regulations, 1977.

2. Interpretation

In these Regulations unless the context otherwise requires—

“**inspection**” includes the process of examination and conducting of relevant tests by the Bureau to determine the conformity of any commodity with Kenya Standards;

“**Kenya standards**” means standard specifications of any commodity approved by the council as the applicable standard for that particular commodity;

“**permit-holder**” means a person who has been granted a permit to use a standardisation mark under the Act or under these Regulations.

3. Application for permits

Applications for the issue or renewal of a permit shall be in the Form STA/1 in the Schedule to these Regulations.

4. Permits

(1) A permit issued by the Bureau shall be in Form STA/2 in the Schedule to these Regulations.

(2) Permits shall be issued subject to the conditions set out in Form STA/2 in the Schedule to these Regulations.

5. Use of permits

After a permit has been issued by the Bureau or person acting under its authority, the standardization mark in respect of which a permit has been issued shall be applied by the permit-holder to all commodities which comply with the requirements set forth in the applicable Kenya Standards.

6. Tests and inspections

(1) Before issuing a permit to any applicant, the Bureau may carry out such tests and inspect any commodity for the purposes of ascertaining whether the commodity complies with the requirements set forth in the applicable Kenya standard.

(2) The Bureau may carry out such periodic tests and inspections as it may deem necessary in order to ascertain whether a permit-holder is complying with the general scheme of supervision and control laid down by the Bureau for every commodity or class of commodities.

7. Samples and information

(1) Where a person has been requested, in writing by the Director to furnish samples of any commodity or information in regard to its manufacture, production, processing or treatment, he shall do so within such period as may be specified in the request.

(2) Any person who fails to comply with a request made under this regulation shall be guilty of an offence and liable to a fine not exceeding six thousand shillings or to imprisonment for a term not exceeding six months, or to both such fine and imprisonment.

[Subsidiary]

8. Fees

(1) Every applicant for the issue of a permit shall pay, at the time of filling the application, a fee of one hundred shillings for each application made by him.

(2) Every permit-holder shall pay an annual fee of fifty shillings in respect of each permit granted to him or renewed.

(3) Every permit-holder shall pay a marking fee proportionate to the quantum of the annual production of the commodity in respect of which the permit has been granted; except that the Bureau may at any time vary or change the marking fee payable in respect of any commodity.

9. Layout markings

(1) Every permit-holder shall be assigned an identification number by the Bureau, which number shall, for the purposes of identifying the permit-holder, appear on all commodities on which a standardization mark has been applied.

(2) In addition to the Standardization mark, all commodities which the permit-holder produces or manufactures shall carry such other marks as the Bureau may from time to time determine.

(3) All the markings on any commodity shall be applied in the manner specified by the Bureau.

10. Register

(1) The Bureau shall keep a register of all permit-holders and the products in respect of which a permit has been issued.

(2) Any person may apply, in writing and on payment of a fee of twenty shillings, for any information contained in the register:

Provided that the Bureau may supply or refuse to supply the information so requested.

11. Suspension and revocation of permits

(1) The Director or any other officer authorized by the Bureau may suspend or revoke a permit—

- (a) if it is ascertained that the permit-holder has used the standardization mark on or in connexion with commodities which do not comply with the requirements set forth in the applicable Kenya Standards;
- (b) if any of the fees specified in regulation 8 of these Regulations have not been paid; or
- (c) the permit-holder is adjudged bankrupt; or
- (d) the permit-holder transfers his business to another person; or
- (e) the Kenya standards on which the issue of the permit was based is withdrawn by the Bureau.

(2) A permit-holder who is notified that his permit has been suspended or revoked in accordance with the provisions of subregulation (1) of this Regulation, shall, on receipt of the notification of the suspension or revocation, stop applying the standardization mark to any commodity.

(3) Where a permit has been revoked or suspended in accordance with the provisions of subregulation (1) of this Regulation, the Director or any other officer authorized by the Bureau may require the permit-holder to remove the standardization mark from all the commodities on which he has applied the standardization mark.

[Subsidiary]

(4) Any person who fails to comply with the provisions of sub-regulations (2) and (3) of this regulation shall be guilty of an offence and liable, on summary conviction, to a fine not exceeding six thousand shillings or to imprisonment for a term not exceeding six months or to both such fine and imprisonment.

12. Permits Committee

(1) There shall be established a committee called the Permits Committee which shall be responsible for the administration of the standardization marks scheme.

(2) The Permits Committee shall, subject to subregulation (3) of this regulation, consist of the following members—

- (a) a chairman who shall be the Director of the Bureau;
- (b) a secretary who shall be the person in charge of the certification Marking Scheme of the Bureau;
- (c) two members nominated by the council, one of whom shall act as chairman in the absence of the chairman.

(3) The chairman of the Permits committee may, after consultation with the committee, appoint not more than two persons, one of whom shall be the chairman of the relevant Industrial Standards Committee, to be additional members of the committee, being person whose assistance or advice the committee may from time to time require.

SCHEDULE

Form STA/1

(r. 3)

APPLICATION FOR *GRANT/RENEWAL OF A PERMIT TO USE A STANDARDIZATION MARK

To:

The Secretary to the Permits Committee,
Kenya Bureau of Standards,
P.O. Box 10610,
Nairobi.

*I/We the undersigned hereby apply for the *grant/renewal of a *permit/the permit No.
..... to use the standardization mark on the commodity specified hereunder:—

(1)	(2)	(3)
<i>Standardization Mark</i>	<i>Description of the commodity upon and in respect of which the standardization mark is to be used</i>	<i>Trade Mark or Brand which is in use in respect of the commodity</i>

In connexion with this application, *I/We the undersigned hereby declare that the commodity referred to in column 2 above and the process and practice which is or will be carried out by *me/us in the production of the commodity shall at all times comply with standard specification bearing title..

.....

Date Signature of the applicant

Standards

[Subsidiary]

SCHEDULE—*continued*

Name
 Designation
 Name of firm
 Address

To be submitted in triplicate.

* Delete whichever is not applicable.

Form STA/2

(r. 4)

PERMIT TO USE A STANDARDIZATION MARK

Permit No.

Permit is granted to

.....

.....

of

to use the standardization mark specified in the first column of the Appendix hereunder, upon and in respect of the commodity specified in the second column thereof, which commodity conforms to the Kenya Standard or approved specification in the third column.

APPENDIX

(1)	(2)	(3)
<i>Standardization Mark</i>	<i>Description of the commodity upon which the standardization mark is to be used</i>	<i>Standard specification</i>

Permit effective from

Permit expires on

Date of issue

Fees paid

1. This permit is issued subject to the following conditions—

- (a) The permit-holder shall comply with the general and specific conditions and scheme of supervision and control which the Bureau may issue from time to time.
- (b) The permit is not transferable.
- (c) Costs incurred by inspection to determine whether commodities to which the standardization mark has been applied fulfil the applicable requirement set forth by the Bureau shall be defrayed by the permit-holder to the extent specified in the scheme of supervision and control for the commodities listed in the permit.
- (d) The right to use the mark applies only to the commodities listed in the permit.
- (e) Costs incurred in applying the standardization mark shall be defrayed by the permit-holder.
- (f) The Bureau reserves the right to revise the regulations for marking standardised commodities.
- (g) If the Kenya standard on which the permit is based are revised, this permit shall be valid only if the permit-holder agrees to comply with the requirements set forth in the revised Kenya standards.

SCHEDULE—*continued*

- (h) This permit shall be valid for a period of one year from the date of issue unless earlier suspended or revoked.
- 2. The breach of any of the conditions contained in this permit constitutes an offence under the provisions of the Standards Act and the Standardization Marks (Permits and Fees) Regulations, 1977.

.....
Director/Authorised Officer

STANDARDS ORDER, 1981

[L.N. 146/1981.]

1. This Order may be cited as the Standards Order, 1981.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use these methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Kenya Standard Specification</i>
KS 01-136: 1980	Kenya Standard Specification for grades of Wheat Grain.
KS 03- 85: 1979	Kenya Standard Specification for Aluminium Sulphate.
KS 03- 86: 1979	Kenya Standard Specification for Sulphuric Acid.
KS 03- 87: 1980	Kenya Standard Specification for Hydrochloric Acid.
KS 03- 88: 1979	Kenya Standard Specification for Distilled Water.
KS 03- 89: 1980	Kenya Standard Specification for School Chalks.
KS 03-156: 1980	Kenya Standard Specification for Caustic Soda, Pure and Technical.
KS 03-159: 1979	Kenya Standard Specification for Zinc Oxide for Paints.
KS 03-160: 1979	Kenya Standard Specification for Whiting for Paints.
KS 03-242: 1980	Kenya Standard Specification for Sulphuric Acid for use in Lead-Acid Batteries.
KS 03-243: 1980	Kenya Standard Specification for PVC (Vinyl) Asbestos Floor Tiles.
KS 04-179: 1979	Kenya Standard Specification for Rigid PVC Conduits and Fittings for Electrical Wiring Part 1-Conduits.
KS 04-180: 1980	Kenya Standard Specification for Metallic Conduits' and Fittings for Electrical Installation Part 1- Conduits.
KS 04-182: 1980	Kenya Standard Specification for Low-Voltage Conductors.
KS 04-187: 1979	Kenya Standard Specification for Conductors for Insulated Cable.
KS 04-189: 1979	Kenya Standard Specification for Aluminum Stranded Conductors for Overhead Power Lines.
KS 04-190: 1979	Kenya Standard Specification for Stranded Aluminum Conductors Steel Reinforced for Over head Power Lines.
KS 04-191: 1979	Kenya Standard Specification for Flame Retardant Characteristics for Electric Cables.
KS 04-194: 1980	Kenya Standard Specification for PVC Insulate Conduits for Electricity Supply.
KS 05-139: 1980	Kenya Standard Specification for Jams, Jellies and Marmalades.
KS 05-168: 1979	Kenya Standard Specification for Milled Maize Products.
KS 05-169: 1979	Kenya Standard Specification for Wheat Flour.
KS 05-172: 1979	Kenya Standard Specification for Bread.
KS 05-227: 1980	Kenya Standard Specification for Cashew Kernels.
KS 09-241: 1980	Kenya Standard Specification for Biscuits.
KS 06-150: 1980	Kenya Standard Specification for New Pneumatic Tyres for Vehicles other than Passenger Cars.

Standards

[Subsidiary]SCHEDULE—*continued*

<i>Number</i>	<i>Title of Kenya Standard Specification</i>
KS 06-151: 1979	Kenya Standard Specification for Machetes (Pangas).
KS 06-152: 1980	Kenya Standard Specification for Garden Rakes.
KS 06-187: 1979	Kenya Standard Specification for Jembes.
KS 06-204: 1980	Kenya Standard Specification for Forks, Shovels and Spades.
KS 06-205: 1979	Kenya Standard Specification for Retreaded Tyres.
KS 08-114: 1979	Kenya Standard Specification for Cotton Bed Sheets.
KS 08-117: 1979	Kenya Standard Specification for Blankets-Part 1.
KS 03-157: 1980	Kenya Standard Specification for MAP and DAP Fertilizers.
KS 03-158: 1980	Kenya Standard Specification for Compound Fertilizers.
KS 03-287: 1980	Kenya Standard Specification for Ammonium Sulphate (Sulphate of Ammonia) Fertilizer Grade.
KS 03-289: 1980	Kenya Standard Specification for Unbacked Flexible PVC Floor Covering.

STANDARDS ORDER, 1982

[L.N. 98/1982.]

1. This Order may be cited as the Standards Order, 1982.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Kenya Standard Specification</i>
KS 03- 44: 1981	Kenya Standard Specification for Toilet Soaps (1st Revision).
KS 03- 92: 1980	Kenya Standard Specification for Detergent Powders for Household Use.
KS 08-119: 1981	Kenya Standard Methods for Determination of Breaking Load and Elongation (Strip Method) of Woven Fabric.
KS 08-120: 1981	Kenya Standard Methods for Determination of Mass per Unit Length and Mass Per Unit Area of Woven
KS 08-121: 1981	Kenya Standard Method for Determination of Threads per Centimetre of Woven Fabrics.
KS 08-133: 1980	Kenya Standard Specification for Woven Bags (Natural Fibres) for Milled Products.
KS 08-134: 1980	Kenya Standard Specification for Woven Bags (Natural Fibres) for Sugar.
KS 04-148: 1980	Kenya Standard on Safety Requirements for Mains Operated Electronic and Related Apparatus for Household and similar General Use.
KS 06-149: 1981	Kenya Standard Specification for PVC Pipes for Water Services.
KS 06-153: 1981	Kenya Standard Specification for General Purpose Wheelbarrows.
KS 03-163: 1981	Kenya Standard Specification for Colours for Ready Mixed Paints.
KS 04-177: 1981	Kenya Standard Graphical Symbols Used in Electrotechnology: Part 3: Symbols for Electrical Installation Diagrams in Buildings. Part 4: Measuring Instruments and Electric Clocks. Part 5: Symbols for Switching, Protective Devices and Miscellaneous Apparatus.
KS 04-179: 1981	Kenya Standard Specification for Rigid PVC Conduits and Fittings for Electrical Wiring: Part 2: Fittings.
KS 04-181: 1980	Kenya Standard Specification for Low Voltage Circuit Breakers.
KS 04-183: 1981	Kenya Standard Specification for Low Voltage Fuses: Part 2: Fuses for Industrial Applications.
KS 04-185: 1980	Kenya Standard Specification for Lead-Acid Starter Batteries: Part 1: General Requirements and Methods of Test.
KS 04-186: 1980	Kenya Standard Specification for Automatic Electrical Fire Alarm Systems in Buildings: Part 2: Heat-Sensitive Detectors. Point Detectors containing a Static Element.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Kenya Standard Specification</i>
	Part 4: Smoke-Sensitive (Point-Type) Detectors. Part 6: Control and Indicating Equipment.
KS 04-188: 1980	Kenya Standard Specification for PVC Insulations and Sheaths for Electrical Cables and Cords.
KS 06-202: 1981	Kenya Standard Methods of Approval of Welding Procedures of Steel in Fusion Welding.
KS 06-203: 1981	Kenya Standard Methods for Radiographic (X-ray) Examination of Fusion Butt Welded Steel.
KS 06-206: 1981	Kenya Standard Methods of Testing Fusion Welded Joints and Welded Metal in Steel.
KS 08-208: 1981	Kenya Standard Glossary of Textile Terms for Natural Fibres.
KS 08-215: 1980	Kenya Standard Methods for Determination of Colour Fastness of Textile Materials to Bleaching.
KS 06-217: 1981	Kenya Standard Specification for UPVC Pipes and Fittings for Sewerage and Drainage.
KS 06-218: 1981	Kenya Standard Specification for General Purpose Steel Hinges. Part 1.
KS 06-219: 1981	Kenya Standard Specification for Bolts, Nuts and Screws.
KS 05-220: 1981	Kenya Standard Methods for the Microbiological Examination of Food: Part 5: Enumeration of Coagulase Positive Staphylococci in Foods. Part 6: Examination for Salmonellae. Part 7: Examination for Clostridium Botulinum and Clostridium Toxin.
KS 03-221: 1981	Kenya Standard Specification for Lime for the Chemical Industry.
KS 05-224: 1980	Kenya Standard Specification for Fruit Squashes.
KS 05-225: 1981	Kenya Standard Specification for Beer.
KS 04-226: 1981	Kenya Standard Specification for Factory-Built Assemblies for Low-Voltage Switchgear and Control Gear (FBA): Part 1: General Requirements. Part 2: Particular Requirements for Busbar Trunking Systems (BUSWAYS).
KS 05-228: 1981	Kenya Standard Specification for Curry Powder.
KS 05-229: 1981	Kenya Standard Specification for Edible Salt.
KS 05-230: 1980	Kenya Standard Specification for Brilliant Blue Food Grade.
KS 05-231: 1980	Kenya Standard Specification for Azorubine (Carmoisine) Food Grade.
KS 05-232: 1980	Kenya Standard Specification for Margarine.
KS 04-233: 1980	Kenya Standard Specification for Sound Systems Equipment: Part 1: General. Part 2: Loudspeakers.
KS 04- 238:1980	Kenya Standard Specification for Cassette Tape Records.
KS 05-244: 1981	Kenya Standard Methods of Analysis of Food for Vitamins: Part 1: Estimation of Vitamin A and Carotenes. Part 2: Estimation of Vitamin B1. Part 3: Estimation of Vitamin B2. Part 4: Estimation of Pyridoxine (Vitamin B6). Part 5: Estimation of Vitamin B12. Part 6: Estimation of Vitamin C. Part 7: Estimation of Vitamin D. Part 8: Estimation of Vitamin E (Tocopherols).

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Kenya Standard Specification</i>
	Part 9: Estimation of Folic Acid.
	Part 10: Estimation of Nicotinic Acid (Niacin).
KS 04-246: 1981	Kenya Standard Specification for 13 Amp Plugs, Switched and Unswitched Socket-Outlets.
KS 04-247: 1981	Kenya Standard Specification for Switches for Domestic Use and Similar Purposes.
KS 06-249: 1981	Kenya Standard Specification for Automobile Brake Linings and Pads.
KS 06-255: 1981	Kenya Standard Specification for Door Locks and Door Lock Furniture.
KS 06-257: 1981	Kenya Standard Specification for Door Latches.
KS 06-259: 1981	Kenya Standard Specification for Steel Pipes for Water and Gas.
KS 06-261: 1981	Kenya Standard Specification for Wire and Wire Products Used for Fencing.
KS 08-262: 1980	Kenya Standard Specification for Standard Wool Adjacent Fabric.
KS 08-263: 1980	Kenya Standard Methods for Determination of Colour Fastness of Textile Materials to Weathering: Part 1: Outdoor Exposure. Part 2: Xenon Arc Lamp.
KS 08-264: 1981	Kenya Standard Methods for Estimation of Moisture, Total Size or Finish, Ash, Fatty Matter and Determination of Water Soluble Matter in Textiles.
KS 08-265: 1980	Kenya Standard Method for Determination Scouring Loss in Grey and Finished Cotton Textile Materials.
KS 08-266: 1981	Kenya Standard Method for Determination of Colour Fastness of Textile Materials to Rubbing: Part 1: Dry and Wet. Part 2: Organic Solvents.
KS 05-283: 1980	Kenya Standard Specification for UHT Milk.
KS 03-288: 1980	Kenya Standard Specification for Urea Fertilizer Grade.
KS 04-290: 1981	Kenya Standard Specification for Galvanized Mild Steel Wire for Armouring of Electric Cables.
KS 05-318: 1981	Kenya Standard Specification for Canned Pineapples.
KS 05-328: 1981	Kenya Standard Specification for Soft Fruit Drinks.
KS 05-330: 1981	Kenya Standard Specification for Sunset Yellow FCF Food Grade.
KS 05-337: 1981	Kenya Standard Glossary of Terms Relating to Starch, Including Derivatives and By-Products.
KS 05-340: 1981	Kenya Standard Specification for Edible Maize Starch.
KS 05-341: 1981	Kenya Standard Specification for Canned Green Peas.
KS 05-342: 1981	Kenya Standard Specification for Canned Green Beans.
KS 05-343: 1981	Kenya Standard Specification for Canned Mushrooms.
KS 05-345: 1981	Kenya Standard Specification for Glucose Syrup.
KS 03-350: 1981	Kenya Standard Specification for Potassium Chloride (Muriate of Potash) Fertilizer Grade.
KS 03-351: 1981	Kenya Standard Specification for Potassium Sulphate (Sulphate of Potash) Fertilizer Grade.
KS 08-359: 1981	Kenya Standard Methods of Determination of Colour Fastness of Textile Materials to Artificial Light (Xenon Arc).
KS 08-360: 1981	Kenya Standard Method for Determination of pH value of Aqueous Extracts of Textile Materials.

STANDARDS (NO. 2) ORDER, 1982

[L.N.128/1982, Corr. No. 55/1982, L.N. 330/1987.]

1. This Order may be cited as the Standards (No. 2) Order, 1982.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Kenya Standard Specification</i>
KS 02- 97: 1982	Kenya Standard Specification and Methods of Test for Building Limes-Quicklime and Hydrated Lime.
KS 02- 98: 1982	Kenya Standard Glossary of Term Used in Lime and Lime Products.
KS 02- 99: 1982	Kenya Standard Glossary of Terms Relating to Bituminous Materials.
KS 02-100: 1982	Kenya Standard Specification for Asbestos Cement Corrugated Sheets for Roofing and Cladding.
KS 02-105: 1982	Kenya Standard Specification for Hard Drawn Steel Wire for Reinforcement of Concrete.
KS 08-117: 1982	Kenya Standard Specification for Blankets. Part 1: Blankets Made from Natural or Synthetic Fibres.
KS 08-135: 1982	Kenya Standard Specification for Woven Bags (Polypropylene) for Sugar.
KS 04-183: 1982	Kenya Standard Specification for Low Voltage Fuses: Part 4: Supplementary Requirements for Fuse-Links for the Protection of Semi-Conductor Devices.
KS 04-186: 1982	Kenya Standard Specification for Automatic Electrical Fire Alarm Systems in Buildings: Part 8: Specification for Components of Automatic Fire Alarm Systems for Residential Premises. Part 9: Code of Practice for Installation and Servicing.
KS 04-192: 1982	Kenya Standard Specification for PVC Insulated Flexible Cables and Cords.
KS 06-200: 1982	Kenya Standard Specification for Non-pressurized Underground Petroleum Tanks
KS 08-210: 1982	Kenya Standard Glossary for Textile Terms Relating to Fabrics Made from Natural Fibres.
KS 08-212: 1982	Kenya Standard Definitions of General Terms, Basic Weaves and Plans for Drafting, Denting and Lifting.
KS 04-236: 1982	Kenya Standard Specification for Refrigerators and Freezers.
KS 04-237: 1982	Kenya Standard Specification for Domestic Electric Ranges.
KS 06-250: 1982	Kenya Standard Specification for Spark Plugs.
KS 06-251: 1982	Kenya Standard Specification for Motor Vehicle Radiators.
KS 06-252: 1982	Kenya Standard Specification for Animal-Drawn Ploughs.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Kenya Standard Specification</i>
KS 06-258: 1982	Kenya Standard Specification for Screwdriver: Part 1: Screwdrivers for Slotted Head Screws Part 2: Screwdrivers for Recessed Head Screws.
KS 06-260: 1982	Kenya Standard Specification for Laminated Leaf Springs for Automobiles.
KS 08-274: 1982	Kenya Standard Specification for Sisal Agricultural Baler Twines.
KS 04-277: 1982	Kenya Standard Specification for Electric Kettle.
KS 04-281: 1982	Kenya Standard Specification for Electric Hot Plates.
KS 06-291: 1982	Kenya Standard Specification for Magnetic Particle Method of Flaw Detection.
KS 06-295: 1982	Kenya Standard Specification for Axes and Hatchets.
KS 04-311: 1982	Kenya Standard Specification for Miniature Circuit-Breakers and Distribution Boards: Part 1: Miniature Air-Break Circuit-Breakers (MCB'S) for A.C. Circuits. Part 2: Distribution Boards.
KS 06-314: 1982	Kenya Standard Specification for Electric Cables for Vehicles.
KS 06-316: 1982	Kenya Standard Specification for Single Point Cutting Tools.
KS 05-319: 1982	Kenya Standard Specification for Sugar Confectionery.
KS 06-320: 1982	Kenya Standard Specification for PVC Water Hoses.
KS 06-321: 1982	Kenya Standard Specification for Low Pressure Rubber Water Hoses.
KS 06-323: 1982	Kenya Standard Specification for ISO Metric Threads (Basic Dimensions).
KS 06-324: 1982	Kenya Standard Specification for High Pressure Rubber Water Hoses.
KS 05-327: 1982	Kenya Standard Methods of Sampling and Test for Edible Oils and Fats.
KS 06-335: 1982	Kenya Standard Specification for Bicycle Tyres.
KS 06-356: 1982	Kenya Standard Specification for Padbolts.
KS 05-358: 1982	Kenya Standard Specification for Carbonated Beverages.
KS 08-363: 1982	Kenya Standard Method for Determination of Dimensional Change of Woven Fabrics on Laundering near the Boiling Point.
KS 08-364: 1982	Kenya Standard Specification for Woven Cotton apparel fabrics.
KS 08-365: 1982	Kenya Standard Specification for Woven manmade fibre apparel fabrics.
KS 08-366: 1982	Kenya Standard Specification for Woven Polyester/Cellulosic blended apparel fabrics
KS 03-375: 1982	Kenya Standard Specification for Liquid Carbon Dioxide.
KS 03-376: 1982	Kenya Standard Specification for Foam for Domestic Mattresses.
KS 03-378: 1982	Kenya Standard Glossary of Terms Used in the Glass Industry.
KS 03-379: 1982	Kenya Standard Specification for Melamine Plastic Tableware.
KS 03-382: 1982	Kenya Standard Specification for Power Alcohol.
KS 03-386: 1982	Kenya Standard Specification for Carbolic Toilet Soap.

STANDARDS (NO. 3) ORDER, 1982

[L.N. 181/1982]

1. This Order may be cited as the Standards (No.3) Order, 1982.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Standard Specification or Code of Practice</i>
KS 04-239: 1982	Kenya Standard Specification for Safety Requirements for Domestic and Similar Electrical Appliances.
KS 04-276: 1982	Kenya Standard Specification for Instantaneous Water Heaters.
KS 04-279: 1982	Kenya Standard Specification for Electrical Smoothing Irons for Household Use.
KS 04-282: 1982	Kenya Standard Specification for Electric Storage Water Heaters.
KS 04-306: 1982	Kenya Standard Specification for Ballasts for Fluorescent Lamps.
KS 04-307: 1982	Kenya Standard Specification for Luminaires.
KS 04-308: 1982	Kenya Standard Specification for Ceiling Roses.
KS 04-309: 1982	Kenya Standard Specification for Lamp-caps and Lamp-holders.
KS 04-464: 1982	Kenya Standard Specification for Tubular Fluorescent Lamps for General Lighting Services.
KS 04-465: 1982	Kenya Standard specification for Soldering Irons.
KS 04-466: 1982	Kenya Standard Specification for Electric Food Preparation Machines.
KS 04-467: 1982	Kenya Standard Specification for Safety Requirements for Electric Fans and Regulators.
KS 04-468: 1982	Kenya Standard Specification for Flexible PVC Conduits.
KS 04-469: 1982	Kenya Standard Specification for High Fidelity Equipment and Systems.
KS 04-470:1982	Kenya Standard Specification for Safety Requirements for the Electrical Equipment of Room Air Conditioners.
KS 04-471: 1982	Kenya Standard Specification for A.C. Electric Fans and Regulators.
KS 04-472: 1982	Kenya Standard Specification for Lamp-holders and Starter-holders for Tubular Fluorescent Lamps.
KS 04-473:1982	Kenya Standard Specification for Starters for Tubular Fluorescent Lamps.
KS 04-474: 1982	Kenya Standard Specification for Safety Requirements for Electrically Energized Office Machines.

STANDARDS ORDER, 1983

[L.N. 99/1983.]

1. This Order may be cited as the Standards Order, 1983.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05-38: 1982	Kenya Standard Specification for White Sugar.
KS 04-186: 1982	Kenya Standard Specification for Fire Alarm Systems in Buildings: Part 1: Introduction and Definitions.
KS 08-214: 1982	Kenya Standard Specification for Woven Interlinings and Linings: Part 1: Woven Interlinings for Shirts.
KS 08-273: 1982	Kenya Standard Specification for Woven Bags (100 per cent Sisal) for Clean Coffee.
KS 04-280: 1982	Kenya Standard Specification for Controls for Heating Units in Household Electric Ranges.
KS 04-312: 1982	Kenya Standard Specification for Low Voltage Motor Starters. Part 1: Direct-On-Line (Full Voltage) A.C. Starter.
KS 05-317: 1982	Kenya Standard Specification for Meat Grades and Cuts: Part 1:—Beef Grades and Cuts and Veal Grades. Part 2:—Lamb and Mutton Meat and Goat Meat.
KS 08-361: 1982	Kenya Standard Method for Determination of Water Repellency of Fabrics by Cone Test.
KS 08-410: 1982	Kenya Standard Specification for Size Designation of Clothes and Body Measurement Procedure.
KS 08-412: 1982	Kenya Standard Specification for Size Designation for Men's and Boys' Ready-to-Wear Clothing.

STANDARDS (NO. 2) ORDER, 1983

[L.N. 108/1983.]

1. This Order may be cited as the Standards (No. 2) Order, 1983.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05-40: 1983	Kenya Standard on Labelling Pre-packaged Foods (addenda).
KS 02-106: 1983	Kenya Standard Specification for Bending Dimensions and Scheduling of Bars for Reinforcement of Concrete.
KS 06-141: 1982	Kenya Standard Specification for Tensile Testing of: Part I: Steel Wire. Part II: Steel Tubes.
KS 04-235: 1983	Kenya Standard Specification for Radio Receivers.
KS 04-278: 1983	Kenya Standard Specification for Immersion Water Heaters.
KS 04-279: 1983	Kenya Standard Specification for Electric Irons for Household Use.
KS 02-299: 1983	Kenya Standard Specification for Wrought Aluminium and Aluminium Alloy Sections.
KS 02-300: 1983	Kenya Standard Specification for Burnt Building Bricks.
KS 02-301: 1983	Kenya Standard Specification for Plywood for General Purposes.
KS 02-302: 1983	Kenya Standard Specification for Blockboard for General Purposes.
KS 04-310: 1983	Kenya Standard Specification for Adaptors: Part II: Supplementary Requirements.
KS 03-315: 1983	Kenya Standard Specification for Motor Vehicle Brake Fluids.
KS 05-326: 1982	Kenya Standard Specification for Edible Oils and Fats.
KS 05-346: 1983	Kenya Standard Specification for Baking Powder.
KS 05-349: 1983	Kenya Standard Specification for Processed Cereal Based Foods for Infants and Children.
KS 06-354: 1982	Kenya Standard Specification for Counter-Sunk Head Wood Screws.
KS 06-355: 1982	Kenya Standard Specification for Hot Dip Galvanized Coating on Iron and Steel Articles.
KS 03-377: 1983	Kenya Standard Specification for Industrial and Safety Rubber Knee Boots.
KS 05-383: 1982	Kenya Standard Specification for Tartrazine Food Grade.
KS 05-384: 1982	Kenya Standard Specification for Indigo Carmine Food Grade.
KS 05-385: 1982	Kenya Standard Specification for Erythrosine.
KS 01-393: 1983	Kenya Standard Specification for Fresh Pineapples Grade I.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 01-394: 1983	Kenya Standard Specification for Fresh Green Beans Grade I.
KS 08-408: 1983	Kenya Standard Specification for Cotton Towels.
KS 08-409: 1983	Kenya Standard Specification for Cotton Baby Napkins.
KS 08-414: 1983	Kenya Standard Specification for School Wear for Boys and Girls. Part I: Requirements for Making School Wear.
KS 08-416: 1983	Kenya Standard Specification for Knitted Polyester Fabrics.
KS 08-417: 1983	Kenya Standard Specification for Knitted Polyester Cellulosic Blended Fabrics.
KS 08-419: 1983	Kenya Standard Specification for Knitted Cotton Fabrics.
KS 03-422: 1983	Kenya Standard Specification for Exercise Books.
KS 06-430: 1982	Kenya Standard Specification for Eddy Current Detection of Defects.

STANDARDS (EVIDENCE BY CERTIFICATE) REGULATIONS, 1984

[L.N. 20/1984.]

1. These Regulations may be cited as the Standards (Evidence by Certificate) Regulations, 1984.

2. A person who has been appointed by the Bureau as an analyst for the purposes of coming out examinations, tests or comparative studies of commodities, materials, substances, methods or procedures may issue certificates respecting the examinations, tests or comparative studies so carried out.

3. A certificate issued pursuant to regulation 2 shall be in a form approved by the Bureau and shall contain the following information—

- (a) the name and address of the analyst;
- (b) a description of the examination, test or study undertaken;
- (c) the results of the examination, test or study supported where necessary by tables, graphs, sketches or photographs;
- (d) a statement as to whether or not the results of the examination, test or study show compliance with the provisions of the Act, any order made thereunder or any other law dealing with standards of quality or description,

and shall purport to be signed by the analyst issuing it

4. A certificate which complies with regulation 3 may, subject to section 16(2) of the Act, be received as evidence of the matters specified therein.

STANDARDS ORDER, 1984

[L.N. 35/1984.]

1. This Order may be cited as the Standards Order, 1984.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 02-21: 1976	Kenya Standard Specification for Portland Cement (Ordinary and Rapid Hardening) (Amendment).
KS 08-49: 1983	Kenya Standard Specification for Knitted Vests.
KS 04-112: 1983	Kenya Standard Specification for Tungsten Filament Lamps for General Service (Amendment).
KS 04-179: 1983	Kenya Standard Specification for Rigid PVC: Part 1: Conduits (Second Edition).
KS 04-184: 1979	Kenya Standard Specification for Dry Primary Cells and Batteries (Amendment).
KS 04-186: 1983	Kenya Standard Specification for Automatic Fire Alarm Systems in Buildings: Part 10: Manual Calls Points (Frangible Cover Type).
KS 08-214: 1983	Kenya Standard Specification for Woven Interlinings and Linings: Part 3: Woven Linings for Men's and Boys' Apparel.
KS 08-367: 1983	Kenya Standard Specification for Cotton Canvas.
KS 03-376: 1982	Kenya Standard Specification for Foam for Domestic Mattresses (Amendment).
KS 03-391: 1983	Kenya Standard Specification for General Purpose Rubber Knee Boots.
KS 03-398: 1983	Kenya Standard Specification for Thermosetting Plastic Buttons.
KS 03-400: 1983	Kenya Standard Specification for Acetic Acid.
KS 08-411: 1983	Kenya Standard Specification for Size Designation for Women's and Girls' Ready to Wear Clothing.
KS 08-413: 1983	Kenya Standard Specification for Size Designation of Clothes for Infants.
KS 04-453: 1983	Kenya Standard Specification for PVC Insulated Cables (Non-Armoured) for Electric Power and Lighting.
KS 06-460: 1983	Kenya Standard Specification for Uncoated Aluminium Plate, Sheet and Strip for Hollow-Ware Cooking Utensils.
KS 08-493: 1983	Kenya Standard Specification for Knitted Nylon Fabric.
KS 08-495: 1983	Kenya Standard Specification for Gents' Briefs.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 08-504: 1983	Kenya Standard Specification for Men's and Boys' Shirts.
KS 09-531: 1983	Kenya Standard Specification for System Requirements for Measurement and Calibration Systems.
KS 09-533: 1983	Kenya Standard Specification for Documentation to be Supplied with Electronic Measuring Equipment.

STANDARDS ORDER, 1985

[L.N. 60/1985.]

1. This Order may be cited as the Standards Order, 1985.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 02- 95: 1984	Kenya standard specification for natural aggregate for concrete.
KS 02-103: 1984	Kenya standard specification on the use of cold formed steel structural members.
KS 02-104: 1984	Kenya standard specification on cold rolled steel sections.
KS 02-110: 1984	Kenya standard specification symbols for plumbing, water supply, heating, ventilation and ducting.
KS 01-146: 1984	Kenya standard guide on essential requirements for storage of cereals and pulses.
KS 01-147: 1984	Kenya standard guide to control of attack of cereals and pulses by vertebrate and invertebrate animals in storage.
KS 04-239: 1984	Kenya standard specification for safety requirements for domestic and similar electrical appliances.
KS 05-285: 1984	Kenya standard specification for milk based baby foods.
KS 04-305: 1984	Kenya standard specification for general purposes fuse links for domestic and similar purposes (primarily for use in 13A plugs).
KS 04-306: 1984	Kenya standard specification for ballasts for use in fluorescent lamps (first revision).
KS 04-308: 1984	Kenya standard specification for ceiling roses.
KS 03-388: 1984	Kenya standard specification for base paper for waxed bread wrap.
KS 03-389: 1984	Kenya standard specification for waxed paper for bread wrap.
KS 05-404: 1984	Kenya standard specification for mango juice preserved exclusively by physical means.
KS 05-405: 1984	Kenya standard specification for fruit nectars preserved exclusively by physical means: Part 1: Mango nectar. Part 2: Citrus fruit nectar.
KS 05-406: 1984	Kenya standard specification for passion juice preserved exclusively by physical means.
KS 05-407: 1984	Kenya standard specification for orange juice preserved exclusively by physical means.
KS 05-426: 1984	Kenya standard specification for custard powder.
KS 05-428: 1984	Kenya standard specification for ascorbic acid/food grade.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05-429: 1984	Kenya standard specification for marketing breast milk substitutes.
KS 08-479: 1984	Kenya standard specification for sewing threads: Part 1: Cotton sewing threads.
KS 08-482: 1984	Kenya standard specification for woven bags (polypropylene) for seeds.
KS 03-483: 1984	Kenya standard specification for base paper for carbon paper.
KS 03-484: 1984	Kenya standard specification for carbon paper.
KS 08-496: 1984	Kenya standard specification for acrylic hosiery yarn.
KS 08-497: 1984	Kenya standard specification for cotton hosiery yarn.
KS 08-498: 1984	Kenya standard specification for polyester cellulosic blended hosiery yarn.
KS 08-505: 1984	Kenya standard specification for women's and girls' outer wear garments.
KS 08-517: 1984	Kenya standard specification for ballpoint pens.
KS 08-520: 1984	Kenya standard specification for woven fabrics used for suits, jackets, slacks, trousers and skirts.
KS 08-528: 1984	Kenya standard specification for flat cotton wicks.
KS 08-529: 1984	Kenya standard specification for elastic flat braid.
KS 08-559: 1984	Kenya standard specification for boys' and men's trousers.
KS 09-570: 1984	Kenya standard specification for safety requirements for electronic measuring apparatus.
KS 09-571: 1984	Kenya standard specification for laboratory d.c. resistors.

STANDARDS ORDER, 1986

[L.N. 2/1986.]

1. This Order may be cited as the Standards Order, 1986.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standard.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 04-111: 1985	Kenya Standard Specification for Intruder Alarm Systems in Buildings (1st Revision). Part 1: Systems with audible signaling only. Part 2: Systems with remote signaling. Part 3: Detection devices.
KS 04-148: 1985	Kenya Standard Safety Requirements for Electronic Equipment.
KS 04-180: 1985	Kenya Standard Specification for Metallic Conduits (1st Revision).
KS 08-214: 1985	Kenya Standard Specification for Woven Interlinings and Linings. Part 2: Woven linings for apparel fabrics.
KS 04-226: 1985	Kenya Standard Specification for Factory-built Assemblies of Low-Voltage Switchgear and Controlgear (1st Revision). Part 1: General requirements. Part 2: Particular requirements for Busbar Trunking Systems (Busways).
KS 06-248: 1985	Kenya Standard Specification for Cold Water Meters. Part 1: Terminology, meteorological and technological characteristics. Part 2: Guidelines for selection and installation.
KS 01-286: 1985	Kenya Standard Specification for Mangoes.
KS 01-303: 1985	Kenya Standard Specification for Avocadoes.
KS 04-309: 1985	Kenya Standard Specification for Lampholders. Part 1: Bayonet type lampholders. Part 2: Edison screw type lampholders.
KS 02-450: 1985	Kenya Standard Specification for Asbestos-Cement and Sanitary Pipes.
KS 06-452: 1985	Kenya Standard Specification for Stainless Steel Sinks.
KS 01-454: 1985	Kenya Standard Specification for Citrus Fruits.
KS 01-455: 1985	Kenya Standard Specification for Tomatoes.
KS 01-457: 1985	Kenya Standard Methods for Test for Tobacco and Tobacco Products.
KS 05-459: 1985	Kenya Standard Specification for Drinking water. Part 1: The requirements for drinking water. Part 2: Physical methods of test for the quality of drinking water.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
	Part 3: Methods for biological and microbiological test for drinking water.
	Part 4: Methods for determining metal contaminants in drinking water.
	Part 5: Methods for determining salts, cations and anions in drinking water.
	Part 6: Methods for determining gases and organic compounds and radioactivity in drinking water.
KS 08-481:1985	Kenya Standard Specification for Woven Bags (Natural Fibres for Seeds).
KS 04-502: 1985	Kenya Standard Specification for Emergency Lighting Equipment.
KS 04-500: 1985	Kenya Standard Specification for Filaments Lamps for Road Vehicles. Part 1: Central Battery systems, slave luminaries and associated equipment. Part 2: Self-contained luminaries and associated equipment.
KS 04-503: 1985	Kenya Code of Practice for the Protection of Structures Against Lightning.
KS 08-504: 1985	Kenya Standard Specification for Men's and Boy's Shirts. Part 2: Measurements for shirts.
KS 08-536: 1985	Kenya Standard Specification for Milk Cans.
KS 08-540: 1985	Kenya Standard Specification for Bed Pillow Cases.
KS 08-544: 1985	Kenya Standard Specification for Women Bags (Natural Fibres) for Rice.
KS 02-547: 1985	Kenya Standard Specification for Burnt Clay Building Blocks.
KS 01-549: 1985	Kenya Standard Specification for Wet-blue from Goat and Sheep Skins.
KS 01-550: 1985	Kenya Standard Specification for Wet-blue from Bovine Hides.
KS 05-552: 1985	Kenya Standard Specification for Grapefruit Juice preserved exclusively by physical means.
KS 05-553: 1985	Kenya Standard Specification for Lemon Juice preserved exclusively by physical means.
KS 05-554: 1985	Kenya Standard Specification for Apple Juice preserved exclusively by physical means.
KS 05-555: 1985	Kenya Standard Specification for Grapefruit Juice preserved exclusively by physical means.
KS 05-556: 1985	Kenya Standard Specification for Pineapple Juice preserved exclusively by physical means.
KS 05-557: 1985	Kenya Standard Specification for Guava Nectar preserved exclusively by physical means.
KS 05-558: 1985	Kenya Standard Specification for Black Currant Juice preserved exclusively by physical means.
KS 08-586: 1985	Kenya Standard Specification for Webbing. Part 1: Cotton webbings.
KS 08-599: 1985	Kenya Standard Specification for Shoe Laces.

STANDARDS (NO. 2) ORDER, 1986

[L.N. 60/1986.]

1. This Order may be cited at the Standards (No. 2) Order, 1986.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 08-66: 1978	Kenya Standard Dimensional Changes of Fabrics by Cold Water Immersion. (1st Revision.)
KS 03-91: 1985	Kenya Standard Specification for Liquefied Petroleum Gases (LPG).
KS 05-172: 1979	Kenya Standard Specification for Bread. (1st Revision.)
KS 04-185: 1980	Kenya Standard Specification for Lead Acid Starter Batteries. (1st Revision.)
KS 04-245: 1985	Kenya Standard Specification for Processed Disc Records.
KS 04-276: 1985	Kenya Standard Specification for Instantaneous Water Heaters.
KS 04-307: 1985	Kenya Standard Specification for Luminaires.
KS 03-353: 1985	Kenya Standard Specification for Crown Finish Glass Bottles.
KS 03-403: 1985	Kenya Standard Specification for Resin Paper Adhesives for General Office Use.
KS 06-475: 1985	Kenya Standard Specification for Domestic Pressure Cookers.
KS 06-485: 1985	Kenya Standard Specification for Rubber Hose for Liquefied Petroleum Gases.
KS 06-486: 1985	Kenya Standard Specification for Rubber Hose for Fuel Delivery.
KS 06-490: 1985	Kenya Standard Specification for Discs for Agricultural Tractors.
KS 06-492: 1985	Kenya Standard Specification for General Purpose Agricultural Spray Hose.
KS 04-499: 1985	Kenya Standard Specification for Enamelled Winding Wires. Part 1: Conductor Wires with Temperature Index 180 (Modified Polyester Base). Part 2: Conductor Wires with Polyvinyl Acetal Base with High Mechanical Properties Part 3: Packaging.
KS 04-501: 1985	Kenya Standard Specification for Tungston Filament Electric Lamps for Railway Rolling Stock.
KS 04-502: 1985	Kenya Standard Code of Practice for Emergency Lighting. Part 4: Code of Practice for Emergency Lighting.
KS 08-506: 1985	Kenya Standard Specification for Cotton Dish Clothes.
KS 08-508: 1985	Kenya Standard Specification for Absorbent Cotton Wool for Medical Use.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 03-509: 1985	Kenya Standard Specification for Adhesives for Wood Working.
KS 03-513: 1985	Kenya Standard Specification for Glass Tableware.
KS 08-519: 1985	Kenya Standard Specification for Sisal Ropes.
KS 08-525: 1985	Kenya Standard Specification for Ladies' Knitted Briefs.
KS 08-539: 1985	Kenya Standard Specification for Men's and Boys' Woven Pyjama Fabric.
KS 08-543: 1985	Kenya Standard Specification for Cotton Embroidery Threads.
KS 08-560: 1985	Kenya Standard Specification for Men's and Boys' Jackets and Coats. Part 1: Making-Up requirements for Unlined Jackets and Coats. Part 2: Making-Up requirements for Lined Jackets and Coats.
KS 08-583: 1985	Kenya Standard Specification for Socks.
KS 08-584: 1985	Kenya Standard Specification for Stockings. Part 1: Men's and Boys' Stockings.
KS 08-585: 1985	Kenya Standard Specification for Zippers.
KS 08-607: 1985	Kenya Standard Specification for Standard Adjacent Fabrics. Part 1: Cotton and Viscose. Part 2: Polyamide. Part 3 Polyester. Part 4: Acrylic. Part 5: Silk.

STANDARDS (NO. 3) ORDER, 1986

[L.N. 93/1986.]

1. This Order may be cited as the Standards (No. 3) Order, 1986.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date, which is six weeks after the date of publication of this Order, unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05-54: 1985	Kenya Standard Specification for Infant Food Formula. (1st Revision.)
KS 02-94: 1985	Kenya Standard Specification for Preservation of Timber.
KS 03-162: 1985	Kenya Standard Specification for Road Marking Paints.
KS 04-226: 1985	Kenya Standard Specification for Factory-built Assemblies of Low Voltage Switchgear and Controlgear. Part 3: Particular Requirements for Fuseboards. Part 4: Particular Requirements for Miniature Circuit-breaker Boards (m.c.b.s).
KS 05-344: 1985	Kenya Standard Specification for Honey.
KS 08-479: 1985	Kenya Standard Specification for Sewing Threads. Part 2: Sewing Threads Made Wholly or Partly from Synthetic Fibres.
KS 02-548: 1985	Kenya Standard Specification for Precast Concrete Pipes and Fittings for Drainage, Sewage and Culverts.
KS 08-559: 1985	Kenya Standard Specification for Men's and Boys' Trousers. Part 2: Measurements for Trousers.
KS 03-575: 1985	Kenya Standard Specification for Corrugated Fibreboard Boxes.
KS 09-634: 1985	Kenya Standard Specification for Vernier Callipers Reading 0.1 and 0.5 mm.
KS 09-635: 1985	Kenya Standard Specification for Vernier Callipers Reading to 0.02 mm.
KS 09-636: 1985	Kenya Standard Specification for Micrometer Callipers for External Measurement.
KS 09-644: 1985	Kenya Standard Specification for Class 0.5, 1 and 2 A.C. Watt hour Meters.
KS 02-659: 1985	Kenya Methods of Classification and Measurement of Plywood Panels and Test Pieces.

APPROVAL OF STANDARDS

[L.N. 243/1986.]

In ACCORDANCE with section 4(1)(b) of the Standards Act, the Minister for Commerce and Industry has, on the recommendation of the National Standards Council, approved the standards of the Kenya Bureau of Standards in the fields of measurement specified in the Schedule as the standards with which precision instruments, gauges and scientific apparatus may be compared to determine the degree of accuracy of such instruments, gauges and apparatus.

SCHEDULE

- Mass
 - Length
 - Force
 - Industrial Measurements (including Angle, Gears, Threads and Surface Texture)
 - Time and Frequency
 - Energy
 - Power and Attenuation
 - Voltage
 - Current
 - Resistance
 - Capacitance and Inductance
 - Pressure and Vacuum
 - Temperature
 - Volume and Flow
 - Density and Viscosity
-

STANDARDS ORDER, 1987

[L.N. 65/1987.]

1. This Order may be cited as the Standards Order, 1987

2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 04-226: 1985	Kenya standard specification for factory-built assemblies of low-voltage switchgear and controlgear (FBA). Part 5: Particular requirements for consumer units.
KS 09-248: 1985	Kenya standard specification for cold water meters. Part 3: Test methods and equipment.
KS 06-294: 1985	Kenya standard specification for air filters for internal combustion engines.
KS 06-325: 1985	Kenya standard for engineering drawing practice.
KS 06-333: 1985	Kenya standard specification for fuel filters for diesel engines.
KS 06-334: 1985	Kenya standard specification for fuel filters for petrol engines.
KS 06-395: 1985	Kenya standard specification for automobile radiator hoses.
KS 08-586: 1985	Kenya standard specification for cotton webbings. Part 2; Webbings made wholly or partly from synthetic fibres.
KS 08-598: 1985	Kenya standard specification for ladies' cardigans.
KS 04-633: 1985	Kenya standard specification for electric toasters.
KS 08-640: 1985	Kenya standard specification for men's and boys' pyjamas. Part 1: Making-up requirements.
KS 08-642: 1985	Kenya standard specification for sisal packing twines.
KS 08-643: 1985	Kenya standard specification for spindle tapes.
KS 06-664: 1985	Kenya standard specification for seat belt assemblies for motor vehicles.
KS 09-704: 1985	Kenya standard specification for gauge blocks.
KS 09-705: 1985	Kenya standard specification for surface roughness parameters, their values and general rules for specifying requirements.
KS 09-706: 1985	Kenya standard specification for surface roughness terminology. Part 1: Surface and its parameters. Part 2: Terminology—measurement of surface roughness parameters.
KS 09-708: 1985	Kenya standard specification for parallel involute gears—ISO system of accuracy.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 09-709: 1985	Kenya standard specification for cylindrical weights from 1 gram to 10 kilograms (medium accuracy class, also called: Class M ₂).
KS 09-710: 1985	Kenya standard specification for rectangular bar weights from 5 kilograms to 50 kilograms, medium class accuracy.
KS 09-711: 1985	Kenya standard specification for weights of accuracy E ₁ , E ₂ , F ₁ , F ₂ , M ₁ from 50 kg. to 1 mg.
KS 09-712: 1985	Kenya standard specification for standard weights for verification officers.
KS 09-713: 1985	Kenya standard specification for metrological regulations for non-automatic weighing machines.
KS 09-714: 1985	Kenya standard specification for direct acting indicating analogue electrical measuring instruments and their accessories. Part 1: Definitions and general requirements common to all parts. Part 2: Special requirements for ammeters and voltmeters. Part 3: Special requirements for wattmeters and varmeters. Part 4: Special requirements for frequency meters. Part 5: Special requirements for phase meters, power factor meters and synchrosopes. Part 6: Special requirements for ohmmeters (impedance meters) and conductance meters. Part 7: Special requirements for multifunction instruments. Part 8: Special requirements for accessories.
KS 09-715: 1985	Kenya standard specification for laboratory A.C. resistors.
KS 09-716: 1985	Kenya standard specification for voltage transformers.
KS 09-717: 1985	Kenya standard specification for current transformers.
KS 09-718: 1985	Kenya standard specification for dimensions for panel-mounted indicating and recording measuring instruments.
KS 09-719: 1985	Kenya standard specification for maximum demand indicators, class 1.0.
KS 09-720: 1985	Kenya standard specification for telemetering for consumption and demand.
KS 09-721: 1985	Kenya standard specification for varhour (reactive energy) meters.
KS 09-722: 1985	Kenya standard specification for quartz crystal controlled oscillators. Part 1: General information, tests conditions methods. Part 2: Guide to the use of quartz crystal controlled oscillators.
KS 09-726: 1985	Kenya standard specification for glass capillary kinematic viscometers—specification and operating instructions.
KS 09-728: 1985	Kenya standard specification for tensile testing machines. Part 1: General requirements. Part 2: Large tensile testing machines and universal testing machines. Part 3: Small tensile testing machines.
KS 09-729: 1985	Kenya standard specification for compression testing machines.
KS 09-730: 1985	Kenya standard specification for material testing machines and elastic proving devices for static load measurements.
KS 09-731: 1985	Kenya standard specification for bourdon tube pressure and vacuum gauges. Part 2: Metric units.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 09-732: 1985	Kenya standard specification for tyres pressure gauges. Part 1: Indicating plunger portable type. Part 2: Dial portable type. Part 3 Inflation gauges for roads vehicles.
KS 09-733: 1985	Kenya standard specification for liquid-in-glass thermometers.
KS 09-734: 1985	Kenya standard specification for solid-stem general purpose thermometers.
KS 09-735: 1985	Kenya standard specification for enclosed-scale general purpose thermometers (commercial quality for general use).
KS 09-736: 1985	Kenya standard specification for solid-stem calorimeter thermometers (short range solid-stem thermometers for use in bomb calorimetry and other uses where accurate temperature is required).
KS 09-737: 1985	Kenya standard specification for enclosed-scale calorimeter thermometer (short range enclosed thermometers for use in bomb calorimetry and other purposes in accurate measurements).
KS 09-738: 1985	Kenya standard specification for long solid-stem thermometers for precision use with enclosed-scale (not exceeding 375 mm).
KS 09-739: 1985	Kenya standard specification for short solid-stem thermometers for precision use (not exceeding 20 mm length).
KS 09-740: 1985	Kenya standard specification for long enclosed-scale thermometers for precision used. (General used in precision work.)
KS 09-741: 1985	Kenya standard specification for short enclosed-scale thermometers for precision use.

STANDARDS (NO. 2) ORDER, 1987

[L.N. 237/1987.]

1. This Order may be cited as the Standards (No. 2) Order, 1987.

2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification of Code of Practice</i>
KS 05-29:1979	Kenya standard specification for dried whole milk and skimmed milk powder (1st Revision).
KS 05-38: 1982	Kenya standard specification for white sugar (2nd Revision).
KS 08-116: 1979	Kenya standard specification for cotton drills (1st Revision).
KS 05-169: 1979	Kenya standard specification for wheat flour (1st Revision).
KS 04-183: 1978	Kenya standard specification for low voltage fuses (Amendment).
KS 04-184: 1979	Kenya standard specification for dry primary cells and batteries (1st Revision).
KS 04-238: 1979	Kenya standard specification for cassettes for commercial tape and domestic use (1st Revision).
KS 04-310: 1986	Kenya standard specification for adaptors. Part 1: General requirements.
KS 05-328: 1986	Kenya standard specification for soft fruit drinks (Amendment).
KS 06-331: 1986	Kenya standard specification for tolerancing system of I.S.O. metric threads.
KS 03-421: 1986	Kenya standard specification for newsprint.
KS 05-423: 1986	Kenya code of practice for handling, processing and distribution of fish. Part 1: Quality requirements, packaging and making for the fresh, chilled, frozen and smoked fish. Part 2: Sanitation requirements for fresh, chilled, frozen and smoked fish. Part 3: The requirements for retailers handling fresh, chilled, frozen and smoked fish. Part 4: The hygienic requirements for all staff engaged in handling fish.
KS 05-424: 1986	Kenya standard specification for dried salted fish.
KS 05-425: 1986	Kenya standard specification for dried prawns (Shrimps).
KS 03-512: 1986	Kenya standard specification for rubber flooring tiles.
KS 03-518: 1986	Kenya standard specification for fountain pen inks.
KS 05-523: 1986	Kenya standard specification for breakfast cereals. Part 1: Rolled/flaked oats (quick cooking type).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05-524: 1986	Kenya standard specification for pasta products.
KS 05-551: 1986	Kenya standard specification for mayonaise and mayonaise-like products.
KS 08-559: 1986	Kenya standard specification for men's and boys' trousers.
KS 02-572:1986	Kenya standard specification for hot rolled steel sections.
KS 02-573: 1986	Kenya standard specification for cold-worked (high-yield) steel bars for the reinforcement of concrete.
KS 03-576:1986	Kenya standard specification for hair shampoo, soap-based.
KS 03-577: 1986	Kenya standard specification for hair shampoo synthetic, detergent-based.
KS 03-578: 1985	Kenya standard specification for nail polish.
KS 03-579: 1986	Kenya standard specification for skin-lightening creams.
KS 03-580: 1986	Kenya standard specification for general purpose creams, lotions and gels for skin care.
KS 03-581: 1986	Kenya standard specification for marketed petroleum jelly products ready for use as human body ointment.
KS 03-582: 1986	Kenya standard specification for paper boards for packaging.
KS 03-590: 1986	Kenya standard specification for screw thread glass bottles.
KS 03-591: 1986	Kenya standard specification for industrial methylated spirits.
KS 02-594: 1986	Kenya standard specification for concrete.
KS 03-603: 1986	Kenya standard specification for files and folders.
KS 03-604: 1986	Kenya standard specification for stencil papers.
KS 03-605: 1986	Kenya standard specification for duplicating papers.
KS 08-606: 1986	Kenya standard specification for blended cellulosic polyester bedsheets.
KS 03-621: 1986	Kenya standard specification for bituminous paints for cold application.
KS 02-622: 1987	Kenya standard specification for aluminium printing paints for woodwork.
KS 02-625: 1987	Kenya standard specification for precast concrete masonry units.
KS 02-624: 1986	Kenya standard specification for bitumen roofing felt.
KS 08-628: 1986	Kenya standard specification for elastic webbing.
KS 09-637: 1986	Kenya standard specification for dial gauges.
KS 08-638: 1986	Kenya standard specification for absorbent cotton gauze.
KS 08-640: 1986	Kenya standard specification for men's and boys' pyjamas. Part 2: Measurements for pyjamas.
KS 03-653: 1986	Kenya standard specification for household insecticidal aerosols.
KS 03-654: 1986	Kenya standard specification for mosquito coils.
KS 03-655: 1986	Kenya standard specification for scouring powders.
KS 08-665: 1986	Kenya standard specification for textile labels.
KS 04-668: 1986	Kenya standard specification for boxes for enclosure for electrical accessories.
KS 05-686: 1987	Kenya standard specification for peanut butter.
KS 03-698: 1986	Kenya standard specification for liquid detergent for household hand dish washing.
KS 04-765: 1986	Kenya standard of resistance for copper.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 03-814: 1987	Kenya standard specification for retroreflective materials for traffic signs.
KS 03-815: 1987	Kenya standard specification for portable reflective warning triangles for motor vehicles.

STANDARDS ORDER, 1988

[L.N. 7/1988.]

1. This Order may be cited as the Standards Order, 1988.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedures comply with the requirement of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 02-17: 1986	Kenya standard specification for sawn timber (1st revision).
KS 08-117: 1987	Kenya standard specification for blankets. Part 2: Blankets made from wool. Part 3: Cotton leno cellular blankets.
KS 06-151: 1979	Kenya standard specification for machetes (<i>pangas</i>) (1st revision).
KS 04-246: 1981	Kenya standard specification for 13 A fused plugs, and unswitched socket outlets (1st revision).
KS 02-431: 1987	Kenya standard specification for clay roofing tiles.
KS 08-442: 1987	Kenya standard code of practice for drycleaning.
KS 01-458: 1987	Kenya standard specification for common salt and mineral supplements for ruminant live-stock.
KS 06-477: 1987	Kenya standard specification for safety razor blades and razors. Part 1: Safety razor blades. Part 2: Razors.
KS 08-541: 1987	Kenya standard specification for woven fabrics for uniforms. Part 1: Cotton, man-made fibres and blends. Part 2: Fabrics made wholly or partly from wool.
KS 08-630: 1987	Kenya standard specification method of test for determination of tenacity of textile fibres and yarns. Part 1: Fibres. Part 2: Yarns.
KS 02-656: 1987	Kenya standard specification for flush doors' leaves. Part 1: Solid core type.
KS 08-687: 1987	Kenya standard specification for men's uniforms. Part 1: Uniform trousers.
KS 08-747: 1987	Kenya standard specification for preservative treatment for textiles. Part 1: Specification for treatment.
KS 04-763: 1987	Kenya standard specification for wrought aluminium strip for electrical purposes.
KS 01-789: 1987	Kenya standard specification for fresh red onions.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 04-190: 1987	Kenya standard specification for stranded aluminium conductors steel-reinforced and galvanized steel wires for reinforcing aluminium conductors. Part 1: Galvanized steel wires for reinforcing aluminium conductors. Part 2: Aluminium conductors steel-reinforced.
KS 06-255: 1987	Kenya standard specification for door locks in buildings (1st revision).
KS 04-290: 1987	Kenya standard specification for galvanized mild steel wires for armoring of electric cables (1st revision).
KS 06-476: 1987	Kenya standard specification for uncoated domestic aluminium holloware products. Part 2: Aluminium pans.
KS 06-487: 1987	Kenya standard specification for hose couplings for petrol, diesel and paraffin.
KS 06-491: 1987	Kenya standard specification for hydraulic spray nozzles for insert, fungus and weed control.
KS 06-537: 1987	Kenya standard specification for paper and garment pins.
KS 04-646: 1987	Kenya standard specification for electric fence controllers. Part 1: Mains operated. Part 2: Battery operated.
KS 02-682: 1987	Kenya standard specification for oxidized bitumen adhesives for roofing.
KS 08-114: 1979	Kenya standard specification for cotton bedsheets (1st revision).
KS 04-181: 1986	Kenya standard specification for low-voltage circuit breakers. (Amendment.)

STANDARDS ORDER, 1989

[L.N. 215/1989.]

1. This Order may be cited as the Standards Order, 1989.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after a date which is six weeks after the date of publication of this Order unless the commodities and methods and procedure comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 06-02: 1988	Kenya standard specification for galvanized plain and corrugated steel sheets for general use. 1st Revision.
KS 05-34: 1976	Kenya standard specification for yoghurts. 1st Revision. Part 1: Specification for yoghurts (plain and sweetened). Part 2: Specification for flavoured yoghurts.
KS 06-72: 1987	Kenya standard specification for mild steel nails. 1st Revision.
KS 06-149: 1987	Kenya standard specification for unplasticized polyvinyl chloride pipes for cold water services. Amendment slip. Part 1: General requirements.
KS 06-149: 1987	Kenya standard specification for unplasticized polyvinyl chloride pipes for cold water services. 1st Revision. Part 2: Metric series.
KS 06-149: 1987	Kenya standard specification for unplasticized polyvinyl chloride pipes for cold water services. 1st Revision. Part 3: Inch series.
KS 05-168: 1988	Kenya standard specification for dry milled maize products. 1st Revision.
KS 04-179: 1979	Kenya standard specification for rigid P.V.C. conduits and fittings for electrical wiring. 1st Revision. Part 1: Conduits.
KS 04-185:1984	Kenya standard specification for lead-acid starter batteries. 1st Revision.
KS 04-188: 1980	Kenya standard specification for P.V.C. insulations and sheaths of electric cables and cords. 1st Revision.
KS 04-192:1982	Kenya standard specification for P.V.C. insulated flexible cables and cords of rated voltage U ₀ /U up to and including 450/750 V. 1st Revision.
KS 06-217: 1987	Kenya standard specification for unplasticized polyvinyl chloride (U.P.V.C) pipes for buried drain and sewer. Amendment slip.
KS 04-234: 1987	Kenya standard specification for receivers for television broadcast.
KS 04-247: 1988	Kenya standard specification for switches for domestic and similar purposes. 1st Revision.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 06-249: 1988	Kenya standard specification for automobile drum brake linings and disc brake pads. 1st Revision.
KS 06-256: 1988	Kenya standard specification for drawer and cupboard locks.
KS 06-261: 1987	Kenya standard specification for steel wires and wire products used for fencing. 1st Revision.
KS 04-282: 1988	Kenya standard specification for elements for electric water heaters for permanent installation in household cylinders or tanks.
KS 06-293: 1988	Kenya standard specification for lubricating oil filters for internal combustion engines.
KS 04-310: 1983	Kenya standard specification for adaptors. 1st Revision. Part 2: Supplementary requirements.
KS 04-311: 1982	Kenya standard specification for miniature circuit breakers (M.C.B.'s). 1st Revision.
KS 06-322: 1988	Kenya standard specification for covered electrodes for manual arc welding of mild steel and low alloy steel.
KS 02-447: 1988	Kenya standard specification for wood chipboard.
KS 04-453: 1988	Kenya standard specification for P.V.C. insulated cables (non-armoured) for electric power lighting, 1st Revision.
KS 01-456: 1987	Kenya standard specification for dry beans.
KS 06-463: 1987	Kenya standard specification for telescopic shock absorbers for automobile suspension damping.
KS 04-503: 1985	Kenya standard code of practice for the protection of structures against lightning. Amendment No. 1.
KS 05-522: 1987	Kenya standard specification for canned fish. Part 1: Fish canned in tomato sauce. Part 2: Fish canned in brine.
KS 08-584: 1987	Kenya standard specification for stockings. Part 2: Ladies stockings.
KS 01-593: 1987	Kenya standard specification for green coffee beans.
KS 03-601: 1988	Kenya standard specification for hair creams.
KS 05-608: 1988	Kenya standard specification for neutral spirit for manufacture of alcoholic beverages.
KS 03-647: 1988	Kenya standard specification for industrial oxygen.
KS 03-648: 1988	Kenya standard specification for acetylene gas.
KS 02-656: 1987	Kenya standard specification for flush doors' leafs-cellular and semi solid core type.
KS 02-657: 1988	Kenya standard specification for window stays fasteners and handles for vertically hinged windows.
KS 05-661: 1988	Kenya standard specification for cookies.
KS 04-662: 1988	Kenya standard specification for wiring regulations. Part 1: Electrical installation in building. Part 2: Requirements for special installations and locations.
KS 06-663: 1988	Kenya standard specification for hot rolled wire rods.
KS 03-666: 1988	Kenya standard specification for white spirit (mineral turpentine).
KS 03-667: 1988	Kenya standard specification for water thinned priming paints for wood.
KS 01-672: 1987	Kenya standard specification for fresh mushrooms.
KS 01-674: 1987	Kenya standard specification for dog feeds.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 01-675: 1987	Kenya standard specification for chromed crust bovine leather.
KS 03-683: 1988	Kenya standard specification for baker's yeast.
KS 08-687: 1987	Kenya standard specification for men's uniforms. Part 2: Uniform coats.
KS 08-687: 1988	Kenya standard specification for uniforms. Part 3: Uniform shirts.
KS 01-689: 1987	Kenya standard specification for milled rice.
KS 01-690: 1987	Kenya standard specification for seeds for legumes.
KS 01-691: 1987	Kenya standard specification for seeds for cucurbit vegetables.
KS 01-692: 1987	Kenya standard specification for solanaceous vegetables.
KS 01-693: 1987	Kenya standard specification for seed for bulbs vegetables.
KS 02-742: 1988	Kenya standard code of practice for laying roofing tiles.
KS 08-748: 1988	Kenya standard specification for coffee drying cloth.
KS 02-755: 1988	Kenya standard design loading for buildings. Part 1: Code of practice for imposed loads.
KS 02-761: 1988	Kenya standard specification for rectangular pressed steel tanks.
KS 02-771: 1988	Kenya standard specification for softwood timber grades for structural use.
KS 08-779: 1988	Kenya standard specification for carpets. Part 1: Tufted carpets.
KS 08-781: 1988	Kenya standard specification for cones. Part 1: Paper cones.
KS 01-788: 1987	Kenya standard specification for strawberries.
KS 03-793: 1988	Kenya standard specification for liquid oxidation hair dyes.
KS 03-794: 1988	Kenya standard specification for formulated powder hair dyes.
KS 03-803: 1988	Kenya standard specification for liquid toilet soaps. Part 1: Liquid toilet soap. Part 2: Liquid floor soap. Part 3: Lotion soap.
KS 03-805: 1988	Kenya standard specification for waterless hand cleaner.
KS 03-809:1988	Kenya standard specification for toilet cleaners. Part 1: Powder toilet bowls cleansers. Part 2: Liquid toilet bowls and urinals cleansers.
KS 03-811: 1988	Kenya standard specification for semi-gloss emulsion paint for exterior use.
KS 03-812: 1988	Kenya standard specification for matt emulsion paint for exterior use.
KS 02-817: 1987	Kenya standard specification for commercial grades for solder.

CALIBRATION NOTICE

[L.N. 181/1990.]

In exercise of the powers conferred by regulation 3 of the Standards (National Calibration Service) Regulations, 1984, the Minister for Industry, directs that—

- (a) the categories of instruments and equipment specified in the second column of the Schedule shall be calibrated by the Bureau on or before 31st May, 1990;
- (b) the Kenya Standards to be used for calibration shall be those specified in the third column;
- (c) the maximum intervals between each calibration shall be those specified in the fourth column; and
- (d) the fees to be paid for the calibration shall be those prescribed and published by the Bureau for that purpose.

SCHEDULE

<i>Field of measurement</i>	<i>Instrument</i>	<i>KS No.</i>	<i>Maximum interval of time before next calibration</i>
1. Industrial measurement	Dial gauges reading in 0.01 mm.	09-637:1986	1 year
2. Electricity	Instrument transformers:		
	(i) Current transformers	09-717:1985	5 years
	(ii) Voltage transformers	09-716:1985	5 years
3. Volume/Flow	Turbine meters	09-858:1987	1 year
	Displacement meters	09-857:1987	1 year
	Prover tanks	09-856:1987	1 year
	Road and rail vehicles (tank cars)	09-855:1987	1 year
	Barges (ships and barge tanks)	09-854:1987	2 years
	Spherical and spheroidal tanks .	09-853:1987	5 years
	Horizontal tanks	09-852:1987	2 years
	Upright cylindrical tanks	09-851:1987	10 years

STANDARDS LEVY ORDER, 1990

ARRANGEMENT OF ORDERS

Order

1. Citation.
2. Interpretation.
3. Levy.
4. Notification.
5. Register of manufacturers.
6. Maintenance of records by manufacturers.
7. Access to manufacturer's records.
8. Civil liability for non-payment of any sum due.
9. Exemption.
10. Levy fund.
11. Bank account.
12. Investments.
13. Books of accounts.
14. Audit.
15. Accounts of the Fund.
16. Report of the Auditor-General.
17. Expenses of the Audit.

SCHEDULES

- FIRST SCHEDULE – STANDARDS LEVY NOTIFICATION FORM
SECOND SCHEDULE – STANDARDS LEVY RETURN
-

[Subsidiary]

STANDARDS LEVY ORDER, 1990

[L.N. 267/1990, L.N. 183/1999, L.N. 54/2000.]

1. Citation

This Order may be cited as the Standards Levy Order, 1990.

2. Interpretation

In this Order, unless the context otherwise requires—

“**ex-factory**”, means the selling price excluding value added tax and discounts;

“**Fund**”, means the Standards Levy Fund established under section 10C (1) of the Act;

“**inspector**”, means a person appointed under section 13 of the Act;

“**levy**”, means the charge payable in terms of paragraph 3;

“**manufacturer**”, means any person, or persons, who engages in the process of manufacture in terms of section 2 of the Act.

3. Levy

Subject to the Act there shall be paid by each manufacturer a levy recoverable at source at the rate of two-tenths of one percent of the ex-factory price in respect of manufacture during each month, subject to a ‘maximum’ ceiling of Kenya shillings four hundred thousand per annum and to a minimum ceiling of Kenya shillings one hundred thousand per annum.

[L.N. 183/1999, s. 2, L.N. 54/2000, s. 2.]

4. Notification

(1) For the purpose of complying with paragraph 3, every person, or persons who manufacture or intend to manufacture, shall notify the Director, Kenya Bureau of Standards, in the format set out in Form SL. 1 set out in the First Schedule.

(2) Failure to notify the Director as aforesaid shall not affect the obligation of a manufacturer to pay the levy in terms of this Order.

5. Register of manufacturers

The Director shall maintain or cause to be maintained a register of all manufacturers who pay the levy.

6. Maintenance of records by manufacturers

(1) Every manufacturer shall maintain or cause to be maintained monthly records in the Standards Levy Return in the format set out in Form SL. 2 set out in the Second Schedule.

(2) Every manufacturer shall in accordance with this Order maintain complete records corresponding to the prevailing date of all transactions which may affect his liability to pay the levy under this order.

(3) Every manufacturer shall pay the levy by transmitting to the Director Form SL. 2 duly completed with the amount of the levy on or before the thirtieth day of the succeeding month.

7. Access to manufacturer's records

The records maintained in accordance with paragraph 6 shall, on written request, be made available to the Director or a person duly authorized by him.

8. Civil liability for non-payment of any sum due

Non-payment of any sum due under this Order shall be deemed to be a civil debt recoverable summarily by the Director or a person duly authorized by him.

9. Exemption

The provisions of this Order shall not apply to that person or persons whose ex-factory manufacture does not exceed Kenya shillings two hundred thousand per annum.

10. Levy fund

The objectives of the Fund established in accordance with section 10C of the Act shall, subject to the approval of the Minister, be to—

- (a) develop and promote standardization and quality control of commodities, services and metrology;
- (b) undertake collaborative research on behalf of the industry calculated to improve productivity and quality of outputs for the domestic and export markets;
- (c) undertake training on behalf of the industry on standardization, quality control and metrology;
- (d) meeting any expenses relating to the establishment and operation of the fund; and
- (e) any other purpose which the Minister, in consultation with the National Standards Council, considers would serve the best interest of the industry, the consumers and the Government.

11. Bank account

All moneys received in accordance with the provision of this Order shall be paid into a special bank account entitled "The Standards Levy Fund" and expenditure therefrom shall be controlled by the National Standards Council.

12. Investments

Any part of the Fund not immediately required for the purpose of the Fund may, subject to the written approval of the Minister and the Treasury, be invested in such a manner as the National Standards Council may deem to be proper.

13. Books of accounts

The National Standards Council shall cause to be kept all proper books and records of account of the income, expenditure, assets and liabilities of the Fund and shall prepare such other accounts as the Minister may require and, in addition, shall prepare yearly balance sheets made up to the end of each financial year.

14. Audit

The accounts of the Fund shall be audited and reported on annually by the Auditor-General (Corporations) in accordance with Part VII of the Exchequer and Audit Act (Cap. 412).

[Subsidiary]

15. Accounts of the Fund.

The Fund shall produce and lay before the Auditor-General (Corporations) all accounts of the Fund with all vouchers in support thereof, and all books, papers and writings in its possession or control relating thereto, and the Auditor-General (Corporations) shall be entitled to require from all members, officers and servants of the Bureau such information and explanations as may be necessary for the proper performance of his duties.

16. Report of the Auditor-General

At the completion of an audit under section 15, the Auditor-General (Corporations) shall make a report thereon to the National Standards Council and shall at the same time furnish a copy of the report to the Minister.

17. Expenses of the Audit

The expenses incidental to the auditing of the accounts shall be borne by the Fund.

FIRST SCHEDULE

[Rule 4(1).]

STANDARDS LEVY NOTIFICATION FORM

FORM SL. 1



To
The Director,
Kenya Bureau of Standards,
P.O. Box 54974,
Nairobi.

- Registration No.
- (1) Companies Act:
- (2) Co-operative:
- (3) Business Name:
- (4) Partnership:

Name of Business
Plot No.
Road/Street
Address
Telephone No.
Admin. Location

Name and address of proprietor or partners; and in the case of companies, the Chief Executive and directors

.....
.....

All commodities manufactured or to be manufactured

.....
.....

Date upon which manufacture commenced or will commence
....., 20.....

Total value of manufacture in the last calendar year K£

FIRST SCHEDULE, FORM SL. 1—continued

If applicant has branches operating, give name and address of branches

.....
.....

.....
Signature

.....
Designation of the Signing Officer

Date of Application, 20.....

SECOND SCHEDULE
[Rule 6 (1).]
STANDARDS LEVY RETURN

FORM SL. 2

DATE
STAMP

- 1. Name
- Address
- Telephone No.
- Entry No.

2. Period covered by this return from, 20..... to, 20

3 <i>Commodity</i>	4 <i>Quantity of Manufacture</i>	5 <i>Total Value Ex-Factory KSh.</i>	6 <i>Rate of Levy</i>	7 <i>Total Levy Payable KSh.</i>	8 <i>Amount Paid KSh.</i>	9 <i>Balance KSh.</i>

Explanation of balance

.....
.....

I,, hereby certify that the information in this return is true, correct and complete.

.....
Signature and position
(Company stamp)

Standards

[Subsidiary]

SECOND SCHEDULE, Form SL. 2—continued

Date	Amount Paid	Receipt No.	Period of which Payable	Penalty Rate	Penalty Payable	Total Amount Payable	Balance	
							Dr.	Cr.

STANDARDS ORDER, 1991

[L.N. 225/1991.]

1. This Order may be cited as the Standards Order, 1991.
2. Kenya Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless than commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code Practice</i>
KS 06-09: 1990	Kenya standard specification for liquefied petroleum gas (LPG) cylinders. Part 3: Kenya standard code of practice for filling, distribution and retailing of LPG in cylinders.
KS 02-22: 1990	Kenya standard specification for hot rolled steel bars for reinforcement of concrete. 1st Revision.
KS 01-62: 1990	Kenya standard specification for dairy cattle feed supplements. 1st Revision.
KS 08-68: 1990	Kenya standard textile care labelling code. 1st Revision.
KS 08-117: 1989	Kenya standard specification for blankets. Part 4: Blankets made from recycled fibres.
KS 01-138: 1990	Kenya standard specification for compounded pig feeds. 1st Revision.
KS 06-153: 1989	Kenya standard specification for steel wheel-barrows, 1st Revision.
KS 06-218: 1990	Kenya standard specification for steel hinges. 1st Revision.
KS 04-233: 1990	Kenya standard specification for sound systems equipment. Part 3: Amplifiers.
KS 04-237: 1989	Kenya standard specification for household electric ranges. 1st Revision.
KS 06-250: 1989	Kenya standard specification for spark plugs. 1st Revision.
KS 02-289: 1990	Kenya standard specification for steel windows and doors.
KS 06-357: 1990	Kenya standard specification for tower bolts.
KS 06-488: 1990	Kenya standard specification for galvanized mild steel cylinders for hot water purposes.
KS 06-489: 1990	Kenya standard specification for power take-off for agricultural tractors.
KS 04-503: 1990	Kenya standard code of practice for the protection of structures against lightning. Part 2: Code of practice for earthing.
KS 03-515: 1990	Kenya standard specification for gasohol.
KS 03-602: 1989	Kenya standard specification for hair oils.
KS 08-607: 1990	Kenya standard specification for standard adjacent fabrics. Part 6: Secondary acetate. Part 7: Triacetate. Part 8: Cotton.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code Practice</i>
KS 05-614: 1989	Kenya standard specification for gin.
KS 05-615: 1989	Kenya standard specification for rum.
KS 01-670: 1989	Kenya standard specification for brinjals (egg plants) or aubergines.
KS 01-671: 1989	Kenya standard specification for fresh capsicum.
KS 01-676: 1990	Kenya standard specification for grades of raw hides and skins. Part 1: Cattle hides and calf skins.
KS 01-677: 1990	Kenya standard specification for full-chrome upper leather.
KS 01-679: 1989	Kenya standard specification for sole leather.
KS 01-694: 1989	Kenya standard specification for groundnuts (peanuts). Part 1: Raw groundnuts for table use and oil milling.
KS 01-695: 1989	Kenya standard specification for cutflowers and cutfoliage. Part 1: Fresh cutflowers.
KS 06-700: 1990	Kenya standard specification for inner tubes for motorized vehicles.
KS 04-743: 1989	Kenya standard specification for battery chargers.
KS 05-753: 1989	Kenya standard specification for chilli sauce.
KS 04-762: 1989	Kenya standard specification for copper strips for electrical purposes.
KS 02-766: 1990	Kenya standard specification for clay flooring tiles.
KS 01-784: 1989	Kenya standard specification for fishmeal.
KS 01-785: 1989	Kenya standard specification for bonemeal for compounding animal feeds.
KS 01-786: 1989	Kenya standard specification for bloodmeal for compounding animal feeds.
KS 01-787: 1989	Kenya standard specification for fresh okra.
KS 03-796: 1989	Kenya standard specification for mineral oil for cosmetic industry.
KS 03-797: 1989	Kenya standard specification for sesame (simsim) oil for cosmetic industry.
KS 03-798: 1989	Kenya standard specification for groundnut (peanut) oil for cosmetic industry.
KS 03-800: 1989	Kenya standard specification for coconut oil for cosmetic industry.
KS 03-810: 1990	Kenya standard specification for printing inks for use on food wrappers.
KS 01-818: 1989	Kenya standard code of practice for preservation of raw cattle hides and calf skins. Part 1: By stack salting.
KS 01-838: 1989	Kenya standard specification for meat and bone-meal.
KS 04-869: 1990	Kenya standard specification for lead-acid traction batteries. Part 1: General requirements and methods of test. Part 2: Dimensions of cells and marking of polarity on cells.
KS 04-889: 1989	Kenya standard specification for cable trunking. Part 1: Steel surface trunking. Part 2: Steel underfloor (duct) trunking. Part 3: Trunking made of insulating materials.
KS 04-890: 1989	Kenya standard specification for classification of degrees of protection provided by enclosures.
KS 06-896: 1990	Kenya standard specification for periodic inspection, testing and maintenance of transportable gas containers (excluding dissolved acetylenes containers).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code Practice</i>
KS 06-897: 1990	Kenya standard specification for periodic inspection testing and maintenance of transportable gas containers for dissolved acetylenes.
KS 06-901: 1990	Kenya standard specification for malleable cast iron.
KS 06-902: 1990	Kenya standard specification for steel castings for general engineering purposes. Part 1: General requirements. Part 2: General technical delivery requirements. Part 3: Charpy impact test (V-notch) for steel.
KS 06-903: 1990	Kenya standard specification for aluminium and aluminium alloy ingots and castings.
KS 06-904: 1990	Kenya standard specification for cast copper alloy.
KS 06-905: 1990	Kenya standard specification for wheel rims made of cast light alloy for passenger cars.
KS 06-963: 1990	Kenya standard specification for industrial safety helmets.
KS 04-1021: 1990	Kenya standard specification for general purpose steel wire strand.
KS 03-1024: 1990	Kenya standard specification for vitreous china water closet pans Part 1: Washdown water closet pans. Part 2: Squatting washdown water closet pans.
KS 03-1025: 1990	Kenya standard specification for metre rules and rulers for school and office.
KS 03-1026: 1990	Kenya standard specification for protractors for use in schools.
KS 08-1033: 1990	Kenya standard specification for cotton <i>Khanga</i> .
KS 01-1040: 1990	Kenya standard specification for bee-hive Kenya top bar hive.
KS 08-1056: 1990	Kenya standard specification for woven wrapping cloth. Part 1: Polypropylene cloth. Part 2: Jute cloth.
KS 09-1079: 1990	Kenya standard specification for depth micrometers.
KS 09-1080: 1990	Kenya standard specification for precision vernier depth gauges.
KS 09-1081: 1990	Kenya standard specification for precision vernier height gauges.
KS 09-1082: 1990	Kenya standard specification for spirit levels for use in precision engineering.
KS 09-1083: 1990	Kenya standard specification for spirit level vials.
KS 09-1084: 1990	pH measurement. Part 1: Specification for laboratory pH meters. Part 2: Specification for pH scale. Part 3: Specification for reference value standard solutions and operational reference standard solutions. Part 4: Specification for glass and reference electrodes for the measurement of pH.

STANDARDS ORDER, 1992

[L.N. 112/1992.]

1. This Order may be cited as the Standards Order, 1992.

2. Kenya Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05-28:1990	Kenya standard specification for cheese. 1st Revision. Part 1: General requirements for cheese.
KS 05-39:1990	Kenya standard specification for tomato products. 1st Revision. Part 1: General requirements for labelling. Part 2: Guidelines for Add I: Date marking. Add II: Nutrition labelling. Add III: Claims. Add IV: Non-retail containers of foods.
KS 08-117:1990	Kenya standard specification for blankets. Part 6: Non-woven blankets.
KS 04-179:1990	Kenya standard specification for rigid PVC conduits and fittings for electrical wiring Part 2: Fittings (1st Revision).
KS 04-194:1990	Kenya standard specification for PVC insulated cables for electricity supply. 2nd Revision
KS 01-227:1990	Kenya standard specification for cashew kernels. Part 2: Roasted cashew kernels.
KS 08-273:1990	Kenya standard specification for woven bags (100 per cent sisal) for clean coffee beans.
KS 04-468:1990	Kenya standard specification for flexible PVC conduits for electricity wiring. Part 2: Corrugated conduits.
KS 05-522:1990	Kenya standard, specification for canned fish. Part 3: Fish canned in oil.
KS 05-523:1990	Kenya standard specification for breakfast cereals. Part 2: Flaked cereals (ready-to-eat).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 08- 542:1990	Kenya standard specification for the national flag of Kenya. Part 1: Cotton, man-made fibers and blends. Part 2: Wool/Synthetic blends.
KS 08- 597:1990	Kenya standard specification for mattress covers.
KS 05-609:1990	Kenya standard specification for still (grape) table wines.
KS 05-611:1990	Kenya standard specification for fruit wines.
KS 05-613:1990	Kenya standard specification for vodka.
KS 05-618:1990	Kenya standard specification for cider and perry.
KS 08-629:1990	Kenya standard specification for sweaters.
KS 05-660:1990	Kenya standard specification on the schedule for safe use of food additives. Part 1: General principles. Part 2: Carry overs. Part 3: Permitted preservatives. Part 4: Permitted anti-oxidants.
KS 01-694:1990	Kenya standard specification for groundnuts. Part 2: Roasted groundnuts.
KS 08-697:1990	Kenya standard code of practice for grading of textile materials. Part 1: Fabrics.
KS 02-752:1990	Kenya standard code of practice for laying and finishing of concrete and terrazo flooring tiles.
KS 02-767:1990	Kenya standard code of practice for laying clay flooring, tiles.
KS 02-769:1990	Kenya standard specification for bitumen road emulsions (anionic and cationic).
KS 01-868:1990	Kenya standard specification for macadamia kernels.
KS 01-870:1990	Kenya standard specification for cucumbers and courgettes.
KS 08-892:1990	Kenya standard specification for fabrics for curtain and drapes. Part 1: Woven fabrics.
KS 03-911:1990	Kenya standard specification for paint brushes.
KS 03-924:1990	Kenya standard specification for motor vehicle chevrons and Strips.
KS 08-933:1990	Kenya standard specification for tubes (bobbins) for ring frames.
KS 04-934:1990	Kenya standard specification for cooker control units.
KS 04-936:1990	Kenya standard specification for insulated cables and flexible cords for use in high temperature zones.
KS 01-938:1990	Kenya standard specification for roasted mixed nut kernels.
KS 01-940:1990	Kenya standard specification for head lettuce.
KS 08-942:1990	Kenya standard specification for process colours for traffic signs.
KS 08-944:1990	Kenya standard specification for woven bags (100 per cent sisal) for green tea leaves. Part 1: Three dimensional type. Part 2: Two dimensional type.
KS 06-950:1990	Kenya standard specification for metallic materials. Part 1: Wire-wrapping test. Part 2: Tube-flattening test. Part 3: Bend test. Part 4: Tube (in full section)—bend test.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 04-1022:1990	Kenya standard specification for 600/1000v PVC insulated single-phase concentric cables with copper or aluminium conductors for electricity supply.
KS 04-1023:1990	Kenya standard specification for aluminium drawing stock for electrical purposes.
KS 01-1078:1990	Kenya standard specification for flyer bobbins.
KS 01-1078:1990	Kenya standard specification for chillies.

STANDARDS (No. 2) ORDER, 1992

[L. N. 113/1992.]

1. This Order may be cited as the Standards (No. 2) Order, 1992.
2. Kenya Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 06- 09:1989	Kenya standard specification for L.P.G. cylinders. Part 2: Code of practice for safe use of L.P.G. in permanent dwellings.
KS 06-229:1989	Kenya standard specification for edible salt. 1st Revision.
KS 06-259:1989	Kenya standard specification for steel pipes for water and gas suitable for screwing. 1st Revision.
KS 05-702:1989	Kenya standard specification for vinegar.
KS 06-756:1989	Kenya standard specification for speedometer cables for automobiles.
KS 06-844:1989	Kenya standard specification for hole sizes before threading in relation to machine parts.
KS 06-845:1989	Kenya standard specification for grooved pulleys for classical and narrow veebelts.
KS 06-886:1989	Kenya standard specification for widths across flats and mechanical properties of fasteners. Part 1: Dimensions across flats.
KS 06-886:1989	Kenya standard specification for widths across flats and mechanical properties of fasteners. Part 2: Mechanical properties of fasteners.
KS 06-886:1989	Kenya standard specification for widths across flats and mechanical properties of fasteners. Part 3: Tolerance system for threaded fasteners.
KS 06-895:1989	Kenya standard specification for bicycles (safety requirements).
KS 06-906:1989	Kenya standard specification for motor-cycle (symbols for controls, indicators and tell-tales).
KS 08-132:1989	Kenya standard specification for woven bags made from natural fibres for cereals and pulses. 1st Revision.
KS 08-367:1989	Kenya standard specification for cotton canvas. 1st Revision.
KS 08-507:1989	Kenya standard specification for sanitary towels. Part 1: Sanitary towels for external use.
KS 08-639:1989	Kenya standard specification for gauze bandages. Part 1: Cotton gauze bandages.
KS 03-649:1989	Kenya standard specification for automobile windscreens.

Standards

[Subsidiary]

Part 1: Toughened windscreens.
 Part 2: Laminated windscreens.
 SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 08-779:1989	Kenya standard specification for carpets. Part 2: Sisal carpets.
KS 08-781:1989	Kenya standard specification for cones. Part 2: Plastic cones.
KS 03-799:1989	Kenya standard specification for castor oil for cosmetic industry.
KS 03-802:1989	Kenya standard specification for cut-size office papers. Part 1: Bond papers.
KS 03-813:1989	Kenya standard specification for matt solvent borne paints for interior and exterior use.
KS 03-915:1989	Kenya standard specification for anhydrous lanolin for cosmetic industry.
KS 03-916:1989	Kenya standard specification for shaving preparations. Part 1: Shaving creams.

STANDARDS ORDER, 1995

[L.N. 198/1995.]

1. This Order may be cited as the Standards Order, 1995.
2. The Kenya Standards having been declared for the commodity set out here below, no person shall manufacture or sell the commodity on or after the date of publication of this Order unless the commodity complies with the requirements of the said Kenya Standard.

<i>Number</i>	<i>Title of Specification</i>
KS 03-275	Kenya Standard specification for motor gasolines (petrol or motor spirit).

STANDARDS ORDER, 1997

[L.N. 176/1997.]

1. This Order may be cited as the Standards Order, 1997.
2. The Standards having been declared for several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 04-180:1991	Kenya standard specification for metallic conduits and fillings for electrical installations. Part 2: Fittings.
KS 04-185:1991	Kenya standard specification for lead-acid starter batteries. Part 2: Dimensions of batteries, dimensions and marking of terminals.
KS 04-186:1991	Kenya standard specification for automatic fire alarm systems in buildings. Part 7: Methods of test of sensitivity to fire.
KS 03-647:1991	Kenya standard specification for industrial oxygen. 1st revision.
KS 04-744:1991	Kenya standard specification for earth-rods and their connectors. Part 1: Copper-clad earth rods.
KS 08-893:1991	Kenya standard specification for upholstery fabrics. Part 1: Woven and knitted fabrics.
KS 08-894:1991	Kenya standard specification for silver cans.
KS 03-909:1991	Kenya standard specification for semi-gloss solvent borne paints for interior/exterior use.
KS 03-910:1991	Kenya standard specification for super gloss solvent borne paints for interior/exterior use.
KS 03-912:1991	Kenya standard specification for xylene.
KS 03-913:1991	Kenya standard specification for toluene.
KS 03-914:1991	Kenya standard specification for acetone.
KS 03-921:1991	Kenya standard specification for kraft liner.
KS 03-948:1991	Kenya standard specification for corrugated fibre-board boxes for horticultural export.
KS 08-1032:1991	Kenya standard specification for cylindrical tubes for open-end spinning.
KS 08-1035:1991	Kenya standard specification for kitenge.
KS 08-1062:1991	Kenya standard specification for infants' outwear garments.
KS 04-1067:1991	Kenya standard specification for lead-acid stationary batteries. Part 1: General requirements. Part 2: Requirements for pasted plate type batteries.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 04-1068:1991	Kenya standard specification for domestic metallic meter boxes. Part 1: Single phase metering.
KS 04-1069:1991	Kenya standard specification for PVC covered conductors for overhead power lines.
KS 04-1109:1991	Kenya standard specification for earthing clamps.
KS 04-1111:1991	Kenya standard specification for household electrical appliances. Part 5: Particular requirements for battery powered shavers, hair clippers and similar appliances and their charging and battery assemblies. Part 9: Requirements for a.c. electrical shavers, hair clippers and similar appliances.
KS 08-1118:1991	Kenya standard specification for top and bottom aprons used in the textile industry.
KS 08-1119:1991	Kenya standard specification for ring travelers. Part 1: Metallic travellers. Part 2: Plastic travellers.
KS 08-117:1991	Kenya standard specification for woven blankets. Part 5: Blankets made from acrylic fibres.
KS 04-185:1991	Kenya standard specification for lead acid starter batteries. Part 5: General requirements and methods of test.
KS 03-511:1991	Kenya standard specification for plastic containers. Part 1: Buckets.
KS 02-749:1991	Kenya standard specification for fibre concrete roofing tiles.
KS 03-920:1991	Kenya standard specification for jute/sisal batching oil.
KS 03-1027:1991	Kenya standard specification for auto refinishing paints. Part 1: Synthetic resin type.
KS 03-1101:1991	Kenya standard specification for titanium dioxide pigments for paints.
KS 03-1102:1991	Kenya standard specification for lithopone pigments for paints.
KS 08-1107:1991	Kenya standard specification for two-pin reversible plugs and shaver socket outlets.
KS 06-08:1992	Kenya standard specification for S.I. units.
KS 05-10:1992 (second edition)	Kenya standard specification for unprocessed whole milk.
KS 03-24:1992	Kenya standard specification for toilet paper in rolls and reels. (1st revision).
KS 05-28:1992	Kenya standard specification for cheese. Part 2: Kenyan Cheddar cheese (1st revision)
KS 06-52:1992	Kenya standard specification for exhaust systems. (1st revision). Part 1: Motor vehicle exhaust systems. Part 2: Steel pipes used in exhaust systems.
KS 06-204:1992	Kenya standard specification for shovels. Part 1: Mild steel shovels. (1st revision). Part 2: Medium steel shovels. (1st revision).
KS 08-274:1992 (second edition)	Kenya standard specification for sisal: Agriculture baler twines (1st revision)
KS 05-319:1992 (second edition)	Kenya standard specification for sugar confectionery. (1st revision). Part 1: High boiled sweets. Part 3: Chewing gum and bubble gum.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 06-408:1992 (second edition)	Kenya standard specification for towels. (1st revision).
KS 06-452:1992 (second edition)	Kenya standard specification for filing cabinets for general office purposes. (1st revision).
KS 08-479:1992 (second edition)	Kenya standard specification for sewing threads. Part 1: Cotton sewing threads. Part 2: Sewing threads made wholly or partly from synthetic fibres. (1st revision).
KS 08-520:1992 (second edition)	Kenya standard specification for woven fabrics used for suits, jackets and trousers. (1st revision).
KS 03-588:1992	Kenya standard specification for PVC slippers.
KS 01-592:1992	Kenya standard specification for cigarettes.
KS 05-612:1992	Kenya standard specification for whisky.
KS 05-616:1992	Kenya standard specification for brandy.
KS 08-642:1992	Kenya standard specification for sisal packing twines.
KS 03-650:1992	Kenya standard specification for glass globes for hurricane lamps.
KS 01-871:1992	Kenya standard specification for compounded fish feeds. Part 1: Trout feeds.
KS 06-1086:1992	Kenya standard specification for hacksaw blades.
KS 03-1099:1992	Kenya standard specification for engine oils.
KS 08-1120:1992	Kenya standard specification for doubling and twisting bobbins.
KS 08-1124:1992	Kenya standard specification for sisal polishing cloth.
KS 08-1125:1992	Kenya standard specification for carpet backing fabrics. Part 1: Jute fabrics.
KS 08-1127:1992	Kenya standard specification for curtain tapes.
KS 08-1142:1992	Kenya standard specification for poly-olefin agricultural twines.
KS 08-1145:1992	Kenya standard specification for three-strand (hawser-laid) and eight-strand (plaited) poly propylene monofilament or film ropes.
KS 08-1146:1992	Kenya standard specification for polyolefin woven sacks (bags) for packing fertilizer.
KS 08-1151:1992	Kenya standard specification for transfer cones.
KS 03-1222:1992	Kenya standard specification for ink pasteblack for stencil duplicating machine.
KS 05-30:1993	Kenya standard specification for pasteurized liquid milk. (1st revision).
KS 05-319:1993	Kenya standard specification for sugar confectionery. (1st revision) Part 2: Caramel, toffee and fudge.
KS 05-326:1993	Kenya standard specification for edible oils and fats. Part 7: Standard for palm oil.
KS 05-405:1993	Kenya standard specification for fruit nectars preserved exclusively by physical means. Part 3: Specification for passion fruit nectar.
KS 05-435:1993	Kenya standard specification for dehydrated vegetables.
KS 05-436:1993	Kenya standard specification for cocoa powder. Part 1: Unsweetened cocoa powder.
KS 05-703:1993	Kenya standard specification for reconstituted/recombined pasteurized liquid milk.
KS 02-751:1993	Kenya standard specification for concrete flooring tiles.
KS 05-941:1993	Kenya standard specification for fermented (cultured) milk.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 06-1020:1993	Kenya standard specification for light gauge metal containers. Part 1: Definitions and determination methods for dimensions and capacities for open-top cans. Part 2: Capacities and related cross sections for open-top cans for general foods. Part 3: Capacities and related cross sections for cans for meat and meat products. Part 4: Capacities and related cross section for open-top cans for drinks. Part 5: Capacities and related cross section for open-top cans for edible oil. Part 6: Capacities and related cross sections for open-top cans for fish and fishery products. Part 7: Capacities and related cross sections for open-top cans for milk. Part 8: Internal diameters of round open-top cans.
KS 03-1027:1993	Kenya standard specification for auto refinishing paints. Part 2: Nitrocellulose resin.
KS 02-1070:1993	Kenya standard specification for stabilized soil blocks.
KS 06-72:1994	Kenya standard specification for steel nails (1st revision).
KS 02-95:1994	Kenya standard specification for natural aggregates for concrete (1st revision).
KS 08-135:1994	Kenya standard specification for woven polyolefin sacks for sugar (1st revision).
KS 03-352:1994	Kenya standard specification for fluoridated tooth-paste.
KS 06-372:1994	Kenya standard specification for matatu vehicles construction.
KS 08-409:1994	Kenya standard specification for baby napkins. (1st revision).
KS 06-478:1994	Kenya standard specification for polyethylene plastic (PE) pipes for water supply. (Low and high density). Part 1: Requirements.
KS 08-528:1994	Kenya standard specification for flat cotton wicks (1st revision).
KS 08-606:1994	Kenya standard specification for bed sheets made from blended polyester/cellulosic or polyester and cellulosic combination fabric. (1st revision).
KS 06-823:1994	Kenya standard specification for V-belts for industrial machines.
KS 08-893:1994	Kenya standard specification for upholstery fabrics. Part 2: Coated fabrics.
KS 08-1034:1994	Kenya standard specification for kikoi.
KS 06-1063:1994	Kenya standard specification for hurricane lanterns.
KS 06-1064:1994	Kenya standard specification for non-pressure stoves.
KS 08-1152:1994	Kenya standard specification for weft pins. Part 2: Automatic looms.
KS 02-1262:1994	Kenya standard specification for ordinary portland cement.
KS 02-1263:1994	Kenya standard specification for portland pozzolana cement.
KS 04-1111:1994	Kenya standard specification for household and similar electrical appliances. Part 16: Particular requirements for commercial deep fat fryers.
KS 04-1229:1994	Kenya standard specification for reels and wooden drums, for electric cables, wires and bare conductors. Part 1: Wooden drums. Part 2: Metal drums (reels).

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 03-1103:1994	Kenya standard specification for aluminium pigments for paints.
KS 03-1180:1994	Kenya standard specification for ethyl ketone.
KS 03-1181:1994	Kenya standard specification for methyl isobutyl ketone.
KS 03-1182:1994	Kenya standard specification for butyl alcohol.
KS 03-1183:1994	Kenya standard specification for isobutyl alcohol.
KS 03-1184:1994	Kenya standard specification for isopropyl alcohol.
KS 05-1121:1994	Kenya standard specification for sparkling wines.
KS 05-1122:1994	Kenya standard specification for fortified wines.
KS 05-1041:1994	Kenya standard specification for opaque beers.
KS 05-1123:1994	Kenya standard specification for buns.
KS 05-1042:1994	Kenya standard specification for cakes.
KS 05-459:1994	Kenya standard specification for drinking water. Part 7: Specification for containerized mineral water.
KS 02-1228:1994	Kenya standard specification for road aggregates.
KS 06-292:1994	Kenya standard specification for joints and fittings for use with unplasticized PVC pressure pipes. Part 1: Injection moulded unplasticised PVC fittings for solvent welding for use with pipes, including portable water supply. Part 2: Fabricated unplasticized PVC fittings and mechanical joints made principally from unplasticized pipes. Part 3: Specification for solvent cement.
KS 01-1169:1995	Kenya standard specification for garden peas. Part 1: Green peas in pods.
KS 08-1257:1995	Kenya standard specification for umbrella fabrics. Part 3: Silk fabrics.
KS 08-116:1995	Kenya standard specification for cotton drills. (Second revision).
KS 08-505:1995	Kenya standard specification for women's and girls' outerwear garments. (1st revision).
KS 08-1264:1995	Kenya standard specification for shuttles. Part 1: Shuttles for automatic looms.
KS 08-1233:1995	Kenya standard specification for spinning doubling and twisting rings.
KS 05-1173:1995	Kenya standard specification for canned plums.
KS 05-1175:1995	Kenya standard specification for canned guava.
KS 05-1176:1995	Kenya standard specification for canned peaches.
KS 05-1178:1995	Kenya standard specification for canned tropical fruit salad.
KS 05-1088:1995	Kenya standard specification for soups and broths.
KS 08-1094:1995	Kenya standard specification for crips. Part 1: Potato crips.
KS 05-1159:1995	Kenya standard specification for caraway.
KS 05-1160:1995	Kenya standard specification for cumin.
KS 05-1161:1995	Kenya standard specification for cinnamon.
KS 05-1162:1995	Kenya standard specification for fenugreek powder.
KS 05-1163:1995	Kenya standard specification for thyme.
KS 05-1164:1995	Kenya standard specification for paprika.
KS 05-1046:1995	Kenya standard specification for asparagus (vegetables).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 01-1048:1995	Kenya standard specification for passion fruits.
KS 01-1050:1995	Kenya standard specification for fresh whole carrots (vegetables).
KS 01-949:1995	Kenya standard specification for rice bran.
KS 04-314:1995	Kenya standard specification for cables for vehicles (1st revision).
KS 04-1108:1995	Kenya standard specification for isolating transformers and safety isolating transformers. Part 1: General requirements. Part 2: Supplementary requirements for isolating transformers.
KS 04-1111:1995	Kenya standard specification for household and similar electrical appliances. Part 17: Particular requirements for commercial electric griddles and griddle grills. Part 19: Particular requirements for commercial electrical forced convection ovens.
KS 03-1273:1995	Kenya standard specification for unsaturated polyester resin for body fillers.
KS 03-1106:1995	Kenya standard specification for water closet (WC) plastic seats and covers.
KS 03-511:1995	Kenya standard specification for plastic containers.
KS 06-883:1995	Kenya standard specification for hook bolts.
KS 06-476:1995	Kenya standard specification for uncoated aluminium holloware cooking utensils. Part 1: Domestic aluminium sufurias.
KS 06-1225:1995	Kenya standard specification for domestic thermos flasks.
KS 04-1111:1995	Kenya standard specification for household and similar electrical appliances. Part 2: Particular requirements for electric clocks.
KS 06-992:1995	Kenya standard specification for manually operated chaff cutter.
KS 06-1287:1995	Kenya standard specification for non-destructive testing qualification and certification of personnel.
KS 08-1150:1995	Kenya standard specification for condenser rubbers for cards.
KS 08-117:1995	Kenya standard specification for woven blankets. Part 1: Blankets made from mixed fibres. (1st revision). Part 2: Blankets made from wool fibres. (1st revision).
KS 08-988:1995	Kenya standard specification for silver and yarn dyeing beams.
KS 08-1126:1995	Kenya standard specification for neckties. Part 1: Neckties made from woven fabrics.
KS 08-1128:1995	Kenya standard specification for wicks for non-pressure stoves.
KS 08-1148:1995	Kenya standard specification for fabrics for water resistant clothing.
KS 08-1149:1995	Kenya standard specification for optical performance of high-visibility garments and accessories for use on the highway.
KS 08-1221:1995	Kenya standard specification for crepe bandage.
KS 08-1232:1995	Kenya standard specification for cylindrical tubes.
KS 01-995:1996	Kenya standard specification for green grams.
KS 01-1049:1996	Kenya standard specification for papaya.
KS 03-1266:1996	Kenya standard specification for body fillers.
KS 03-1267:1996	Kenya standard specification for flexible polyurethane foam pillows for domestic use.
KS 03-1275:1996	Kenya standard specification for emulsion distempers.
KS 03-1290:1996	Kenya standard specification for bleaching agents. Part 1: Sodium hypochlorite solution.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 06-884:1996	Kenya standard specification for draw-off taps and stop valves for water services.
KS 06-885:1996	Kenya standard specification for underground stop valves for water services.
KS 06-1333:1996	Kenya standard specification for punches. Part 1: Specification for wood and leather marking punches. Part 2: Specification for centre punches.
KS 06-1334:1996	Kenya standard specification for engineer's squares.
KS 06-1335:1996	Kenya standard specification for rivets.
KS 06-1337:1996	Kenya standard specification for continuous (piano) hinges.
KS 06-1338:1996	Kenya standard specification for engineer's files.
KS 05-241:1996	Kenya standard specification for biscuits. (1st revision).
KS 05-1097:1996	Kenya standard specification for pickles.
KS 05-1168:1996	Kenya standard specification for beet extract.
KS 05-1157:1996	Kenya standard specification for mustard seed powder.
KS 05-1155:1996	Kenya standard specification for whole and ground nutmeg.
KS 05-1154:1996	Kenya standard specification for whole and ground ginger.
KS 05-1153:1996	Kenya standard specification for coriander.
KS 05-1156:1996	Kenya standard specification for whole and ground cloves.
KS 05-326:1996	Kenya standard specification for edible oils and fats. (1st revision). Part 1: Shortenings and refined oils. Part 2: Vegetable ghee (vanaspali). Part 3: Mixed animal and vegetable ghee. Part 4: Edible tallow. Part 5: Lard. Part 6: Pork fat.
KS 05-1174:1996	Kenya standard specification for canned pears.
KS 05-1177:1996	Kenya standard specification for canned grape fruit.
KS 05-1179:1996	Kenya standard specification for canned fruit cocktail.
KS 01-951:1996	Kenya standard specification for soya beans.
KS 01-952:1996	Kenya standard specification for wheat bran.
KS 03-1309:1996	Kenya standard specification for diesel fuels. Part 1: Automotive gas oil (AGO). Part 2: Industrial diesel oil (IDO).
KS 03-1274:1996	Kenya standard specification for epoxy paints for coffee fermentation tanks.
KS 03-807:1996	Kenya standard specification for polishes. Part 1: Shoe polish wax solvent paste type. Part 2: Floor polish solvent type (liquid and paste). Part 3: Floor polish water emulsion buffable type.
KS 03-1310:1996	Kenya standard specification for fuel oils.
KS 03-92:1996	Kenya standard specification for synthetic detergents, powders for household use. (1st revision).
KS 03-1291:1996	Kenya standard specification for butyl acetate.
KS 03-1292:1996	Kenya standard specification for ethylacetate.
KS 03-1293:1996	Kenya standard specification for isobutyl acetate.
KS 03-1296:1996	Kenya standard specification for ethyl glycol.

Standards

[Subsidiary]SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05-344:1996	Kenya standard specification for honey. (1st revision).
KS 05-1311:1996	Kenya standard specification for canned beans in tomato sauce (baked beans).
KS 05-225:1996	Kenya standard specification for beer. (1st revision).
KS 05-459:1996	Kenya standard specification for drinking water. Part 1: Specification for drinking water and containerized drinking water – (1st revision). Part 7: Specification for containerized mineral water. (1st revision). Part 9: Code of hygienic practice for the collecting, processing and labelling of natural mineral water, mineral water and bottled drinking water.

STANDARDS ORDER, 2000

[L.N. 53/2000.]

1. This Order may be cited as the Standards Order, 2000.
2. Kenya Standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods and procedures on or after the date of publication of this Order unless the commodities and methods and procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 04-111:1985	Part 2: Symbols (1st revision 1999). Part 3: Systems installed in clients premises (1st revision 1999). Part 4: Central stations (1st revision). Part 5: Detection devices for internal use (1st revision 1999). Part 7: Alarm transmission systems (1st revision 1999).
KS 04-464: 1982	Kenya standard specification for tubular florescent lamps (1st revision 1999).
KS 08-508: 1984	Kenya standard specification for absorbent cotton wool for medical use (1st revision 1999).
KS 08-585: 1985	Kenya standard specification for zippers (1st revision 1999).
KS 08-1076: 1999	Kenya standard specification for fishing nets.
KS ISO 1711	Kenya standard specification for hand operated wrenches and sockets-technical specifications.
KS ISO 3463	Kenya standard specification for wheeled tractors for agriculture and forestry—protective structures—dynamic test method and acceptance conditions.
KS ISO 5700	Kenya standard specification for wheeled tractors for agriculture and forestry—protective structures—static test method and acceptance conditions.
KS ISO 8457-1	Kenya standard specification for steel wire rods Part 1: Dimensions and tolerances.
KS ISO 8457-2	Kenya standard specification for steel wire rods Part 2: Quality requirements for un-alloyed steel wire rods for conversion to wire.
KS ISO 11625	Kenya standard specification for gas cylinders—safe handling.
KS 06-259: 1981	Kenya standard specification for mild steel water pipes (1st revision 1999).
KS CODEX STAN 66-1981	Kenya standard for table olives (1st revision 1989).
KS CODEX STAN 67-1987	Kenya standard for raisins.
KS CODEX STAN 116-1981	Kenya standard for canned carrots.
KS CODEX STAN 159-1981	Kenya standard for canned mangoes.
KS 05-58: 1987	Kenya standard sampling methods and methods of chemical analysis for sugar (3rd revision 1999).
KS ISO 7932: 1993	Kenya standard methods for micro-biological examination of food and animal feed stuffs—enumeration of <i>bacillus cereus</i> .

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 8914: 1990	Kenya standard methods for micro-biological examination of food and animal feed stuffs—detection of <i>vibrio parahaemolyticus</i> .
KS ISO 7937: 1985	Kenya standard methods for micro-biological examination of food and animal feed stuffs—enumeration of <i>clostridium perfringens</i> .
KS 05-358: 1982	Kenya standard specification for carbonated and non-carbonated beverages (1st revision 1999).
KS 05-224: 1980	Kenya standard specification for fruits squashes (1st revision 1999).
KS 05-328: 1984	Kenya standard specification for fruit-based soft drink (1st revision 1999).
KS 05-524: 1993	Kenya standard specification for pasta products (1st revision 1999).
KS 05-1516: 1999	Kenya standard code of hygienic practice for the handling, processing, storage and marketing of fish and fishery products.
KS 04-1278: 1999	Kenya standard specification for external television aerials in the frequency range 30 MHz to 1 GHz.
KS 04-1451: 1999	Kenya standard specification for hot-rolled copper redraw rods for electrical purposes.
KS 04-1430: 1999	Kenya standard specification for mechanical cable glands. Part 1: Metallic glands. Part 2: Polymeric mechanical glands. Part 3: Special corrosion resistant glands. Part 4: Code of practice for selection, installation and inspection of cable glands used in electrical installations.
KS IEC 950: 1999	Kenya standard specification for safety of information technology equipment, including electrical business equipment.
KS 03-82: 1978	Kenya standard specification for earthenware dinnerware (1st revision 1999).
KS 03-85: 1979	Kenya standard specification for aluminium sulphate (1st revision 1999).
KS 03-86: 1979	Kenya standard specification for sulphuric acid (1st revision 1999).
KS 03-87: 1980	Kenya standard specification for hydrochloric acid (1st revision 1999).
KS 03-88: 1979	Kenya standard specification for distilled water (1st revision 1999).
KS 03-89: 1979	Kenya standard specification for school chalks (1st revision 1999).
KS 03-91: 1985	Kenya standard specification for liquefied petroleum gases (LPG) (1st revision 1999).
KS 03-155: 1978	Kenya standard specification for sodium carbonate—technical grade (1st revision 1999).
KS 03-156: 1980	Kenya standard specification for caustic soda, pure and technical (1st revision 1999).
KS 03-163: 1981	Kenya standard colours for ready mixed paints (1st revision 1999).
KS 03-221: 1983	Kenya standard specification for lime for chemical industry (1st revision 1999).
KS 03-240: 1979	Kenya standard specification for glazed earthenware tiles (1st revision 1999).
KS 03-242: 1980	Kenya standard specification for sulphuric acid for use in lead-acid batteries (1st revision 1999).
KS 03-243: 1980	Kenya standard specification for PVC (vinyl) asbestos floor tiles (1st revision 1999).

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 03-289: 1980	Kenya standard specification for unbacked flexible PVC floor covering (1st revision 1999).
KS 03-353: 1985	Kenya standard specification for crown finish glass bottles (1st revision 1999).
KS 03-375: 1982	Kenya standard specification for liquid carbon dioxide for industrial use (1st revision 1999).
KS 03-377: 1982	Kenya standard specification for industrial and safety rubber knee boots (1st revision 1999).
KS 03-378: 1983	Kenya standard glossary of terms relating to glass industry (1st revision 1999).
KS 03-379: 1982	Kenya standard specification for melamine plastic tableware (1st revision 1999).
KS 03-381: 1983	Kenya standard general methods of test for pesticides and their formulations (1st revision 1999).
KS 03-388: 1984	Kenya standard specification for base paper for waxed bread wrap (1st revision 1999).
KS 03-389: 1984	Kenya standard specification for waxed paper for bread wrap (1st revision 1999).
KS 03-390: 1983	Kenya standard methods of test for rubber boots (1st revision 1999).
KS 03-391: 1983	Kenya standard specification for general purpose rubber knee boots (1st revision 1999).
KS 03-398: 1983	Kenya standard specification for thermosetting plastic buttons (1st revision 1999).
KS 08-665: 1986	Kenya standard specification for textile labels (1st revision 1999).
KS ISO 14123-1: 1998	Kenya standard for safety of machinery—reduction of risks to health from hazardous substances emitted by machinery. Part 1: Principles and specifications for machinery manufacturers.
KS ISO 14123-2: 1998	Kenya standard for safety of machinery—reduction of risks to health substances emitted by machinery. Part 2: Methodology leading to verification procedures.
KS ISO 8759-1: 1988	Kenya standard for agricultural wheeled tractors—front mounted equipment. Part 1: Power take off.
KS ISO 8759-2: 1998	Kenya standard for agricultural wheeled tractors—front mounted equipment. Part 2: Front linkage.
KS ISO 4954: 1993	Kenya standard for steels for cold heading and cold extruding.
KS ISO 6788: 1988	Kenya standard for assembly tools for screws and nuts—four-way socket wrenches—dimensions and torque test.
KS 06-1512: 1999	Kenya standard for specification for general requirements for steel, carbon and high-strength low-alloy hot-rolled sheet and cold-rolled sheet.
KS 06-1513: 1999	Kenya standard for specification for steel sheet and strip, heavy-thickness coils, carbon, hot-rolled.
KS ISO 3779: 1995	Kenya standard for road vehicles—Vehicle Identification Number (VIN).
KS 03-315: 1981	Kenya standard for motor vehicle brake fluids (1st revision 1999).
KS 03-581: 1986	Kenya standard for pure petroleum jelly for human use (1st revision 1999).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 03-698: 1987	Kenya standard specification for liquid detergent for household hand/dish washing (1st revision 1999).
KS 03-1507: 1999	Kenya standard specification for automotive multipurpose gear lubricants (extreme pressure gear oil).
KS 03-1508: 1999	Kenya standard specification for automotive multipurpose lithium soap greases.
KS 03-1408: 1999	Kenya standard specification for dimethoate. Part 1: Technical grade. Part 2: Emulsifiable concentrates.
KS 03-815: 1987	Kenya standard specification for portable reflective warning triangles for motor vehicles (1st revision 1999).
KS 03-653: 1986	Kenya standard specification for household insecticidal aerosols (1st revision 1999).
KS 03-578: 1986	Kenya standard specification for nail polish (1st revision 1999).
KS 03-1473: 1999	Kenya standard specification for lipstick.
KS ISO-11418: 1996	Kenya standard specification for containers and accessories for pharmaceutical preparations. Part 1: Drop-dispensing bottles. Part 2: Screw-neck bottles for syrups. Part 3: Screw-neck bottle (veral) for solid and liquid dosage forms. Part 4: Table bottles. Part 5: Dropper assemblies.
KS 03-03: 1976	Kenya standard specification for trimmed sizes of paper for writing and printing (1st revision 1999).
KS 03-04: 1976	Kenya standard specification for substances of paper and board (1st revision 1999).
KS 03-23: 1976	Kenya standard specification for mailing envelopes (1st revision 1999).
KS 03-45: 1977	Kenya standard method of analysis for soap (1st revision 1999).
KS 03-400: 1983	Kenya standard specification for acetic acid (1st revision 1999).
KS 03-421: 1987	Kenya standard specification for newsprint (1st revision 1999).
KS 03-484: 1984	Kenya standard specification for carbon paper (1st revision 1999).
KS 03-513: 1985	Kenya standard specification for glass tableware (1st revision 1999).
KS 03-517: 1984	Kenya standard specification for ball point pens (1st revision 1999).
KS 03-575: 1985	Kenya standard specification for corrugated fibreboard boxes (1st revision 1999).
KS 03-275	Kenya standard specification for motor gasolines (petrol or spirit). Part 1: Leaded petrol. Part 2: Unleaded petrol.
KS 08-1434	Kenya standard specification for coated tarpaulin fabrics.
KS 08-1435	Kenya standard specification for coated fabric for shoes.
KS 08-1532	Kenya standard code of practice for inspection and acceptance criteria for used textile products (<i>mitumba</i>). Part 1: Garments.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 08-1533: 1999	Kenya standard code of practice for inspection and acceptance criteria for used footwear.
KS 04-1386	Kenya standard specification for flashlights.
KS 04-1450	Kenya standard specification for lamps for flashlights.

STANDARDS (NO. 1) ORDER, 2001

[L.N. 69/2001.]

1. This Order may be cited as the Standards (No. 1) Order, 2001.
2. Kenya standards having been declared as set out in the first and second column of the Schedule, no person shall manufacture or sell the commodities or use the methods or procedures on or after the date of publication of this Order unless the commodity methods or procedures comply with the requirement of the relevant Kenya Standard.

SCHEDULE

<i>Number</i>	<i>Code of Practice</i>
KS—1515:2000	Kenya standard code of practice for inspection of road vehicles.

STANDARDS ORDER, 2002

[L.N. 122/2002.]

1. This Order may be cited as the Standards Order, 2002.
2. Kenya standards having been declared as set out in the first and second columns of the Schedule, no person shall manufacture or sell the commodities or use the methods or procedures on or after forty-two (42) days of the date of publication of this Order unless the commodities, methods or procedures comply with the requirements of the relevant Kenya Standard.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 3527/2000	Kenya standard specification for oil of parsley fruits (<i>Petroselinum sativum hoffm</i>).
KS ISO 3714/1976	Kenya standard specification for oil of pennyroyal.
KS ISO 3757/1978	Kenya standard specification for oil of patchouli.
KS ISO 8773/1991	Kenya standard specification for polypropylene (PP) pipes and fittings for buried drainage and sewerage systems—specifications
KS ISO 7165/1999	Kenya standard specification for fire fighting—portable fire extinguishers—performance and construction.
KS ISO 11601/2002	Kenya standard specification for wheeled fire extinguishers—performance and construction.
KS ISO 3761/1997	Kenya standard specification for oil of rosewood, Brazilian type [<i>Anibarosaeodora Ducke var.amazonica Ducke</i> or <i>Aniba parviflora (Meissner) Mez</i>].
KS ISO 3760/1979	Kenya standard specification for oil of celery seed.
KS ISO 3523/1976	Kenya standard specification for oil of canaga.
KS ISO 3217/1974	Kenya standard specification for oil of lemongrass (<i>Cymbopogon citrates</i>).
KS 1669/2001	Kenya standard specification for cosmetic and air freshener aerosols.
KS 1569/2001	Kenya standard specification for cosmetic pencils
KS 1618/2001	Kenya standard code of practice for grading and preservation of raw crocodile and alligator skins. Part 1: By stack salting.
KS ISO 8242/2001	Kenya standard specification for polypropylene (pp) valves for pipes under pressure—basic dimensions—metric series.
KS 1607/2001	Kenya standard specification for wooden packaging cases.
KS ISO 3516/1997	Kenya standard specification for oil of coriander fruits (<i>Coriandrum sativum L.</i>).
KS ISO 12480-1/1997	Kenya standard specification for cranes—safe use. Part 1: General
KS ISO 3475/1975	Kenya standard specification for oil of aniseed.
KS ISO 3214/2000	Kenya standard specification for oil of Litsea cubeba (<i>Litsea cubeba pers</i>).
KS ISO 3518/1979	Kenya standard specification for oil of sandalwood (<i>Santalum album Linnaeus</i>).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 7-1/1994	Kenya standard specification for pipe threads where pressure-tight joints are made on the threads. Part 1: Dimensions, tolerances and designation.
KS ISO 13563-1/2001	Kenya standard specification for single side loading fork-lift trucks. Part 1: Stability tests.
KS ISO 9926-1/1990	Kenya standard specification for cranes—training of drivers. Part 1: General.
KS ISO 7-2/2000	Kenya standard specification for pipe threads where pressure-tight joints are made on the threads. Part 2: Verification by means of limit gauges.
KS ISO 3528/1997	Kenya standard specification for oil of mandarin, Italian type (<i>Citrus reticulata blanco</i>).
KS ISO 885/2000	Kenya standard specification for general purpose bolts and crews—metric series—radii under the head.
KS ISO 65/1981	Kenya standard specification for carbon steel tubes suitable for screwing in accordance with ISO 7-1.
KS ISO 888/1976	Kenya standard specification for bolts, screws and studs—nominal lengths and thread lengths for general purpose bolts.
KS ISO 2604-2/1975	Kenya standard specification for steel products for pressure purposes— quality requirements. Part 2: Wrought seamless tubes.
KS ISO 2604-3/1975	Kenya standard specification for steel products for pressure purposes—quality requirements. Part 3: Electric resistance and induction-welded tubes.
KS ISO 7279/1984	Kenya standard specification for polypropylene (pp) fittings for pipes under pressure—sockets for fusion using heated tools—metric series—dimensions of sockets.
KS ISO 7671/1991	Kenya standard specification for polypropylene (pp) pipes and fittings (jointed by means of elastomeric sealing rings) for soil and waste discharge (low and high temperature) systems inside buildings—specifications.
KS ISO 3519/1997	Kenya standard specification for oil of lime (<i>Citrus aurantifolia christm</i>) <i>swingle</i>), obtained by distillation.
KS ISO 3520/1998	Kenya standard specification for oil of bergamot [<i>Citrus aurantium L. subsp. Bergamia</i> (<i>Wight et Arnott</i>) <i>Engler</i>], Italian type.
KS ISO 3517/1975	Kenya standard specification for oil of neroli.
KS ISO 3526/1991	Kenya standard specification for oil of sage (<i>Salvia lavandulifolia</i>).
KS ISO 3525/1979	Kenya standard specification for oil of amyris.
KS ISO 3524/1977	Kenya standard specification for oil of cinnamon leaf.
KS 179-2/2001	Kenya standard specification for non-metallic conduits and fittings used in electrical installations. Part 2: Fittings (2nd revision, 2001).
KS 1059/2001	Kenya standard specification for general requirements for apparatus for connection to the public switched telephone networks. Part 1: General requirements.
KS 472/2001	Kenya standard specification for lamp holders for tubular fluorescent lamps and starter holders (<i>1st revision, 2001</i>).

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 1590/2001	Kenya standard specification for siting of radio communication facilities. Part 1: Low frequency, medium frequency and high frequency transmitting and high frequency receiving facilities. Part 2: Guidelines for fixed, mobile and broadcasting services operating at frequencies above 30 MHz.
KS 1625/2001	Kenya standard specification for voltage bands for electrical installations in buildings.
KS 1666/2001	Kenya standard specification for alarm systems for road vehicles—passenger cars.
KS 184-3/2001	Kenya standard specification for primary batteries. Part 3: Watch batteries.
KS 184-4/2001	Kenya standard specification for primary batteries. Part 4: Safety standard for lithium batteries.
KS ISO IEC 12119/1994	Kenya standard specification for information technology—software packages—quality requirements and testing
KS 662-4/2001	Kenya standard specification for wiring regulations. Part 4: Protection for safety.
KS ISO IEC 12119/1994	Kenya standard specification for information technology—software packages—quality requirements and testing.
KS IEC 60947-4-1/1996	Kenya standard specification for low-voltage switch gear. Part 4: Contactors and motor-starters. Section 1: Electromechanical contractors and motor-starters.
KS IEC 60947-4-2/1995	Kenya standard specification for low-voltage switch gear. Part 4: Contactors and motor-starters. Section 2: A. C. semi-conductor motor controllers and starters.
KS IEC 60947-4- 3/1999	Kenya standard specification for low-voltage switch gear. Part 4: Contactors and motor-starters. Section 3: A.C. Semi-conductor controllers and contactors for non-motor loads.
KS 1588-1/2001	Kenya standard specification for telecommunications installations. Part 1: Integrated telecommunications cabling systems for commercial premises.
KS 1588-2/2001	Kenya standard specification for telecommunications installations. Part 2: Telecommunications pathways and spaces for commercial buildings. Part 3: Integrated telecommunications cabling systems for small office/ residential premises.
KS 1588-3/2001	Kenya standard specification for telecommunications installations.
KS 1590-1/2001	Kenya standard specification for siting of radio communication facilities. Part 1: Low frequency, medium frequency and high frequency transmitting and high frequency receiving facilities.
KS 1590-3/2001	Kenya standard specification for siting of radio communication facilities. Part 2: Guidelines for fixed, mobile and broadcasting services at frequencies above 30 MHz.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 1590-3/2001	Kenya standard specification for siting of radio communication facilities. Part 3: Fixed location satellite earth stations.
KS ISO IEC 9595/1998	Kenya standard specification for open systems interconnection—common management information services.
KS 1535-8/2001	Kenya standard specification for glass for use in buildings. Part 8: specification for safety glazing materials.
KS 1494/2001	Kenya standard specification for code of practice for storage and on-site treatment of solid waste from buildings.
KS 1609/2001	Kenya standard specification for standard sand for the testing of cement.
KS 1605/2001	Kenya standard specification for hardwood poles, droppers, laths, guardrail posts and spacer blocks.
KS 1606/2001	Kenya standard specification for wood blocks for floors.
KS 831/2001	Kenya standard specification for refractory bricks and shapes. Part 1: Fireclay bricks and shapes. Part 2: Insulating bricks and shapes. Part 3: High alumina bricks and shapes. Part 4: Silica bricks and shapes. Part 5: Magnesite, chrome bricks and shapes.
KS 1027-1/2001	Kenya standard specification for auto refinishing paints. Part 1: synthetic resin-based (1 st revision, 2001).
KS 1027/2001	Kenya Standard specification for auto refinishing paints.
KS ISO 3262-4/1998	Kenya standard specification for extenders for paints—specifications and methods of test. Part 4: Whiting.
KS ISO 4226/1993	Kenya standard specification for air quality—general aspects—units for measurement.
KS ISO 3930/2000	Kenya standard specification for road vehicles—instruments for measuring vehicle exhaust emissions.
KS ISO 6148/1993	Kenya standard specification for photography—film dimensions micrographics.
KS ISO 3772/2000	Kenya standard specification for photography—rolls of sensitized material for the pre-press industry—dimensions and related requirements.
KS ISO 686/1985	Kenya standard specification for photography 35 mm filmstrips—specifications for double-frame and single- frame formats.
KS ISO 732/2000	Kenya standard specification for photography—120 size and 220-size films—dimensions.
KS ISO 1008/1992	Kenya standard specification for photography—paper dimensions—pictorial sheets.
KS ISO 1009/2000	Kenya standard specification for photography—paper dimensions—rolls for printers.
KS ISO 1012/1998	Kenya standard specification for photography—films in sheets and rolls for general use—dimensions.
KS ISO 3665/1996	Kenya standard specification for photography—intra-oral dental radiographic film—specification.
KS ISO 1007/2000	Kenya standard specification for photography—135-size film and magazine—specifications.
KS 422/2001	Kenya standard specification for exercise books.

SCHEDULE—continued

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 1695/2001	Kenya standard specification for solvent emulsion degreasers.
KS 1696/2001	Kenya standard specification for detergent for industrial dishwashing equipment.
KS 1581-1/2001	Kenya standard specification for thermoplastic dustbins and lids. Part 1: Thermoplastic dustbin.
KS 1581-2/2001	Kenya standard specification for thermoplastic dustbins and lids. Part 2: Plastic and rubber dustbins lids.
KS 512/2001	Kenya standard specification for rubber-based flooring tiles (<i>1st revision, 2001</i>).
KS 511-3/2001	Kenya standard specification for plastic containers. Part 3: Plastic bottles (up to 5 liters).
KS ISO 2000/1989	Kenya standard specification for rubber, raw natural—specification.
KS 1524-2/2001	Kenya standard specification for gloves. Part 2: Disposable examination and surgical gloves.
KS 1527/2001	Kenya standard specifications for mouth wash preparations.
KS 1571/2001	Kenya standard specification for cologne.
KS 1570/2001	Kenya standard specification for skin powders. Part 1: Body and face powders.
KS 1572/2001	Kenya standard specification for chemical depilatories.
KS 1604/2001	Kenya standard specification for henna powder. Part 1: Pure henna powder.
KS 1707/2001	Kenya standard specification for labeling of cosmetic products.
KS ISO 3140/1990	Kenya standard specification for oil of sweet orange [<i>Citrus sinensis</i> (<i>Linnaeus</i>) <i>obsbeck</i>], obtained by mechanical treatment.
KS ISO 3065/1974	Kenya standard specification for oil of Australian eucalyptus, 80 to 85% cineole content.
KS ISO 3064/2001	Kenya standard specification for oil of petitgrain, Paraguayan type (<i>Citrus aurantium</i> L. <i>ssp. Aurantium</i> , <i>syn. Citus aurantium</i> L. <i>ssp. Amara var pumilia</i>).
KS ISO 3063/1983	Kenya standard specification for oil of Ylang-Ylang [<i>cananga odorata</i> (<i>Lamark</i> ,) <i>D. Hooker and Thomson</i>].
KS ISO 3061/1979	Kenya standard specification for oil of black pepper.
KS ISO 3054/1987	Kenya standard specification for oil of [<i>La vandula latifolia</i> (<i>linnaeus</i> f.) <i>medikus</i>], France.
KS ISO 3053/1975	Kenya standard specification for oil of grape fruit (obtained by expression).
KS ISO 3044/1997	Kenya standard specification for oil of <i>eucalyptus cirio-dora hook</i> .
KS ISO 3043/1975	Kenya standard specification for oil of pimento berry.
KS ISO 1342/2000	Kenya standard specification for oil of rosemary (<i>Rosmarinus officinalis</i> L).
KS ISO 3033/1988	Kenya standard specification for oil of spearmint (<i>Mentha spicata</i> <i>Linnaeus</i>).
KS ISO 856/1981	Kenya standard specification for oil of peppermint, France, Italy, United Kingdom and U.S.A.
KS ISO 855/1981	Kenya standard specification for oil of lemon, Italy, obtained by expression.
KS ISO 770/1980	Kenya standard specification for oil of eucalyptus globules.
KS ISO 590/1981	Kenya standard specification for oil of <i>Brazilian sassafras</i> .

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 4785/1987	Kenya standard specification for laboratory glassware—straight-bore glass stopcocks for general purposes.
KS ISO 4796/2000	Kenya standard specification for laboratory glassware—bottles.
KS ISO 4797/1981	Kenya standard specification for laboratory glassware—flasks with conical ground joints.
KS ISO 4799/1978	Kenya standard specification for laboratory glassware—condensers.
KS ISO 4803/1978	Kenya standard specification for laboratory glassware—borosilicate glass tubing.
KS ISO 4800/1998	Kenya standard specification for laboratory glassware—separating funnels and dropping funnels.
KS ISO 6556/1981	Kenya standard specification for laboratory glassware—filer flasks
KS ISO 1773/1997	Kenya standard specification for laboratory glassware—narrow-necked boiling flasks.
KS ISO 1772/1975	Kenya standard specification for laboratory crucibles in porcelain and silica.
KS ISO 1775/1975	Kenya standard specification for porcelain laboratory apparatus—requirements and methods of test.
KS ISO 4142/1997	Kenya standard specification for laboratory glassware—test tubes and culture tubes.
KS 24/2001	Kenya standard specification for toilet paper (3rd revision, 2001).
KS ISO 1237/1981	Kenya standard specification for mustard seed—specification
KS ISO 6576/1984	Kenya standard specification for laurel (<i>Laurus nobilis</i> L.)—whole and pounded leaves—specification.
KS ISO 5561/1990	Kenya standard specification for black caraway and blond caraway (<i>Carum carvi</i> L.)—whole—specification.
KS ISO 6574/1986	Kenya standard specification for celery seed (<i>Apium graveolens</i> L.)—specifications
KS ISO 2256/1984	(<i>Mentha spicata</i> Linnaeus syn. <i>Mentha viridis</i> Linnaeus)—specifications.
KS ISO 3632-1/2001	Kenya standard specification for saffron (<i>crocus sativus</i>) Part 1: Specification.
KS 319/2001	Kenya standard specification for sugar confectionery. Part 3: Chewing gum and bubble gum (2nd revision, 2001).
KS 612/2001	Kenya standard specification for whisky (1st revision, 2001).
KS 608/2001	Kenya standard specification for neutral spirit for manufacture of alcoholic beverages (1st revision, 2001).
KS CODEX STAN 146	Kenya standard specification for general standard for the labeling and claims for prepackaged foods for special dietary uses.
KS CODEX STAN 09	Kenya standard specification for general standard for the addition of essential nutrients to foods.
KS ISO 7703/1995	Kenya standard specification for dried peaches—specification and test methods.
KS 1551/2001	Kenya standard code of practice for handling and distribution of fresh fruits and fresh fruit products.
KS ISO 4251-1/1998	Kenya standard specification for tyres (ply rating marked series) and rims for agricultural tractors and machines. Part 1: Tyre designation and dimensions, and approved rim contours.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 4251-2/1998	Kenya standard specification for tyres (ply rating marked series) and rims for agricultural tractors and machines. Part 2: Type load ratings.
KS ISO 42-3/1994	Kenya standard specification for tyres (ply rating marked series) and rims for agricultural tractors and machines. Part 3: Rims.
KS ISO 3789-1/1982	Kenya standard specification for tractors, machinery for agriculture and forestry, powered lawn and garden equipment—location and method of operation of operation controls. Part 1: Common controls.
KS ISO 3789-2/1982	Kenya standard specification for tractors, machinery for agriculture and forestry, powered lawn and garden equipment—location and method of operation of operator controls. Part 2: Controls for agricultural tractors and machinery.
KS ISO 3767-1/1998	Kenya standard specification for tractors, machinery for Agriculture and forestry, lawn and garden equipment—symbols for operator controls and other displays. Part 1: Common symbols.
KS ISO 3767-2/1991	Kenya standard specification for tractors, machinery for agriculture and forestry, powered lawn and garden equipment—symbols for operator controls and other displays. Part 2: Symbols for agricultural tractors and machinery.
KS ISO 3600/1996	Kenya standard specification for tractors, machinery for agriculture and forestry, powered lawn and garden equipment operators and manuals—content and presentation.
KS 4004/1983	Kenya standard specification for agricultural tractors and machinery—track widths.
KS ISO 5707/1996	Kenya standard milking machine installations—construction and performance.
KS ISO 5708/1983	Kenya standard specification for refrigerated bulk milk tanks.
KS 1647/2001	Kenya standard specification for code of practice for animal feed processing storage and distribution.
KS 154/2001	Kenya standard specification for fully forged plain and fork hoes (jembes) (3rd revision, 2001).
KS 74/2001	Kenya standard specification for crow-bars and claw-bars.
KS 09-3/2000	Kenya standard specification for low carbon steel gas cylinders exceeding 5 liters water capacity for low pressure liquefiable gas. Part 3: Code of practice for filling, distribution and retailing of liquefied petroleum gas cylinders (1st revision, 2000).
KS 1453/2000	Kenya standard specification for test probes to verify protection by enclosures.
KS 890/2000	Kenya standard specification for classification of degrees of protection provided by enclosures (1st revision, 2000).
KS 1111/2000	Kenya standard specification for safety of household and similar electrical appliances. Part 1: Particular requirements for microwave ovens. Part 6: Particular requirements for toasters, grills roasters and similar appliances.
KS IEC 60282-2/1997	Kenya standard specification for high-voltage fuses. Part 2: Expulsion fuses.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 1502/2000	Kenya standard specification for electro-mechanical all-or-nothing relays. Part 5: Dimensions for general purpose all-or nothing relays.
KS 1504/2000	Kenya standard specification for limits and methods of measurements of radio disturbance characteristics of electrical lighting and similar equipment.
KS 1505/2000	Kenya standard specification for radio interference characteristics of overhead power lines and high-voltage equipment. Part 1: Description of the phenomenon. Part 2: Methods of measurement and procedure for determining limits.
KS 1589/2000	Kenya standard specification for safety practices in the operation and maintenance of radio transmitters and similar equipment.
KS 1511/2000	Kenya standard specification for chemical hair relaxes and hair waving products.
KS 1528/2000	Kenya standard specification for nail polish removers. Part 1: Solvent-based.
KS 1529/2000	Kenya standard specification for pomades and solid brilliantines.
KS 1524/2000	Kenya standard specification for gloves. Part 3: Artificial insemination (A.I.) gloves.
KS 917/2000	Kenya standard specification for after-shave preparations. Part 1: Lotions.
KS 1568/2000	Kenya standard specification for sterile hypodermic syringes for single use only. Part 1: Sterile hypodermic syringes for manual use only.
KS ISO 6710/1995	Kenya standard specification for single use containers for venous blood specimen collection.
KS ISO 15223/1999	Kenya standard specification for medical devices—symbols to be used with medical device labels, labeling and information to be supplied.
KS ISO 8009-9/1985	Kenya standard for re-usable rubber contraceptive diaphragm. Part 9: Packaging and labeling.
KS CODEX STAN 62/1981	Kenya standard specification for canned strawberries.
KS CODEX STAN 188/1983	Kenya standard specification for baby corn.
KS 1552/2000	Kenya standard code of hygienic practice for production, handling and distribution of milk and milk products.
KS 543/2000	Kenya standard specification for embroidery threads. Part 1: Cotton embroidery-threads (1st revision, 2000).
KS 507/2000	Kenya standard specification for sanitary towels Incorp. Am. No. 1: 2001. Part 1: Sanitary towels for external use (1st revision, 2000).
KS 1534/2000	Kenya standard specification for menstrual tampons.
KS 1305/2000	Kenya standard specification for mosquito netting. Part 1: Round mesh cotton netting.
KS 416/2000	Kenya standard specification for knitted polyester fabrics (1st revision, 2000).
KS 417/2000	Kenya standard specification for knitted polyester /cellulosic blended fabric (1st revision, 2000).

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 1393/2000	Kenya standard specification for bales. Part 1: Dimensions and density of cotton bales. Part 2: Dimensions of bales of man-made fibres.
KS 1620/2000	Kenya standard specification for bathroom slippers.
KS 1623/2000	Kenya standard code of practice for the grading of raw hides and skins. Part 1: Bovine hides.
KS 476/2000	Kenya standard specification for uncoated aluminum hollow-ware utensils. Part 1: Domestic aluminum cooking pot sufuria and lids.
KS ISO 4190-1/1990	Kenya standard specification for lifts (U.S.elevator) installation. Part 1: Class I, II, III and IV lifts.
KS ISO 4190-2/1982	Kenya standard specification for passenger lifts and service lifts. PART 2: Lifts of class IV.
KS ISO 4190-3/1982	Kenya standard specifications for passenger lift installations. Part 3: Service lifts class V.
KS ISO 4190-5/1987	Kenya standard specification for lifts and service lifts (U.S.A. elevators and dumbwaiters). Part 5: Control devices, signals and additional fittings.
KS ISO 4190-6/1984	Kenya standard specification for lifts and service lifts (U.S.A. elevators and dumbwaiters). Part 6: Passenger lifts to be installed in residential buildings—planning and selection.
KS ISO 9712/1992	Kenya standard specification for non-destructive testing—qualification and certification of personnel.
KS ISO 11118/1999	Kenya standard specification for gas cylinders—non-refillable metallic gas-cylinders—specification and test methods.
KS ISO 3807/1980	Kenya standard specification for cylinders for acetylene—basic requirements. Part 1: Cylinders without fusible plugs. Part 2: Cylinders with fusible plugs.
KS 149/2000	Kenya standard specification for pipes and fittings made of unplasticized polyvinyl chloride (PVC-U) for water supply (2nd revision, 2000). Part 1: General requirements. Part 2: Dimensions, nominal outside diameters, wall thickness and nominal pressures (metric series)
KS ISO 3443-1/1979	Tolerances for building. Part 1: Basic principles for evaluation and specification.
KS ISO 10545/1995	Kenya standard specification for ceramic tiles.
KS ISO 1251/2000	Kenya standard specification for un-reinforced concrete—porous pipes for under-drainage.
KS 774/2000	Kenya standard specification for road speed bumps.
KS 1555/2000	Kenya standard specification for gully tops and manhole tops for vehicular and pedestrian areas.
KS 1554/2000	Kenya standard specification for inspection chambers.
KS 1610/2000	Kenya standard specification for road marking material—drop on materials—glass beads, antiskid aggregates and mixtures of the two.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 1537/2000	Kenya standard code of practice for laying precast concrete flags, kerbs, channels, edgings and quadrants.
KS 829/2000	Kenya standard specification for precast concrete flags, kerbs, channels, edgings and quadrants.
KS 1535/2000	Kenya standard specification for glass for use in building. Part 2: Specification for float glass. Part 3: Specification for polished wire glass. Part 4: Specification for drawn sheet glass. Part 5: Specification for patterned glass. Part 6: Specification for wired patterned glass.
KS 1516/2000	Kenya standard specification for code of hygienic practice for the handling, processing, storage and the placing on the market of fish and fishery products (1st revision, 2000).
KS 1544/2000	Kenya standard specification for fresh cauliflower.
KS ISO 1496	Kenya standard specification for freight containers—specification and testing.
KS ISO 1496-1/1990	Part 1: General cargo containers for general purposes.
KS ISO 1496-2/1996	Part 2: Thermal containers.
KS ISO 1496-3/1995	Part 3: Tank containers for liquids, gases and pressurized dry bulk.
KS ISO 1496-4/1991	Part 4: Non-pressurized containers for dry bulk.
KS IOS 4209-1/1993	Kenya standard specification for truck and bus tyres and rims (metric series). Part 1: Tyres.
KS 46/2000	Kenya standard specification for granulated superphosphate fertilizers (1st revision 2000).
KS ISO 1161/1985	Kenya standard specification for series 1 freight containers—corner fittings
KS ISO 8323/1985	Kenya standard specification for containers air/surface (Intermodal) general purpose containers-specification and tests.
KS ISO 668/1995	Kenya standard specification for series 1 freight containers—classification, dimensions and ratings.
KS ISO 6346/1995	Kenya standard specification for freight containers—coding, identification and marking.
KS ISO 5906/1980	Kenya standard specification for gymnastic equipment surfaces for floor exercises—mats.
KS ISO 5905/1980	Kenya standard specification for gymnastic equipment—landing mats (2,000 mm x 1,250 mm x 60 mm).
KS ISO 5904/1981	Kenya standard specification for gymnastic equipment—landing mats and surfaces for floor exercises—determination of resistance to slipping.
KS ISO 5903/1981	Kenya standard specification for gymnastic equipment—landing mats and surfaces for floor exercises—determination of hardness and impact damping.
KS 1623/2000	Kenya standard specification for code of practice for the grading of raw hides and skins. Part 2: Caprine ovine skin
KS 1600/2000	Kenya standard specification for polyolefin bags for salt.
KS 481/2000	Kenya standard specification for woven bags (natural fibres) for seeds.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 132/2000	Kenya standard specification for woven bags made from natural fibres for cereals and pulses (2nd revision 2000).
KS ISO 8421/	Kenya standard specification for fiber protection vocabulary.
KS ISO 8421-2/1987	Part 2: Structural fire protection.
KS ISO 8421-3/1989	Part 3: Fire detection and alarm.
KS ISO 8421-4/1990	Part 4: fire extinction equipment.
KS ISO 8421-5/1987	Part 5: Smoke control.
KS ISO 8421- 6/1987.	Part 6: Evacuation and means of escape
KS ISO 8421-7/1987	Part 7: Explosion detection and suppression means.
KS ISO IEC 17025/1999	Kenya standard specification for general requirements for the competence of testing and calibration laboratories.
KS ISO 9657/1989	Kenya standard specification for pliers and nippers for electronics—general technical requirements.
KS ISO 9243/1988	Kenya standard specification for pliers and nippers—carpenter's pincers—dimensions and test values.
KS ISO 9242/1988	Kenya standard specification for pliers and nippers—construction worker's pincers—dimensions and test values.
KS ISO 8976/1988	Kenya standard specification for pliers and nippers—multiple slip joint pliers—dimensions and test values.
KS ISO 5749/1988	Kenya standard specification for pliers and nippers—diagonal cutting nippers—dimensions and test values.
KS ISO 5748/1988	Kenya standard specification for pliers and nippers—end cutting nippers—dimensions and test values.
KS ISO 5747/1995	Kenya standard specification for pliers and nippers—lever assisted side cutting pliers, end and diagonal cutting nippers—dimension and test values.
KS ISO 5746/1988	Kenya standard specification for pliers and nippers—engineer's and lineman's pliers—dimensions and test values.
KS ISO 5745/1988	Kenya standard specification for pliers and nippers—pliers for gripping and manipulating—dimensions and test values.
KS 5743/1988	Kenya standard specification for pliers and nippers—general technical requirements.
KS ISO 3574/1986	Kenya standard specification for cold—reduced carbon steel sheet of commercial and drawing qualities.
KS ISO 6787/1995	Kenya standard specification for assembly tools for screws and nuts—adjustable wrenches—width across flats up to 50 mm.
KS ISO 11450/1999	Kenya standard equipment for harvesting and conservation—round balers—terminology and commercial specifications.
KS ISO 1085/1985	Kenya standard assembly tools for screws and nuts—double ended wrenches—size pairing.
KS ISO 14122/1999	Kenya standard specification for safety of machinery—permanent means of access to machines and industrial plants.
KS ISO 14122-1/1999	Part 1: Choice of a fixed means of access between two levels.
KS ISO 14122-2/1999	Part 2: Working platforms and walkways.
KS ISO 14122-3/1999	Part 3: Stairways, stepladders and guard-rails.
KS ISO 14122-4/1999	Part 4: Fixed ladders.
KS 1064/2000	Kenya standard specification for non-pressure stoves.
KS 1063/2000	Kenya standard specification for paraffin lighting appliances for domestic use.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ICE/CISPR25/1995	Kenya standard specification for limits and methods of measurement of radio disturbance characteristics for the protection of receivers used on board vehicles.
KS IEC/CISPR 12/1997	Kenya standard specification for vehicles, motorboats, and spark ignited engine-driven devices—radio disturbance characteristics—limits and methods of measurement.
KS ISO 9060/1990	Kenya standard specification and classification for solar energy instruments for measuring hemispherical solar radiation and direct solar radiation.
KS IEC 61558/1998	Kenya standard specification for safety of power transformers, power supply units and similar apparatus.
KS IEC 61558/1998	Part 2-3: Particular requirements for ignition transformers for gas and oil burners.
KS IEC 61558/1999	Part 2-8: Particular requirements for bell and chime transformers.
KS IEC 61558/1999	Part 2-13: Particular requirements for auto-transformers for general use.
KS IEC 61558/1999	Part 2-15: Particular requirements for isolating transformers for the supply of medical locations.
KS IEC 61558/1999	Kenya standard specification for safety of power transformers, power supply units and similar devices.
KS 1624/2000	Kenya standard specification for current transformers.
KS 1626/2000	Kenya standard specification for jets fans and regulators.
KS ISO 2775/1977	Kenya standard specification for office machines and printing machines used for information processing—widths of one-time paper or plastic printing ribbons and marking to indicate the end of the ribbons.
KS ISO 3527/2000	Kenya standard specification for adding machines—layout of function keyboard.
KS ISO 3791/1976	Kenya standard specification for office machines and data processing equipment—keyboard layouts for numeric applications.
KS IEC 60704-1/1997	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 1: General requirements.
KS IEC 60704-2-11/1998	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2-11: Particular requirements for electrically-operated food preparation appliances. Part 3: Procedure for determining and verifying declared noise emission values.
KS IEC 60704-2-8/1997	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: Particular requirements for electric shavers
KS IEC 60704-2-7/1997	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: Particular requirements for fans.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS IEC 60704-2-6/1994	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: Particular requirements for tumble-dryers.
KS IEC 60704-2-5/1989	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: particular requirements for room heaters of the storage type.
KS IEC 60704-2-4/1989	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: particular requirements for washing machines and spin extractors.
KS IEC 60704-2-3/1987	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: Particular requirements for dishwashers.
KS IEC 60704-2-2/1985	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: Particular requirements for forced draught convection heaters
KS IEC 60704-2-1/1984	Kenya standard specification for household and similar electrical appliances—test code for the determination of airborne acoustical noise. Part 2: Particular requirements for vacuum cleaners
KS 453/2000	Kenya standard specification for PVC-insulated cables (non-armoured) for electric power and lighting (2nd revision, 2000).
KS 1641/2000	Kenya standard specification for direct current and low-frequency electronic measuring instruments with a digital display.
KS 1602/2000	Kenya standard specification for electrode holders
KS 1603/2000	Kenya standard specification for coupling devices for welding cables.
KS 1601/2000	Kenya standard specification for welding power sources for industrial and professional use.
KS IEC 60947/1999	Kenya standard specification for low-voltage switchgear and controlgear.
KS IEC 60947-1/1999	Part 1: General requirements.
KS IEC 60947-2/1998	Part 2: Circuit breakers.
KS IEC 60947	Part 3: Switches, disconnectors, switch disconnectors and fuse combinations.
KS CODEX Alimentarius Volume 3/1995	Kenya standard specification for residues of veterinary drugs in foods.
KS 1560/2000	Kenya standard specification for code of general hygienic practice for the horticultural food industry.
KS 592/2000	Kenya standard specification for cigarettes (1st revision, 2000).
KS 1643/2000	Kenya standard specification for frozen octopus.
KS 1054/2000	Kenya standard specification for glucose-based energy drinks.
KS 346/2000	Kenya standard specification for baking power (1st revision, 2000).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 426/2000	Kenya standard specification for custard power (1st revision, 2000).
KS 54/2000	Kenya standard specification for infant food formula (2nd revision, 2000).
KS 285/2000	Kenya standard specification for milk-based baby foods (1st revision, 2000).
KS 349/2000	Kenya standard specification for processed cereal-based foods for infants and children (1st revision, 2000).
KS ISO 5530/1997	Kenya standard specification for wheat flour—physical characteristics of doughs.
KS 1650/2000	Kenya standard specification for ostrich feeds.
KS 1487/2000	Kenya standard code of practice for aquaculture.
KS CODEX STAN 115/1981	Kenya standard specification for pickled cucumbers.
KS CODEX STAN 121/1981	Specification for concentrated blackcurrant juice preserved exclusively by physical means.
KS 1652/2000	Kenya standard code of hygienic practices on commercial fishing vessels.
KS CODEX STAN 83/1981	Kenya standard specification for concentrated grape juice reserved exclusively by physical means.
KS CODEX STAN 110/1981	Kenya standard specification for quick frozen broccoli.
KS CODEX STAN 41/191	Kenya standard specification for quick frozen peas.
KS CODEX STAN 68/1981	Kenya standard specification for canned mandarin oranges.
KS CODEX STAN 63/1981	Kenya standard specification for concentrated apple juice preserved exclusively by physical means.
KS CODEX STAN 64/1981	Kenya standard specification for concentrated orange juice preserved exclusively by physical means.
KS ISO 13542/1995	Kenya standard specification for paper and board for internal diameters of cores for reels.
KS ISO 2068/1972	Kenya standard specification for barium chromatic pigments for paints.
KS ISO 788/1974	Kenya standard specification for ultramarine pigments for paints.
KS ISO 1249/1974 Corr. 1/1992	Kenya standard specification for zinc chromate pigments—basic zinc tetrahydroxy-chromate pigments.
KS ISO 6754/1990	Kenya standard specification for zinc phosphate pigment for paints and methods of test.
KS ISO 2040/1977	Kenya standard specification for strontium chromate pig mates for paints.
KS ISO 4619/1980	Kenya standard specification for driers for paints and varnishes.
KS 1535/2000	Kenya standard specification for glass for use in building. Part 7: Specification for wired or unwired channel-shaped glass.
KS 163/2000	Kenya standard specification for colours for ready mixed paints (1st revision, 2000).
KS 998/1998	Kenya standard specification for chocolates.
KS 1095/1994	Kenya standard specification for food-seasoning mixtures.
KS 1074/1994	Kenya standard specification for millet flour.
KS 1073/1994	Kenya standard specification for sorghum.
KS ISO 8367/1993	Kenya standard specification for packaging—dimensional tolerances for general purpose sacks. Part 1: Paper sacks. Part 2: Sacks made from thermoplastic flexible film.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 594/1986	Kenya standard specification for conical fitting with a 6 per cent (luer) taper for syringes, needles and certain other medical equipment.
KS ISO 594-1/1986	Part 1: General requirements.
KS ISO 594-2/1998	Part 2: Lock fittings.
KS ISO 3171/1988	Kenya standard specification for petroleum liquids—automatic pipeline sampling.
KS ISO 3262/1997	Kenya standard specification for extenders for paints—specification and methods of test.
KS ISO 3262-1/1997	Part 1: Introduction and general test methods.
KS ISO 3262-2/1998	Part 2: Barytes (natural barium sulphate).
KS ISO 3262-3/1998	Part 3: Blank fixe.
KS ISO 3262-5/1998	Part 5: Natural crystalline calcium carbonate.
KS ISO 3262-6/1998	Part 6: Precipitated calcium carbonate.
KS ISO 3262-7/1997	Part 7: Dolomite.
KS 42/1999	Kenya standard specification for dry shelled maize (1st revision, 1999).
KS ISO 3262-9/1998	Part 9: Calcined clay.
KS ISO 6697/1994	Kenya standard specification for cycles—hubs and free wheels—assembly dimensions.
KS ISO 6590/1983	Kenya standard specification for packaging-sacks—vocabulary and types.
KS ISO 6590-1/1983	Part 1: Paper sacks.
KS ISO 6590-2/1986	Part 2: Sacks made from thermoplastic flexible film.
KS ISO 6591-2/1984	Kenya standard specification for packaging—sacks—description and method of measurements.
KS ISO 6591-1/1984	Part 1: Empty paper sacks.
KS ISO 6591-2/1985	Part 2: Empty sacks made from thermoplastic flexible film.
KS ISO 3696/1987	Kenya standard water for analytical laboratory use—specifications and test methods.
KS ISO 211/1999	Kenya standard specification for essential oils—labelling and marking containers.
KS ISO 210/1999	Kenya standard specification for essential oils—packing.
KS ISO 4131/1979	Kenya standard specification for road vehicles—dimensional codes for passengers cars.
KS ISO 4100/1980	Kenya standard specification for road vehicles—world parts manufacturers identifier (WPMI) code.
KS ISO 10555/1995	Kenya standard specification for sterile, single-use intravascular catheters.
KS ISO 10555/1995 Amd 1/1999	Part 1: General requirements.
KS ISO 10555-2/199	Part 2: Angiographic catheters.
KS ISO 10555-3/1996	Part 3: Central venous catheters.
KS ISO 10555-4/1996	Part 4: Balloon dilatation catheters
KS ISO 10555-5/1996	Part 5: Over-needle peripheral catheters.
KS ISO 4586/1997	Kenya standard specification for high pressure-decorative laminates—sheets made from thermosetting resins.
	Part 1: Classification and specifications.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 7864/1993	Kenya standard specification for sterile hypodermic needles for single use.
KS ISO 6009/1992	Kenya standard specification for hypodermic needles for single use—colour coding for identification.
KS ISO 1998/1998	Kenya standard specification for petroleum terminology.
KS ISO 1998-2/ 1998	Part 2: Properties and tests.
KS ISO 1998-3/1998	Part 3: Exploration and production.
KS ISO 1998-4/1998	Part 4: Refining.
KS ISO 1998-5/1998	Part 5: Transport, storage and distribution.
KS ISO 9884/1994	Kenya standard specification for tea sacks. Part 1: Reference sack for palletized and containerized transport of tea.
KS ISO 9413/1998	Kenya standard specification for tyre valves—dimensions and designation.
KS ISO 4997/1999	Kenya standard specification for cold-reduced steel sheet of structural quality.
KS ISO 11949/1995	Kenya standard specification for cold-reduced electrolytic tinplate.
KS ISO 3573/1999	Kenya standard specification for hot-rolled carbon steel of commercial and drawing qualities.
KS 1452/1999	Kenya standard code of practice for road lighting. Part 2: Code of practice for lighting of traffic routes. Part 4: Code of practice for lighting of single-level road junctions including roundabouts. Part 5: Code of practice for lighting of grade-separated junctions. Part 6: Code of practice for lighting of bridges and elevated roads. Part 7: Code of practice for lighting of tunnels and underpasses. Part 8: Code of practice for lighting of roads near aerodromes, railways, docks and navigable waterways. Part 9: Code of practice for lighting of urban centre and public amenity areas. Part 10: Code of practice for lighting of motorways.
KS 1432/1999	Kenya standard specification for connecting devices for low voltage circuits for household and similar purposes. Part 4: particular requirements for connecting devices with insulation—piercing clamping units.
KS 184/1999	Kenya standard specification for primary batteries. Part 1: General. Part 2: Specification sheets.
KS 1502/1999	Kenya standard specification for electromechanical all-or-nothing relays. Part 1: General requirements and tests. Part 2: Section 1: Test and measurement procedures. Part 3: Insulation tests. Part 4: Application of quality assessment system for electronic components to all-or-nothing relays.
KS 1591/1999	Kenya standard specification for safety requirements for audio, video and electronic apparatus.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 1586/1999	Kenya standard specification for radio interference measuring apparatus and measurement methods. Part 1: Radio disturbance and immunity measuring apparatus.
KS 136/1999	Kenya standard specification for grades of wheat grain (1st revision, 1999).
KS 1290/1999	Kenya standard specification for bleaching agents. Part 1: sodium hypochlorite solutions (1st revision, 1999).
KS 809/1999	Kenya standard specification for toilet cleaners. Part 2: Acidic liquid toilet cleansers (1st revision, 1999). Part 3: Alkaline and neutral liquid toilet cleansers.
KS 802/1999	Kenya standard specification for cut size office papers. Part 2: Photocopy paper
KS 352/1999	Kenya standard specification for fluoridated toothpaste (1st revision, 1999).
KS 794/1999	Kenya standard specification for formulated powder hair dyes, aryl di-amine-based (1st revision, 1999).
KS 948/1999	Kenya standard specification for corrugated fiberboard boxes for export of horticultural produce (1st revision, 1999).
KS 698/1999	Kenya standard specification for liquid synthetic detergent. Part 2: General purpose liquid synthetic detergent.
KS 47/1999	Kenya standard specification for calcium ammonium nitrate fertilizer (1st revision, 1999).
KS 793/1999	Kenya standard specification for liquidation oxidation hair dyes, aryl di-amine-based (1st revision, 1999).
KS 51/1999	Kenya standard specification for ammonium sulphate nitrate fertilizer (1st revision, 1999).
KS 1455/1999	Kenya standard specification for glass cleanser. Part 1: Liquid glass cleanser.
KS 1578/1999	Kenya standard specification for metal polishes. Part 1: Ordinary liquid metal polishes. Part 2: Special metal polishes.
KS 1452/1999	Kenya standard code of practice for road lighting. Part 3: Code of practice for lighting subsidiary roads and associated pedestrian areas.
KS 1518/1999	Kenya standard specification for sunflower oil-based long oil alkyd resins.
KS 376/1999	Kenya standard specification for flexible polyurethane foams. Part 0: General requirements. Part 1: Mattresses. Part 2: Reconstituted flexible polyurethane foam
KS 1522/1999	Kenya standard specification for rubber-based adhesives for tyres and tubes. Part 1: Non-curing. Part 2: Curing.
KS 1520/1999.	Kenya standard specification for safflower oil-based long oil alkyd resin
KS 1519/1999.	Kenya standard specification for soyabean oil-based long oil alkyd resin

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 158/1999	Kenya standard specification for solid compound fertilizers.
KS 287/1999	Kenya standard specification for ammonium sulphate (sulphate of ammonia) fertilizer grade (1st revision, 1999).
KS 288/1999	Kenya standard specification for urea fertilizer grade.
KS 350/1999	Kenya standard specification for potassium chloride (muriate of potash) fertilizer grade.
KS 351/1999	Kenya standard specification for potassium sulphate (sulphate of potash) fertilizer grade.
KS 1526/1999	Kenya standard specification for toothbrush.
KS 1530/1999	Kenya standard specification for adhesives for use with ceramic tiles.
KS 1446/1999	Kenya standard specification for health drinks. Part 1: Vitamin C-based health drinks.
KS 1516/1999	Kenya standard code of hygienic practice for the handling, processing, storage and the placing on the market of fish and fishery products.
KS 169/1999	Kenya standard specification for wheat flour (1st revision, 1999).
KS 1565/1999	Kenya standard specification for frozen fillets of cuttle fish and fillets and tubes of squids.
KS 1564/1999	Kenya standard code of practice for the handling, processing, storage and distribution of molluscan shellfish.
KS 36/1999	Kenya standard specification for dairy ice-cream and ice milk.
KS 1550/1990	Kenya standard specification for carbon dioxide for carbonation of beverages.
KS 433/1999	Kenya standard specification for edible cassava starch.
KS 1485/1999	Kenya standard specification for fruit flavored drinks.
KS 55/1999	Kenya standard specification for canned corned beef (1st revision, 1999).
KS 172/1999	Kenya standard specification for bread (2nd revision, 1999).
KS 1540/1999	Kenya standard specification for knapsack sprayers.
KS ISO 10571/1995	Kenya standard specification for tyres for mobile cranes and similar specialized machines.
KS 1498/1999	Kenya standard specification for rollers and shafts for sugar-cane crushers.
KS 02/1999	Kenya standard specification for galvanized plain and corrugated steel sheets (2nd revision, 1999).
KS 1517/1999	Kenya standard specification for edible ices and ice mixes.
KS 1449/1999	Kenya standard code of practice for wall and floor tiling with natural stone tiles.
KS IEC 60282/1998	Kenya standard specification for high voltage fuses. Part 1: Current-limiting fuses. Part 3: Determination of short-circuit power factor for testing-current limiting fuses and expulsion and similar fuses.
KS IEC 61558/1997	Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 1: General requirements and tests.
KS IEC 61558/	Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-17: Particular requirements for transformers for switch mode power supplies.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS IEC 61558/1997	Kenya standard specification for safety of power transformers, supply units and similar apparatus. Part 2-7 Particular requirements for transformers to toys.
KS IEC 61558/1997	Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-6: Particular requirements for safety isolating transformers for general use.
KS IEC 61558/1997	Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-5: Particular requirements for shaver transformers and shaver supply units.
KS IEC 61558/1997	Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-4: Particular requirements for isolating transformers for general use.
KS IEC 61558/1997	Kenya standard specification for safety of power transformers, power supply units and similar apparatus. Part 2-2 Particular requirements for control transformers.
KS IEC 61558/1997	Kenya standard specification for safety of power transformers power supply units and similar apparatus. Part 2-1: Particular requirements for separating transformers for general use.
KS CODEX STAN 181/1991	Kenya standard specification for formular foods for use in weight control diets.
KS CODEX STAN 180/1991	Kenya standard specification for the labelling of and claims of foods for special medical purposes.
KS CODEX STAN 11/1976	Kenya standard for code of hygienic practice for fresh meat.
KS CODEX STAN 129/1981	Kenya standard specification for canned apricots
KS CODEX STAN 6/1972	Kenya standard for code of hygienic practice for tree nuts.
KS CODEX STAN 165/1989	Kenya standard specification for quick frozen blocks of fish fillet, minced fish flesh and mixtures of fillets and minced fish flesh.
KS CODEX STAN 166/1989	Kenya standard specification for quick frozen fish sticks (fish fingers) and fish portions—breaded or in batter.
KS CODEX STAN 111/1981	Kenya standard specification for quick frozen cauliflower.
KS CODEX STAN 18/1981	Kenya standard specification for canned sweet corn.
KS 580	Kenya standard specification for cosmetic creams, lotions and gels for skin care (2nd revision, 2001).
KS 1474 Part 3/2001	Kenya standard classification of cosmetic raw materials and adjuncts. Part 3: List of substances which cosmetic products must not contain except subject to the restrictions and conditions laid down (<i>1st revision, 2001</i>).
KS 1432/1999	Kenya standard specification for connecting devices for low voltage circuits for household and similar purposes. Part 1: General requirements. Part 2: Particular requirements for connecting devices with screw-type clamping units. Part 3: Particular requirements for twist-on connecting devices.
KS 247/1981	Kenya standard specification for switches for domestic and similar purposes (2nd revision, 1999).

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 473/1983	Kenya standard specification for starters for fluorescent lamps (1st revision, 1999).
KS 910/1990	Kenya standard specification for gloss solvent borne paints for interior and exterior use (1st revision, 1999).
KS 601/1988	Kenya standard specification for hair creams, lotions and gels (1st revision, 1999).
KS 602/1989	Kenya standard specification for hair oils (1st revision, 1999).
KS 429/1983	Kenya standard specification for code of marketing of breast-milk substitutes (1st revision, 1999).
KS 1484/1999	Kenya standard specification for canned asparagus.
KS 35/1977	Kenya standard specifications for dairy cream for direct consumption (1st revision, 1999).
KS 27/1977	Kenya standard specification for butter (1st revision, 1999).
KS 273/1990	Kenya standard specification for woven bags (100 per cent sisal) for clean coffee beans (2nd revision, 1999).
KS OIML R 111/1994	Kenya standard specification for weights of classes E1, E2, F1, F2, M1, M2, M3.
KS OMIL R 76/1992	Kenya standard specification for non-automatic weighing instruments. Part 1: Meteorological and technical requirements—tests.
KS CODEX STAN 37/1981	Kenya standard specification for canned shrimps or prawns.
KS CODEX STAN 90/1981	Kenya standard specification for canned crap meat.
KS CODEX STAN 130/1981	Kenya standard specification for dried apricots.
KS CODEX STAN 70/1981	Kenya standard specification for canned tuna and bonito in water or oil.
KS CODEX STAN 94/1981	Kenya standard specification for canned sardines and sardine-type products.
KS ISO 7700-1/1984	Part 1: Moisture meters for cereals.
KS ISO 7700-1/1984	Kenya standard specification for check of the calibration of moisture meters.
KS ISO 7700-2/1987	Part 2: Moisture meters for oilseeds.
KS ISO 6789/1992	Kenya standard specification for assembly tools for screws and nuts—hand torque tools—requirements and tests methods.
KS ISO 6479/1984	Kenya standard specification for shelled sweet kernels of apricots.
KS ISO 7701/1994	Kenya standard specification for dried apples—specification and test methods.
KS ISO 7702/1995	Kenya standard specification for dried pears—specification and test methods.
KS ISO 500/1991	Kenya standard specification for agricultural tractors—specification for rear mounted power take-off types 1, 2 and 3.
KS ISO 5682/1996	Kenya standard specification for equipment for crop protection—spraying equipment. Part 1: Test methods for sprayer nozzles. Part 2: Test methods for hydraulic sprayers. Part 3: Test methods for volume/hectare adjustment systems of agricultural hydraulic pressure sprayers
KS ISO 730/1994	Kenya standard specification for agricultural wheeled tractors—specification for rear mounted three point linkages.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 730-	1/1994 Part 1: Categories 1, 2, and 3.
KS ISO 730- 2/1979	Part 2: Category 1 N (Narrow hitch).
KS 44/1998	Kenya standard specification for baby soaps.
KS 804/1998	Kenya standard specification for antibacterial toilet soap.
KS 1290/1998	Kenya standard specification for bleaching agents. Part 2: Sodium hypochlorite solution for water treatment. Part 3: Chlorinated lime (bleaching powder for water treatment). Part 4: Calcium hypochlorite for water treatment.
KS 1407/1998	Kenya standard specification for chlorpyrifos. Part 1: Technical grade. Part 2: Emulsifiable concentrates
KS 1410/1998	Kenya standard specification for marathion. Part 1: Technical grade. Part 2: Emulsifiable concentrates Part 3: Dusting powders.
KS 1411/1998	Kenya standard specification for diazinon. Part 1: Technical grade. Part 2: Emulsifiable concentrates.
KS 186/1998	Kenya standard specification for automatic fire alarm systems in buildings. Part 5: Self-contained smoke detectors.
KS 279/1998	Kenya standard specification for electric irons for household use (1st revision, 1998).
KS 340/1998	Kenya standard specification for edible maize starch.
KS 1470/1998	Kenya standard specification for fresh dried <i>rastrineobola argentea</i> (omena/dagaa).
KS 1399/1998	Kenya standard specification for fresh fin fish. Part 1: Fresh whole fish. Part 2: Fresh fish fillet
KS 1339/1998	Kenya standard specification for hand hammers.
KS 1439/1998	Kenya standard specification for general requirements for domestic and commercial equipment for use with L. P.G.
KS 1456/1998	Kenya standard specification for non-destructive testing of welded joints minimum requirement for non-destructive testing methods.
KS CODEX STAN 23/1981	Kenya standard specification for edible sunflowers seed oil.
KS CODEX STAN 25/1981	Kenya standard specification for edible maize oil.
KS CODEX STAN	Kenya standard specification for edible sesame seed oil.
KS CODEX STAN 124/1981	Kenya standard specification for edible coconut oil.
KS CODEX STAN 126/1981	Kenya standard specification for edible palm kernel oil.
KS CODEX STAN 147/1981	Kenya standard specification for cocoa butter confectionery.
KS ISO 2726/1995	Kenya standard specification for woodworking tools—metal bodied bench planes, plane cutters and cap irons.
KS ISO 10103/1990	Kenya standard specification for assembly tools for screws and nuts—double headed, deep offset and modified offset, box wrenches.
KS ISO 10104/1990	Kenya standard specification for assembly tools for screws and nuts—double headed, deep offset and modified offset, box wrenches.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 2344/1992	Kenya specification for road vehicles—specification for M 14 X 1, 25 spark-plugs with conical seating and their cylinder head housings.
KS ISO 1919/1998	Kenya standard specification for road vehicles—specification for M 14 X 1, 25 spark-plugs with flat seating and their cylinder head housing.
KS ISO 2704/1998	Kenya standard specification for road vehicles—specification for M 10 X 1 spark-plugs with fat seating and their cylinder head housing.
KS ISO 2705/1999	Kenya standard specification for road vehicles—specification for M 12 X 1, 25 spark plugs with flat seating and their cylinder head housings.
KS ISO 1126/1970	Kenya standard specification for recommended symbolic designation of direction of closing and faces of doors, windows and shutters.
KS ISO 9051/1990	Kenya standard specification for glass in building—glazed assemblies containing fire-resistant transparent or translucent glass, for use in building.
KS 983/1999	Kenya standard specification for performance requirements for incineration plant for the destruction of hospital waste.
KS 154/1997	Kenya standard specification for both plain and fork hoes (2nd revision, 1999).
KS 151/1999	Kenya standard specification for machetes (2nd revision, 1999).
KS 986/1999	Kenya standard for code of practice for the design, specification, and installation and commissioning of incineration plant for the destruction of hospital waste.
KS IEC/CISPR 22/1997	Kenya standard specification for radio information technology equipment disturbance characteristics—limits and methods of measurement.
KS IEC/CISPR 23/1987	Kenya standard specification for determination of limits for industrial, scientific and medical information technology equipment—immunity characteristics—limits and methods for measurement.
KS IEC/CISPR 24/1987	Kenya standard specification for characteristics of information technology equipment—limits and methods.
KS IEC/CISPR 20/1988	Kenya standard specification for electro-magnetic immunity requirements of sound and television broadcast receivers and associated equipment.
KS IEC/CISPR11/1997	Kenya standard for industrial, scientific and medical (ISM) radio frequency equipment—electromagnetic disturbance characteristics—limits and methods of measurement.
KS IEC/CISPR14-2/1997	Kenya standard specification for electromagnetic compatibility—requirements for household appliances, electric tools and similar apparatus.
KS IEC/CISPR14-1 amd 1/1996: amd 2/1998	Kenya standard specification for limits and methods of measurement of radio disturbance characteristics of electric motor-operated and thermal appliances for household and similar purposes, electric tools and similar electric apparatus.
KS 827/1994	Kenya standard specification for concrete paving blocks.
KS 1642/2000	Kenya standard specification for frozen tuna loin.

STANDARDS ORDER, 2002

[L.N. 3/2003.]

1. This Order may be cited as the Standards Order, 2002.
2. Kenya standards having been declared for the several commodities and methods and procedures set out in the first and second columns of the Schedule, no person shall manufacture or sell those commodities or use those methods or procedures on or after forty-two (42) days of the date of publication of this Order unless the commodities and methods or procedures comply with the requirements of the relevant Kenya Standards.

SCHEDULE

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 05–1499/1998	Kenya standard code of practice for processing, handling and distribution of alcoholic beverages.
KS 01–458/1987	Kenya standard specification for common salt and mineral supplements for ruminant livestock (1st revision, 1998).
KS 05–1398/1998	Kenya standard specification for dressed poultry.
KS 05–1313/1998	Kenya standard specification for dessicated coconut.
KS 05–436 Part 2/1998	Kenya standard specification for cocoa-sugar mixtures.
KS 05–1094 Part 2/1998	Kenya standard specification for banana crisps.
KS 05–1094 Part 3/1998	Kenya standard specification for cassava crisps.
KS 03–162/1982	Kenya standard specification for road marking paints (1st revision, 1998).
KS 03–927/1998	Kenya standard specification for disinfecting general-purpose detergents.
KS 03–929/1998	Kenya standard specification for QAC-based aromatic disinfectant liquid.
KS 03–426/1998	Kenya standard specification for paraffin wax.
KS 03–1427/1998	Kenya standard specification for microcrystalline of wax petroleum origin.
KS 03–1454/1998	Kenya standard specification for shoe cream.
KS 03–1443/1998	Kenya standard specification for washing bars.
KS 03–240/1979	Kenya standard specification for glazed dust-pressed wall tiles (1st revision, 1998).
KS 06–452/1992	Kenya standard specification for stainless steel sinks for domestic purposes (2nd revision, 1998).
KS 06–1322/1998	Kenya standard specification for charcoal burning ironing presses.
KS 06–1348/1998	Kenya standard specification for parallel action flat nose pliers.
KS 06–1349/1998	Kenya standard specification for scissors for general purposes.
KS 06–205/1979	Kenya standard specification for retread car and commercial vehicle tyres (2nd revision, 1998).
KS 06–1350/1998	Kenya standard specification for tow-rope assemblies for towing passenger cars and light vans.
KS 06–1347/1998	Kenya standard specification for metric steel tape measures (winding type).
KS ISO 8442/1997	Kenya standard specification for materials and articles in contact with foodstuffs—cutlery and table hollowware. Part 1: Requirements for cutlery for the preparation of food.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
	Part 2: Requirements for stainless steel and silver-plated cutlery.
	Part 3: Requirements for silver-plated table and decorative hollowware.
	Part 4: Requirements for gold-plated cutlery.
KS ISO 9994/1995	Kenya standard lighters—safety specification.
KS 02–979/1998	Kenya standard specification for gypsum plaster board for direct surface decoration or gypsum finishes.
KS 02–980/1998	Kenya standard specification for gypsum plasters.
KS 02–931/1998	Kenya standard specification for determination of mechanical properties of gypsum plasters.
KS 04–468/1998	Kenya standard specification for flexible non-metallic conduits for electrical wiring.
	Part 1: Plain conduits.
KS 04–1329/1998	Kenya standard specification for stationary thermal storage electric water heaters.
KS 04–1384/1998	Kenya standard specification for hand tools for live working up to 1000 V a.c. and 1500 V d.c.
KS 04–1383/1998	Kenya standard specification for safety hand-held motor operated electric tools.
	Part 1: General requirements.
	Part 2: Particular requirements for drills.
	Part 3: Particular requirements for grinders and disk-type senders.
	Part 4: Particular requirements for circular saws and circular knives.
	Part 5: Particular required for screw drivers and impact wrenches.
KS 04–280/1982	Kenya standard specification for controls for heating units in household electric ranges (1st revision, 1998).
KS 04–1431/1998	Kenya standard specification for junction boxes for use in electrical installations.
KS 08–1113/1998	Kenya standard specification for staple spun yarns.
	Part 2: 100% wool (worsted) yarns.
KS 08–607/1998	Kenya standard specification for adjacent fabric.
	Part 9: Multifibre fabric.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles.
	Part 1: Definitions, classification, characteristics and marking.
KS 104/2001	Kenya standard specification for cold rolled steel sections.
KS ISO IEC 14598–5/1998	Kenya standard information technology software product evaluation.
	Part 5: Process for evaluators.
KS 1724/2001	Kenya standard specification for multi-frequency tone signalling protocol for social alarm systems.
KS 1722/2001	Kenya standard alarm systems—social alarm systems.
	Part 2: Trigger devices.
KS 184/2001	Kenya standard specification for primary batteries.
	Part 4: Safety of lithium batteries.
KS 1709/2001	Kenya standard specification for batteries for use in photovoltaic systems.
KS 1637/2001	Kenya standard specification for welding cables.

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 8536–3/1999	Kenya standard specification for infusion equipment for medical use. Part 3: Aluminium caps for infusion bottles.
KS ISO 8536–2/2001	Kenya standard specification for infusion equipment for medical use. Part 2: Closures for infusion bottles.
KS ISO 8536–1/2000	Kenya standard specification for infusion equipment for medical use. Part 1: Infusion glass bottles.
KS ISO 10990–4/1999	Kenya standard specification for animal (mammal) traps. Part 4: Methods for testing killing-trap systems used on land or underwater.
KS ISO 8322–6/1991	Kenya standard building construction—measuring instruments—procedures for determining accuracy in use. Part 6: Laser instruments.
KS ISO 8322–10/1995	Kenya standard building construction—measuring instruments—procedures for determining accuracy in use. Part 10: Difference between non-glass reflectors and electronic distance-measuring prisms (traditional glass prisms) for distance up to 150 m.
KS ISO 8322–4/1991	Kenya standard building construction—measuring instruments—procedures for determining accuracy in use. Part 4: Theodolites.
KS ISO 8322–3/1989	Kenya standard building construction measuring instruments—procedures for determining accuracy in use. Part 3: Optical levelling instruments.
KS ISO 8322–2/1989	Kenya standard building construction measuring instruments—procedures for determining accuracy in use. Part 2: Measuring tapes.
KS ISO 4706/1989	Kenya standard refillable welded steel gas cylinders.
KS ISO 15513/2000	Kenya standard cranes—competency requirements for crane drivers (operators), slingers, signallers and assessors.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 9: Dust-pressed tiles with water absorption of $E > 10\%$.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 8: Dust-pressed tiles with water absorption of $6 < E \leq 10\%$.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 7: Dust-pressed tiles with water absorption $3\% \leq E \leq 6\%$.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 6: Dust-pressed tiles with low water absorption ($E \leq 3\%$).
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 5: Extruded ceramic tiles with water absorption of $E > 10\%$.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 4: Extruded ceramic tiles with water absorption of $6 < E \leq 10\%$.
KS ISO 140–2/1991	Kenya standard acoustics—measurements of sound insulation in buildings and of building elements. Part 2: Determination, verification and application of precision data.
KS ISO 2776/1974	Kenya standard modular co-ordination—co-ordinating sizes for door-sets—external and internal.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS ISO 140-1/1997	Kenya standard acoustics—measurement of sound insulation in buildings and of building elements. Part 1: Requirements for laboratory test facilities with suppressed flanking transmission.
KS 1725/2001	Kenya standard cement. Part 1: Composition, specifications and conformity criteria for common cements.
KS 1725/2001	Kenya standard cement. Part 2: Conformity evaluation.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 3: Extruded ceramic tiles with a water absorption of $3\% \leq E \leq 6\%$.
KS 1738/2001	Kenya standard specification for ceramic floor and wall tiles. Part 2: Extruded ceramic tiles with low water absorption ($E \leq 3\%$).
KS 34/2001	Kenya standard specification for yoghurt (2nd revision, 2001).
KS 551/2001	Kenya standard specification for mayonnaise and mayonnaise-like products (1st revision, 2001).
KS ISO 11165/1995	Kenya standard dried sage (<i>salvia officinalis L.</i>)—specification.
KS ISO 11416/1995	Kenya standard tennis rackets—racket components and physical parameters.
KS ISO 5970/1979	Kenya standard furniture—chairs and tables for educational institutions—functional sizes.
KS ISO 9202/1991	Kenya standard jewellery—fineness of precious metal alloys.
KS ISO 8653/1986	Kenya standard jewellery—ring-sizes—definition, measurement and designation.
KS 1656/2001	Kenya standard specification for general and industrial lined and unlined PVC boots.
KS 1635/2001	Kenya standard specification for moulded rubber heels and soles.
KS ISO 6530/1990	Kenya standard protective clothing—protection against liquid chemicals—determination of resistance of materials to penetration by liquids.
KS 1088/2001	Kenya standard specification for soups and broths. Part 1: Dehydrated soups and broths (1st revision, 2001).
KS 29/2001	Kenya standard specification for milk powders and cream powders (2nd revision, 2001).
KS 1715/2001	Kenya standard code of practice for the sensory evaluation of fish and shellfish in laboratories.
KS CODEX STAN 189/1993	Kenya standard for dried shark fins.
KS CODEX STAN 202/1995	Kenya standard for couscous.
KS CODEX STAN 114/1981	Kenya standard specification for quick-frozen French fried potatoes.
KS 1740/2001	Kenya standard specification for dried mangoes.
KS 1088/2001	Kenya standard specification for soups and broths. Part 2: Canned soups and broths.
KS 650/2001	Kenya standard specification for glass globes for paraffin lighting appliances for domestic use (1st revision, 2001).
KS 802/2001	Kenya standard specification for cut-size papers. Part 2: Photocopy paper (1st revision, 2001).

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS 802/2001	Kenya standard specification for cut-size papers. Part 1: General purpose paper (1st revision, 2001).
KS 945/2001	Kenya standard specification for sack kraft paper. Part 1: Natural and extensible sack kraft paper.
KS ISO 3143/1997	Kenya standard oil of clove stems [<i>Syzygium aromaticum</i> (L.) Merr. et Perry, syn. <i>Eugenia caryophyllus</i> (Sprengel) Bullock et S. Harrison].
KS ISO 3142/1997	Kenya standard oil of clove buds [<i>Syzygium aromaticum</i> (L.) Merr. et Perry, syn. <i>Eugenia caryophyllus</i> (Sprengel) Bullock et S. Harrison].
KS IEC 60947–5–3/1996	Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 3: Requirements for proximity devices with defined behaviour under fault conditions (PDF).
KS IEC 60947–5–4/1996	Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 4: Methods of assessing the performance of low-energy contacts—special tests.
KS IEC 60947–5–5/1997	Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 5: Electrical emergency stop device with mechanical latching function.
KS IEC 60947–5–6/1999	Kenya standard specification for low voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 6: DC interface for proximity sensors and switching amplifiers (namur).
KS IEC 60947–6–2/1992	Kenya standard specification for low-voltage switchgear and controlgear. Part 6: Multiple function equipment. Section 2: Control and protective switching devices (or equipment) (CPS).
KS IEC 60947–6–1/1998	Kenya standard specification for low-voltage switchgear and controlgear. Part 6: Multiple function equipment. Section 1: Automatic transfer switching equipment.
KS IEC 60947–7–1/1989	Kenya standard specification for low-voltage switchgear and controlgear. Part 7: Ancillary equipment. Section 1: Terminal blocks for copper conductors.
KS IEC 60947–5–1/1999	Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 1: Electromechanical control circuit devices.

Standards

[Subsidiary]

SCHEDULE—*continued*

<i>Number</i>	<i>Title of Specification or Code of Practice</i>
KS IEC 60947–5–2/1997	Kenya standard specification for low-voltage switchgear and controlgear. Part 5: Control circuit devices and switching elements. Section 2: Proximity switches.
KS ISO 6867/2000	Kenya standard animal—animal feeding stuffs—determination of Vitamin E content—method using high-performance liquid chromatography.
KS IEC 60439–5/1996	Kenya standard low-voltage switchgear and controlgear assemblies. Part 5: Particular requirements for assemblies intended to be installed outdoors in public places—cable distribution cabinets (CDCs) for power distribution in networks.
KS IEC 60439–4/1999	Kenya standard low-voltage switchgear and controlgear assemblies. Part 4: Particular requirements for assemblies for construction sites (ACS).
KS IEC 60439–3/1990	Kenya standard specification for low-voltage switchgear and controlgear assemblies. Part 3: Particular requirements for low-voltage switchgear and controlgear assemblies intended to be installed in places where unskilled persons have access for their use—distribution boards.
KS IEC 60439–2/1987	Kenya standard low voltage switchgear and controlgear assemblies. Part 2: Particular requirements busbar trunking systems (busways).
KS IEC 60439–1/1999	Kenya standard low-voltage switchgear and controlgear assemblies. Part 1: Type-tested and partially type-tested assemblies.
KS IEC 62151/2000	Kenya standard safety of equipment electrically connected to a telecommunication network.
KS IEC 60244–1/1968	Kenya standard methods of measurement for radio transmitters. Part 1: General characteristics for broadcast transmitters.
KS IEC 60947–7–2/1995	Kenya standard specification for low-voltage switchgear and controlgear. Part 7: Ancillary equipment. Section 2: Protective conductor terminal blocks for copper conductors.
KS ISO 11163/1995	Kenya standard dried sweet basil (<i>Ocimum basilicum L.</i>)—specification.
KS CODEX STAN 143/1985	Kenya standard for dates.
KS ISO 7713/1985	Kenya standard laboratory glassware-disposal serological pipettes.
KS 1723/2001	Kenya standard code of practice for documentation for social alarm systems.

STANDARDS (KENYA ACCREDITATION SERVICE) REGULATIONS, 2005

ARRANGEMENT OF REGULATIONS

Regulation

1. Citation.
 2. Interpretation.
 3. Establishment of Kenas.
 4. Appointment of a Chief Executive Officer and staff.
 5. Functions of the Kenas.
 6. Registration.
 7. Certificates.
 8. Powers and functions of the Board.
 9. The Board to establish committees.
 10. Financial provisions.
 11. Immunity from actions done in good faith.
 12. Delegation.
 13. Appeals.
 14. Revocation.
-

[Subsidiary]

STANDARDS (KENYA ACCREDITATION SERVICE) REGULATIONS, 2005

[L.N. 26/2005.]

1. Citation

These Regulations may be cited as the Standards (Kenya Accreditation Service) Regulations, 2005.

2. Interpretation

In these Regulations, unless the context otherwise require—

“**accreditation**” means the procedure by which KENAS gives formal recognition that a conformity assessment body or person is competent to carry out specific tasks;

“**assessment**” means a process undertaken by KENAS to assess the competence of a conformity assessment body or persons based on particular standard(s) and or other normative documents and for a defined scope of accreditation;

“**assessor**” means any person qualified and authorized to perform all or any part of assessment;

“**certification body**” means a body corporate accredited by KENAS to certify management systems processes and products;

“**conformity assessment**” means demonstration that specified requirements relating to a product, process, system person or body are fulfilled;

“**conformity assessment body**” means a body that performs conformity assessment activities such a laboratory, certification or inspection body;

“**fees**” includes royalties, subscription, application and any other fee prescribed by the Board;

“**inspection body**” means a body corporate accredited by KENAS to inspect products, items or structures against specifications or requirements;

“**KENAS**” means Kenya Accreditation Service established under Regulation(3);

“**laboratory**” means as an establishment, which does one, a combination or all of the following; measures, examines, tests, calibrates or otherwise determines the characteristics or performance of materials or products;

“**lead assessor**” means an assessor who is qualified and authorized to manage quality systems management;

“**person**” means an individual, firm or organization;

3. Establishment of KENAS

(1) There is established a body to be known as the Kenya Accreditation Service.

(2) The Board of KENAS shall consist of the following members—

- (a) a chairman who shall be appointed by the Minister;
- (b) the Chief Executive Office of the Kenya Bureau of Standards;

[Subsidiary]

- (c) not more than three people, appointed by the Minister on the advice of the Council, who possess knowledge and competence in conformity assessment systems and competence in conformity assessment systems and who shall not be members of the Council nor officers employed by the Kenya Bureau of Standards;
- (d) not more than four people, appointed by the Minister, representing conformity assessment bodies;
- (e) the Chief Executive Officer of KENAS who shall be the secretary.

4. Appointment of a Chief Executive Officer and staff

The Board shall appoint a Chief Executive Officer and such members of staff as the Board may deem necessary for the proper performance of the function of KENAS

5. Functions of the KENAS

KENAS shall—

- (a) develop and regulate the criteria or requirement for the registration of assessors, conformity assessment inspectors, auditors and training providers and review such criteria or requirements from time to time;
- (b) develop and regulate criteria or requirements for accrediting conformity assessment bodies;
- (c) register all assessors, conformity assessment inspectors, auditors and training providers;
- (d) design and issue identification numbers and certificates to all registered assessors, conformity assessment inspectors auditors and training providers and conformity assessment bodies;
- (e) accredit conformity assessment bodies;
- (f) open, maintain and update a register of all registered assessors, conformity assessment inspectors, auditors and training providers and accredited conformity assessment bodies;
- (g) publish annually in the *Gazette* all the assessors, conformity assessment inspectors, auditors, training providers and conformity assessment bodies who have been registered or accredited in that particular year;
- (h) establish arrangements promoting the use of the marks and certificates issued by registered persons and accredited conformity assessment bodies;
- (i) establish and nurture relations and cooperation with regional and international accreditation bodies, persons, associations and organizations that the Board may consider desirable or appropriate and in furtherance of the objectives and purposes for which KENAS is established;
- (j) organize activities aimed at raising awareness on the importance and purpose of registration and accreditation;
- (k) establish a Secretariat to administer these Regulations.

6. Registration

(1) Every person or firm wishing to be registered or accredited shall make an application to the Board in the prescribed forms.

(2) An application for registration or accreditation shall be accompanied by such fees as the Board may, from time to time, prescribe.

[Subsidiary]

(3) All registered persons or every accredited conformity assessment body shall pay such type and amount of fees and subscription as shall be determined, from time to time, by the Board.

(4) No person or conformity assessment body shall undertake any certification or conformity assessment activity unless authorised and duly registered or accredited by the Board.

(5) Any person or conformity assessment body who undertakes certification or conformity assessment activity without first being registered or accredited shall commit an offence and shall, on conviction, be liable to punishment as provided for under the Act.

7. Certificates

(1) All registered persons and every accredited conformity assessment body under these Regulations shall be issued with—

- (a) a certificate of accreditation in the prescribed form; and
- (b) an identification number specified by the Board.

(2) A certificate issued under these Regulations shall contain such terms and conditions as the Board may prescribe and shall be conclusive evidence of authority to operate as a duly registered person or accredited body.

8. Powers and function of the Board

(1) The Board shall have powers to cancel the registration or accreditation where—

- (a) registration or accreditation has been obtained by fraud;
- (b) the registered person or accredited conformity assessment body does not comply with specified criteria, requirement or condition for registration or accreditation as the Board may prescribe or having complied with the criteria, requirement or condition at the time of registration or accreditation ceases to comply by any other reason;
- (c) the registered person has been adjudged bankrupt;
- (d) the accredited conformity assessment body is declared insolvent or has had a receiving order issued against it;
- (e) the registered person or accredited conformity assessment body has refused or neglected to pay specified fee as the Board may, from time to time prescribe.

(2) The Board shall have power to supervise and control the administration and financial management of KENAS.

(3) The Board may advise and obtain advice from the Minister in regard to any matter in his purview under these Regulations.

(4) The Board shall formulate matters of policy for the purpose of providing general or specific guidance to KENAS for the better performance of its functions under these Regulations.

(5) The Board—

- (a) shall administer the assets and funds of KENAS in such a manner and for such purposes as will promote the objectives and interests of KENAS in accordance with these Regulations;
- (b) may receive donations and other monies, property and equipment on behalf of KENAS and shall have power to make legitimate disbursements therefrom.

[Subsidiary]

(6) The Board shall have powers to establish committees to which it may delegate specific tasks.

(7) The Board shall have powers to grant, renew, extend, withdraw or cancel an registration or accreditation.

9. The Board to establish committees

- (a) a committee to be known as the registration and accreditation committee which shall comprise of not less than four but not more than six member who shall be person knowledgeable in conformity assessment actives and which shall have powers to—
 - (i) make rules to regulate its own procedure and affairs to ensure independence and impartiality;
 - (ii) review applications for registration and accreditation; and
 - (iii) recommend to the Board whether or not to grant, renew, extend, withdraw or cancel registration or accreditation and the manner with which to deal with the certificate issued thereto;
- (b) an advisory committee of such members not being members of the Board and not being more than five to—
 - (i) hear all disputes regarding any person or body seeking registration or accreditation or any person or body registered or accredited by the Board; and
 - (ii) make recommendations to the Board and the Board shall consider such recommendations and make a decision.

10. Financial provisions

(1) The funds of KENAS shall consist of all monies received or recovered under these Regulations by or on behalf of KENAS or any other monies that may be made available to KENAS.

(2) The Board shall cause to be kept all proper books of accounts and other books and records in relation to the funds and all the undertakings, activities and property of KENAS and shall, within such period after the end of each financial year, as the Minister shall specify, cause to be prepared—

- (a) a balance sheet showing in detail the assets and liabilities of KENAS as at the end of that year;
- (b) such other statement of accounts as may be necessary to indicate the financial status of KENAS as at the end of that year.

(3) The accounts of KENAS shall be examined audited and reported upon annually by the Controller and Auditor-General.

11. Immunity from actions done in good faith

(1) No matter or thing done by the Board or any officer or employee or agent of KENAS shall, if the matter or thing is done *bona fide* for executing the functions, powers and duties of KENAS render the member, officer, employee or agent or any person acting by his directions personally liable to any action, claim or demand.

(2) The provisions of these Regulations shall not relieve KENAS of the liability to pay compensation or damages to any person for injury or loss caused to him, his property, or any of his interest by the exercise of powers conferred by these Regulations by reason of negligence whether wholly or partially of its officers or employees.

[Subsidiary]

12. Delegation

The Board may by resolution either generally or in any specific case delegate to a Committee of KENAS or to any member, officer employee or agent the exercise of any of the powers or the performance of any of the functions or duties for which it is authorised by these Regulations to exercise or perform.

13. Appeals

Any registered person or accredited conformity assessment body aggrieved by any decision made by the Board and wished to challenge the same shall within twenty one days from the date of the decision of the Board, appeal to the Standards Tribunal.

14. Revocation

The following are revoked—

- (a) the Standards (National Calibration Service) Regulations (L.N. No. 8/1984, Sub. Leg.); and
 - (b) the Standards (National Scheme for the Registration of Assessors) Regulations (L.N. No. 90/1995, Sub. Leg.).
-

**VERIFICATION OF CONFORMITY TO KENYA
STANDARDS OF IMPORTS ORDER, 2005**

ARRANGEMENT OF ORDERS

Order

1. Citation.
 2. Publication of a list.
 3. Compliance with standards.
 4. Appointment of an inspection body.
 5. Verification of conformity.
 6. Certificate of conformity and non-conformity report.
 7. Destination inspection.
 8. Exemption.
 9. Revocation.
-

[Subsidiary]

**VERIFICATION OF CONFORMITY TO KENYA
STANDARDS OF IMPORTS ORDER, 2005**

[L.N. 78/2005.]

1. Citation

This Order may be cited as the Verification of Conformity to Kenya Standards of Imports Order, 2005.

2. Publication of a list

The Kenya Bureau of Standards shall publish a list of goods which shall be subjected to verification of conformity to Kenya Standards or approved specifications.

3. Compliance with standards

A persons who imports goods must ensure that the goods meet Kenya Standards or approved specifications.

4. Appointment of an inspection body

The Kenya Bureau of Standards shall appoint an inspection body or bodies in the country of origin of goods to undertake verification of conformity to Kenya Standards or approved specifications.

5. Verification of conformity

All goods which are specified by the Kenya Bureau of Standards in accordance with paragraph 2 shall be subjected to verification of conformity to Kenya Standards or approved specifications in the country of origin by an inspection body authorized by the Bureau, and may be re-inspected at the port of entry by the Bureau if it is deemed necessary.

6. Certificate of conformity and non-conformity report

(1) The Kenya Bureau of Standards shall issue a certificate of conformity in respect of goods that conform with Kenya Standards or approved specifications and a non conformity report in respect of goods which do not.

(2) No Goods that do not conform to the Kenya Standards or approved specifications shall be permitted into Kenya, and shall be re-shipped, returned or destroyed at the expense of the importer.

7. Destination inspection

(1) Goods specified in accordance with paragraph 2 arriving at the port of entry without a certificate of conformity shall be subjected to destination inspection at a fee of 15% of the Cost, Insurance and Freight value of the goods.

(2) The imported of such goods shall, in addition to the fee imposed in paragraph (1), execute a security bond equivalent to the said fee.

(3) Where goods subjected to destination inspection under subparagraph (1) fail to conform to Kenya Standards or approved specifications, they shall be re-shipped, returned or destroyed at the expense of the importer.

8. Exemption

The Minister may, on the advice of the National Standards Council, exempt any imports from the provisions of this Order where the Minister is satisfied that it is in the national interest to do so.

9. Revocation

The Quality Inspection of Imports Order, 1998, (L.N. 155/1998.) is revoked.

STANDARDS (QUALITY INSPECTION OF IMPORTS) REGULATIONS, 2009

[L.N. 142/2009.]

1. These Regulations may be cited as the Standards (Quality Inspection of Imports) Regulations, 2009.
2. The goods set out in the Schedule shall, when imported into Kenya, be subjected to quality inspection by the Kenya Bureau of Standards at the port of entry.
3. The Bureau shall ensure that all products inspected under these Regulations meet the requirements of Kenya Standards or standards approved by the Bureau.
4. The quality inspection fees for the imported commodities shall be as set out in the second column of the Schedule.
5. The Bureau shall issue a Certificate of Release in respect of all goods inspected and approved by it for entry into Kenya.
6. The Bureau shall develop appropriate forms for use under these Regulations, and may develop different forms for different kinds of goods.

SCHEDULE

[Rule 2, 5.]

<i>Goods</i>	<i>Fees Payable</i>
Petroleum and Petroleum products	0.675 % of cost, insurance and freight (cif)
